
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.






Forest Service

North Central
Forest Experiment
Station
Resource
Research
Bulletin NC-84



Timber Resource of Wisconsin's Central Survey Unit, 1983

Jerold T. Hahn



Information contained in this report includes the most commonly used Forest Inventory and Analysis statistics. However, additional forest resource data can be provided to interested users. Persons requesting additional information that can be provided from the raw inventory data are expected to pay for the retrieval costs. These costs will vary depending on the complexity of the request, from less than \$100 for a relatively simple request to \$2,000 for a complex retrieval involving the services of a Forest Inventory and Analysis computer programmer. If requests for data conflict with ongoing Forest Inventory and Analysis work, they will be scheduled so as to minimize the impact on the work unit.

Requests for unpublished information may be directed to:

Burton L. Essex Forest Inventory and Analysis Project North Central Forest Experiment Station 1992 Folwell Avenue St. Paul, Minnesota 55108

Phone: (612) 642-5282

Area served: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, eastern South Dakota, Wisconsin.

North Central Forest Experiment Station
Forest Service--U. S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
Manuscript approved for publication October 28, 1984
1985

FOREWORD

Forest Inventory and Analysis (FIA) is a continuing endeavor as mandated by the Renewable Forest and Rangeland Resources Planning Act of 1974. Prior inventories were mandated by the McSweeney-McNary Forest Research Act of 1928. The objective of FIA is to periodically inventory the Nation's forest land to determine its extent, condition, and volume of timber, growth, and depletions. Up-to-date resource information is essential to frame intelligent forest policies and programs. USDA Forest Service regional experiment stations are responsible for conducting these inventories and publishing summary reports for individual States. The North Central Forest Experiment Station is responsible for forest resource evaluation in Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, eastern South Dakota, and Wisconsin.

Fieldwork for the Wisconsin Statewide forest inventory was begun in the summer of 1981 and completed in late 1983. Reports on the three previous inventories of Wisconsin's timber resource are dated 1936, 1956, and 1968.

More accurate survey information was obtained during the 1983 survey than otherwise would have been feasible because of intensified field sampling. Such sampling was made possible by additional funding and field personnel provided the North Central Station by the Wisconsin State Legislature through the Department of Natural Resources. Data from the Departments' canvass of all primary wood-using plants in the State was used to help estimate the quantity of timber products harvested in Wisconsin.

Aerial photos used in the Central Unit Forest Inventory were furnished by the Wisconsin Department of Natural Resources and the USDA Agricultural Stabilization and Conservation Service.

CONTENTS

Pag	зe
Highlights	1
Appendix	
Accuracy of Survey	
Survey Procedures	
Comparing Wisconsin's Fourth Inventory With the Third Inventory	4
Log Grade	5
Tree Species Groups in Wisconsin's Central Unit	9
Metric Equivalents of Units Used in this Report	9
Definition of Terms	0.
Tables	4

TIMBER RESOURCE OF WISCONSIN'S CENTRAL SURVEY UNIT, 1983

Jerold T. Hahn, Principal Mensurationist

HIGHLIGHTS

Forest Area

- Forest land accounted for 3.0 million acres (42 percent of the Unit's land area) in 1983, this constitutes a 5.1 percent increase since 1968.
- Commercial forest land occupied 2.95 million acres in 1983--an increase of 4.2 percent from the 2.83 million acres in 1968.
- Productive-reserved forest land totaled 30,100 acres in 1983, compared to 3,900 acres in 1968. Major additions since 1968 include an increase in the number and area of State and county parks (14,200 acres in 1983), scientific and natural areas, military reservation impact areas, and Christmas tree plantations (11,000 acres).
- Jackson County contained the largest area of commercial forest in 1983 (371,400 acres); in 1968 it had 345,500 acres.
- Farmers and miscellaneous private owners continued to hold 74 percent of the commercial forest (2.1 million acres in 1968 and 2.2 million acres in 1983).
 A new definition of farm ownership shifted much of what was previously in the farmer category to the miscellaneous private category.
- County and municipal agencies owned 399,300 acres of commercial forest in 1983 (14 percent).
- The oak-hickory forest type continued to dominate the commercial forest land base in 1983, comprising 32 percent (937,600 acres) of the commercial forest area.
- The maple-birch type increased 30 percent to 506,200 acres while the aspen type decreased 16 percent to 577,500 acres.
- Sapling and seedling stands occupied 30 percent of the commercial forest in 1983, compared to 38 percent in 1968.
- Sawtimber stands, which increased by 330,700 acres between surveys, amounted to 30 percent of the commercial forest in 1983, compared to 19 percent in 1968.

- Sixty-four percent (114,900 acres) of the commercial plantation area is in the red pine type. This is 85 percent of the total area (135,000 acres) in red pine.
- Sixty-five percent (116,800 acres) of the plantations are less than 30 years old.
- Ten percent of all commercial forest area has white pine as prominent conifer in the understory, and 8 percent has jack pine as prominent conifer in the understory.
- Less than 2 percent of all forest land is unproductive or reserved.
- The average site index for commercial forest land in the Unit is 64 feet at age 50.

Timber Volume

- The volume of growing stock in 1983 was 2.87 billion cubic feet, 75 percent greater than the 1.64 billion in 1968.
- Sawtimber volume amounted to 6.3 billion board feet in 1983, 94 percent greater than the 1968 volume (3.2 billion board feet).
- The 2.2 billion cubic feet of hardwoods make up 75 percent of the growing-stock volume.
- Red pine growing-stock volume increased 609 percent since 1968. Ingrowth of plantations to merchantable size was the dominant factor in this dramatic increase. Area of red pine sawtimber increased from 7,500 acres to 20,900 acres, and red pine poletimber increased from 20,100 acres to 77,100 acres.
- The oaks (814 million cubic feet), aspens (505 million), and pines (595 million) contain the highest volumes, and together account for nearly 67 percent of the growing-stock volume.
- Average growing-stock volume per acre in 1983 was 972 cubic feet, compared to 580 cubic feet in 1968.
- Forty-five percent of the growing-stock volume is in stands from 31- to 60-years old.
- More than half of the sawtimber volume is in trees with grade 3 butt logs. Tree diameter is generally the limiting criterion.

 The volume in cull trees (rough, rotten, and shortlog cull) is 528 million cubic feet; salvable dead tree volume is 45 million cubic feet.

Stand Conditions

- Net annual growth on growing-stock trees was 100 million cubic feet in 1982.
- The net annual growth rate of growing stock was 3.5 percent of inventory in 1982.
- · Net growth averaged 33.9 cubic feet per acre in 1982.
- Annual mortality of growing stock amounted to 24.2 million cubic feet (0.8 percent of inventory) in 1982.
- Disease accounted for 23 percent of the mortality in 1982, chiefly diseases of aspen and elm.
- Elm mortality resulted in a 57 percent decline in elm volume between inventories, chiefly due to the effects of Dutch elm disease.

Timber Use

• Timber removals from growing stock in 1982 totaled over 48 million cubic feet (1.7 percent of inventory),

- compared to 42 million cubic feet (2.6 percent of inventory) in 1967.
- The pines made up 26 percent of the 1982 removals volume, although they account for only 21 percent of the growing-stock volume.
- Output of roundwood products from growing stock totaled 43.3 million cubic feet in 1981; 47 percent was pulpwood, 14 percent was fuelwood, and 37 percent was saw logs.
- Wood residue from primary plants totaled 8.6 million cubic feet in 1981, 97 percent of which was used.

Biomass

- Highest yields of live tree biomass are in the northern white cedar (82 green tons per acre), the white pine (82 tons), and the red pine (78 tons) forest types.
- Live tree biomass (trees greater than 1 inch d.b.h.) totaled 193 million green tons (65 tons per acre) in 1983, with just under half in the boles of growing-stock trees.

APPENDIX

ACCURACY OF SURVEY

Forest inventory and Analysis information is based on a sampling procedure designed to provide reliable statistics at the State and Unit levels. Consequently, the reported figures are estimates only. A measure of reliability of these figures is given by sampling errors. These sampling errors mean that the chances are two out of three that if a 100-percent inventory had been taken, using the same methods, the results would have been within the limits indicated.

For example, the estimated growing-stock volume in the Central Unit in 1983, 2,868.9 million cubic feet, has a sampling error of \pm 2.72 percent (\pm 78.0 million cubic feet). The growing-stock volume from a 100-percent inventory would be expected to fall between 2,946.9 and 2,790.9 million cubic feet (2,868.9 \pm 78.0), there being a one in three chance that this is not the case.

The following tabulation shows the sampling errors for the 1983 Central Unit Forest Inventory:

Item	Unit totals	Sampling error
Growing stock	(Million cubic feet)	(Percent)
Volume	2,868.9	2.72
Growth	100.2	3.73
Removals	48.2	26.52
Sawtimber	(Million board feet1)	
Volume	6,295.7	3.92
Growth	267.7	4.86
Removals	148.4	27.36
Commercial	(Thousand acres)	
forest land	2,950.9	0.35

As survey data are broken down into sections smaller than Survey Unit totals, the sampling error increases. For example, the sampling error for growing-stock volume in a particular county is higher than that for total growing-stock volume in the Unit (table 66 shows the sampling errors for estimates smaller than Unit totals).

International 1/4-inch rule.

SURVEY PROCEDURES

We used a two-phase sampling design for the 1983 Wisconsin survey. This sampling scheme and associated estimators are similar to sampling with partial replacement (SPR) in that a set of randomly located plots was available for remeasurement and a set of new randomly located plots was established and measured. Major enhancements in the new Wisconsin design were stratification for disturbance on the old sample and use of a growth model to improve regression estimates made on the old undisturbed forest plots. The growth model used was the Stand and Tree Evaluation and Modeling System (STEMS).²

The major steps in the new survey design were as follows:

1. The first phase of the survey was to interpret aerial photos. In this phase two sets of random points were located on current aerial photographs. The first was a set of new photo points and the second was a set of relocated old photo points (ground plot locations from the previous inventory). A total of 41,492 1-acre points, including old ground sample locations, was systematically distributed across aerial photos of the entire Unit. These points were classified into land classes as shown below to make a preliminary estimate of forest area. Next, 19,278 of these points were stereoclassified as to stand-size class and density. Finally, 3,195 points were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken.

Land class	Photo points classified	Photo points stereoclassified	Inventory plots checked
Forest land	18,363	18,363	1,372
Unproductive/			
reserved forest			
land	134	134	16
Nonforest land			
with trees	781	781	48
without trees	21,535	0	1,704
Water	679	0	55
Total	41,492	19,278	3,195

2. The second phase of the survey was to sample ground plots. The plot selection and measurement procedures of phase two of the new Wisconsin survey design are outlined in figure 1.

From the new photo points, a random sample of ground plots was established and land use, volume, mortality, and cutting were recorded. At each forest ground plot location, variable-radius plots (basal area factor 37.5) were established at 10 points uniformly placed over the sample acre. These locations were monumented for future remeasurement.

On the old inventory photo points (old plot locations), we used a somewhat different procedure. Old plots were either remeasurable (monumented) or nonremeasurable (not monumented and thus difficult to relocate). Within both of these groups, old plots were additionally identified as undisturbed or disturbed. The remeasurable old inventory photo points classified as forest undisturbed were remeasured on the ground to obtain current land use, volume, growth, and removals data. Additionally, all forest undisturbed remeasurable plots were projected to the current time using STEMS to provide estimates of current volume and growth. The comparison of projected and observed values on these plots provided regression estimators to adjust the projected values of the undisturbed nonremeasurable plots. All disturbed remeasurable plots were remeasured on the ground to assess changes since the last inventory.

Disturbance as used here refers to any change on a plot that can be detected on aerial photos and that the STEMS growth processor cannot predict, such as catastrophic mortality, cutting, seedling stands, and land use change.

The nonremeasurable forest points are those that were not monumented during the 1968 inventory but




Figure 1.--Logic structure for the 1983 Wisconsin sample design.

²For more information on STEMS, see: Belcher, D. L.; Holdaway, M.R.; Brand, G.J. A description of STEMS: The stand and tree evaluation and modeling system. Gen. Tech. Rep. NC-79. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 18 p.

played a crucial role in the new survey design. The nonremeasurable undisturbed forest points were visited on the ground at the time of the last survey and following careful examination of both past and current photographs it was determined that nothing happened that STEMS was unable to simulate. STEMS was then used to update the old plot and tree data to produce an estimate of current data. Thus these points became ground plots even though the information was obtained without actually visiting the plot. The plot record for each updated plot was sent to the field for verification of current ownership information. For points classified as disturbed, a new ground plot was established as close to the old location as possible. This allowed information about land use trends to be recorded even though the old plot could not be exactly relocated for remeasurement.

The estimation procedure for computing statistics from this sampling design was more complicated than the simple two-phase estimation procedure used in the past. In fact, this procedure yielded two independent samples, one coming from the new photo points and the other coming from the old photo points that were remeasured or projected. A more detailed description of the sampling design is available in a separate publication.³

- 3. Statistics on timber utilization during 1981 were obtained from mill surveys. The Wisconsin Department of Natural Resources canvassed resident sawmills, veneer mills, and other primary wood-using plants. The North Central Forest Experiment Station canvassed out-of-State sawmills, pulpmills, and veneer mills to determine their use of Wisconsin timber. Fuelwood and fencepost output was based on a sample of public and private landowners to determine their production of fuelwood and fenceposts. Estimates of primary mill residue used for fuelwood were obtained from the canvass of Wisconsin primary wood-using plants.
- 4. A total of 2,568 felled trees on 133 active logging operations was measured throughout the State during 1981-1982 to develop wood utilization factors for converting timber products output to timber removals for saw logs and pulpwood. Factors for all other products were obtained during the 1966-1967 Wisconsin utilization study.
- 5. Field data were sent to St. Paul, Minnesota, to be processed and analyzed.

COMPARING WISCONSIN'S FOURTH INVENTORY WITH THE THIRD INVENTORY

Data from new forest inventories are often compared with data from earlier inventories to determine trends in forest resources. However, changes in procedures and definitions between surveys often make it necessary to adjust earlier survey data so that they are comparable to data from the new survey. A consistency check will be made for each Forest Unit in Wisconsin to ensure that the changes observed between inventories reflect actual changes in the resource and not changes in definitions or procedures.

Identifying and Correcting Procedural Changes

Between the 1968 and 1983 inventories of Central Wisconsin, some procedural changes were made in the method of deriving annual mortality estimates and determining forest type; revised volume equations were used.

Mortality figures for the 1968 inventory were based on field estimates from nonremeasurement plots. Information gathered on remeasurement plots during the current inventory was used to adjust the 1968 mortality figures. This adjustment also changed the estimate of net growth for the 1968 inventory. Additionally, the old spruce-fir forest type was separated into two distinct types for the new industry-white spruce and balsam fir. Comparisons with old data may be made by adding the two new types together.

The difference in volume equations resulted in a 6-percent increase in reported growing-stock volume for 1968.

Checking for Consistency

A test was made to ensure that it was possible to move from the adjusted 1968 resource statistics to the 1983 values by means of Timber Resource Analysis System (TRAS), a USDA Forest Service computer program for updating, backdating, and projecting timber volume, growth, mortality, and removals. Using the adjusted 1968 numbers of softwood and hardwood trees by 2-inch diameter class and applying 1983 cubic feet per tree estimates, volumes were generated for the 1968 inventory that are comparable with 1983 volumes. Then, using growth rates, mortality rates, and removals rates for the period between the two surveys, TRAS projected the inventory from 1968 to 1983. The program prints out volumes by diameter class for softwoods and hardwoods for selected years in the period.

³Hahn, J. T.; Hansen, M. H.; Fairweather, S. E. A Sampling procedure incorporating a growth simulator. U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. St. Paul, MN 55108.1984 (Manuscript in process).

Thus, inconsistencies in volume, growth, mortality, and removals were identified and resolved.

TRAS generates an estimate of what total removals had to be for the inventory to have changed as it did between surveys, given the volume, growth, and mortality data. Estimates of removals for products and for logging residues, two of the three components of total timber removals, were available from an independent utilization study. An estimate of "other" removals (see Definition of Terms in Appendix), the third component of total removals, was made by subtracing the first two removals components from the TRAS-generated total removals estimate. This estimate of "other" removals was compared with findings from remeasurement plots and new plots (stump counts and land use change) to check its validity. When necessary, TRAS was rerun and adjusted until other removals were compatible with the estimate from field data. Total removals were "trend level removals" because the estimate of "other" removals was based on a removals trend line from 1968 to 1983.

LOG GRADE

In Wisconsin's Central Unit the butt log of every sawtimber tree on every full permanent sample plot was graded for quality.

Butt logs were graded on the basis of external characteristics as indicators of quality. Hardwood species were graded according to "Hardwood Log Grades for Standard Lumber." The best 12-foot section of the lowest 16-foot hardwood log, or the best 12-foot upper section if the butt log did not meet minimum log-grade standards, was graded as follows:

[†]Vaughn, C. L.; Wollin, C. A.; McDonald, K. A.; Bulgrin, E. H. Hardwood log grades for standard lumber. Res. Pap. FPL 63. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1966. 52 p.

Forest Service standard grades for hardwood factory saw logs

						Specif	ications		
Position in tree		Log grade 1			Log grade 2				Log grade 3
		Butts Butts and only uppers			Butts and uppers			Butts and uppers	
Scaling diameter, inc	ches	113-15	16-19	20+	² 11 +		12+		8+
Length without trim,	feet		10+		10+	8-9	10-11	12+	8+
	Min. length, feet	7	5	3	3	3	3	3	2
Required clear	Max. number	2	2	2	2	2	2	3	No Limit
best faces4 of	Min. proportion of log length required in clear cutting	5/6	5/6	5/6	2/3	3/4	2/3	2/3	1/2
Maximum	For logs with less than one-fourth of end in sound defects	1	15 percent			30 p	ercent		50 percent
sweep and crook allowance	For logs with more than one-fourth of end in sound defects	1	10 percent			20 p	ercent		35 percent
Maximum scaling de	eduction	4	0 percent ⁵			50 p	ercent ⁶		50 percent

¹Ash and basswood butts can be 12 inches if they otherwise meet requirements for small #1's. ²Ten-inch logs of all species can be #2 if they otherwise meet requirements for small #1's. ³A clear cutting is a portion of a face, extending the width of the face, that is free of defects. ⁴A face is one-fourth of the surface of the log as divided lengthwise. ⁵Otherwise #1 logs with 41-60 percent deductions can be #2. ⁵Otherwise #2 logs with 51-60 percent deductions can be #3.

Forest Service standard specifications for hardwood construction logs (tie and timber logs)¹

Position in tree		Butt and upper
Min. diameter, small end		8 inches +
Min. length, without trim		8 feet
Clear cuttings		No requirements.
Sweep allowance, absolute		One-fourth of the diameter at the small end for each 8 feet of length.
	Single knots	Any number, if no one knot has an average diameter above the callus in excess of one-third of the log diameter at point of occurrence.
Sound surface defects	Whorled knots	Any number if sum of knot diameters above the callus does not exceed one-third of the log diameter at point of occurrence.
	Holes	Any number provided none has a diameter over one-third of the log diameter at point of occurrence, and none extends more than 3 inches into included timber. ²
Unsound surface defects		Same requirements as for sound defects if they extend into included timber. ² No limit if they do not.
	Sound	No requirements.
End defects	Unsound	None allowed; log must be sound internally, but will admit one shake not to exceed one-fourth the scaling diameter and will admit a longitudinal split not extending more than 5 inches into the contained timber.

¹These specifications are minimum for the class. If, from a group of logs, factory logs are selected first, thus leaving only nonfactory logs from which to select construction logs, then the quality range of the construction logs so selected is limited, and the class may be considered a grade. If selection for construction logs is given first priority, it may be necessary to subdivide the class into grades.

²Included timber is always square, and dimension is judged from small end.

Softwood species were graded according to the following specifications on the following page.

Log Grades for Eastern White Pine

Log grade	Minimu Diameter	m size Length¹	Sweep or crook allowance	Total cull allowance including sweep	Maximum weevil injury	Allowable knot size (inches)² on three best faces or minimum clearness of four faces
1	<i>Inches</i> 12 & 13	<i>Feet</i> 8-16	Pero 20	cent 50	Number 0	Inches Four faces clear full length
	14+	10-16	20	50	0	Two faces clear full length, or four faces clear 50 percent length (6 feet min. length) ³
2	6+	8-16	30	50	0	Sound knots I.e. ⁴ D/6 and less than 3 inches ⁵ Unsound knots: I.e. 1½ inches and for: butt, lots I.e. D/12 upper logs I.e. D/10 or four faces clear 50 percent of length
3	6+	8-16	40	50	8-foot logs 1 weevil 10-foot + logs: 2 weevil	Sound knots I.e. D/3 and less than 5 inches. Unsound knots I.e. D/6 and less than 2½ inches.
4	6+	8-16	50	50	No limit	No limit

¹Plus trim.

LOG GRADES FOR JACK PINE AND RED PINE

Grade 1: logs with three or four clear faces.5

Grade 2: logs with one or two clear faces.

Grade 3: logs with no clear faces.

After the tentative log grade is established, the log will be degraded one grade for each of the following, except that no log can be degraded below grade 3. Net scale after deduction for defect must be at least 50 percent of the gross contents of the log.

1. Sweep. Degrade any tentative 1 or 2 log one grade if sweep amounts to 3 or more inches and equals

⁵A face is one-fourth of the circumference in width extending full length of the log. Clear faces are those free of: knots measuring more than ½-inch in diameter, overgrown knots of any size, holes more than ¼-inch in diameter. Faces may be rotated to obtain the maximum number of clear ones.

or exceeds one-third the diameter inside bark at small end.

2. *Heart rot*. Degrade any tentative 1 or 2 log grade if conk, massed hyphae, or other evidence of advance heart rot is found anywhere in it.

LOG GRADES FOR ALL OTHER SOFTWOOD LOGS

Grade 1

- 1. Logs must be 16 inches in diameter or larger, 10 feet or longer, and with deduction for defect not over 30 percent of gross scale.
- Logs must be at least 75 percent clear on each of three faces.
- 3. All knots outside clear cutting must be sound and not over 2-1/2 inches in size.

Grade 2

1. Logs must be 12 inches in diameter or larger, 10 feet or longer, and with a net scale after deduction

²Disregard all knots less than ½-inch diameter in all grades.

³The sum of the diameter of sound knots plus twice the sum of the diameter of unsound knots (in inches) is less than or equal to ½ of the diameter of the log (inches).

⁴l.e. means less than or equal to.

⁵D means d.i.b. of log at location of knot.

for defect of at least 50 percent of the gross contents of the log.

2. Logs must be at least 50 percent clear on each of three faces or 75 percent clear on two faces.

Grade 3

- 1. Logs must be 6 inches in diameter or larger, 8 feet or longer, and with a net scale after deduction for defect of at least 50 percent of the gross contents of the log.
- Note: (A) Diameters are diameter inside bark (d.i.b.) at small end of log.
 - (B) Percent clear refers to percent clear in one continuous section.

METRIC EQUIVALENTS OF UNITS USED IN THIS REPORT

1 acre = 4,046.86 square meters or 0.405 hectare.

1,000 acres = 405 hectares.

1 cubic foot = 0.0283 cubic meter.

1 foot = 30.48 centimeters or 0.3048 meter.

1 inch = 25.4 millimeters, 2.54 centimeters, or 0.0254 meter.

1 pound = 0.454 kilogram.

1 ton = 0.907 metric ton.

TREE SPECIES GROUPS IN WISCONSIN⁶

SOFTWOODS

Jack pine Pinus banksiana
Red pine Pinus resinosa
Eastern white pine Pinus strobus
White spruce Picea glauca
Black spruce Picea mariana
Balsam fir
Eastern hemlock
Tamarack Larix laricina
Northern white-cedar Thuja occidentalis
Other softwoods
Eastern redcedar Juniperus virginiana
Norway spruce
Scotch pine Pinus sylvestris

⁶The common and scientific names are based on: Little, Elbert L. Check list of native and naturalized trees of the United States. Agric. Handb. 541. Washington, DC: U.S. Department of Agriculture, Forest Service; 1979. 375 p.

HARDWOODS
White oaks
White oak
Swamp white oak Quercus bicolor
Bur oak Quercus macrocarpa
Chinkapin Oak Quercus muehlenbergii
Select red oak
Northern red oak Quercus rubra
Other red oaks
Northern pin oak Quercus ellipsoidalis
Black oak Quercus velutina
Select hickory
Shagbark hickory
Other hickory
Bitternut hickory Carya cordiformis
Yellow birch Betula alleghaniensis
Hard maple
Sugar maple Acer saccharum
Black maple
Soft maples
Red maple
Silver maple
Ashes
White ash
Black ash Fraxinus nigra
Green ashFraxinus pennsylvanica
Balsam poplar Populus balsamifera
Eastern cottonwood Populus deltoides
Sycamore Platanus occidentalis
Aspens
Bigtooth aspen Populus grandidentata
Quaking aspen Populus tremuloides
American basswood
American basswood
Beech Fagus grandifolia
Beech Fagus grandifolia Black walnut Juglans nigra
Beech
BeechFagus grandifoliaBlack walnutJuglans nigraBlack cherryPrunus serotinaButternutJuglans cinerea
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra Red mulberry Morus rubra
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra Red mulberry Morus rubra Blackgum Nyssa silvatica
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra Red mulberry Morus rubra Blackgum Nyssa silvatica Northern Catalpa Catalpa speciosa
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra Red mulberry Morus rubra Blackgum Nyssa silvatica Northern Catalpa Catalpa speciosa Noncommercial species
Beech Fagus grandifolia Black walnut Juglans nigra Black cherry Prunus serotina Butternut Juglans cinerea Elms American elm Ulmus americana Slippery elm Ulmus rubra Rock elm Ulmus thomasii Hackberry Celtis occidentalis Paper birch Betula papyrifera Black willow Salix nigra Other hardwoods Boxelder Acer negundo Black locust Robinia pseudoacacia Honeylocust Gladitsia triacanthos River birch Betula nigra Red mulberry Morus rubra Blackgum Nyssa silvatica Northern Catalpa Catalpa speciosa

Peachleaf willow Salix amygdaloides

American hornbeam Carpinus caroliniana
Hawthorn Crataegus spp.
Striped maple Acer pensylvanicum
Mountain ash Sorbus spp.
Pin cherry Prunus pensylvanica
Chokecherry

DEFINITION OF TERMS

Basal area.--The area is square feet of the cross section at breast height of a single tree. When the basal area of all trees in a stand are summed, the result is usually expressed as square feet of basal area per acre.

Biomass.--The above-ground volume of all live trees (including bark and foliage) reported in green tons. Biomass is made up of 5 components:

Growing-stock bole.--Biomass of a growing-stock tree from a 1-foot stump to a variable 4-inch top.

Growing-stock tops and limbs.--Biomass of a growing-stock tree from a 1-foot stump minus the growing-stock bole.

Cull bole.--Biomass of a cull tree from a 1-foot stump to a variable 4-inch top.

Cull tops and limbs.--Biomass of a cull tree from a 1-foot stump minus the cell bole.

1- to 5-inch trees.--Biomass of all live trees from 1- to 5-inches in diameter at breast height.

Commercial forest land.--Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization. (Note: Areas qualifying as commercial forest land are capable of producing more than 20 cubic feet per acre per year of annual growth when managed. Currently inaccessible and inoperable areas are included except when the areas involved are small and unlikely to become suitable for producing industrial wood in the foreseeable future.) Also see definition of pastured commercial forest land.

Commercial species.--Tree species presently or prospectively suitable for industrial wood products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam and hawthorn.)

County and municipal land.--Land owned by counties and local public agencies or municipalities, or land leased to these governmental units for 50 years or more.

Cull.--Portions of a tree that are unusable for industrial wood products because of rot, form, or other defect.

Diameter classes.--A classification of trees based on diameter outside bark, measured at breast height (4½ feet above the ground). (Note: D.b.h. is the common abbreviation for diameter at breast height. Two-inch diameter classes are commonly used in Forest Survey, with the even inch the approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h.)

Farm.--Either a place operated as a unit of 10 or more acres from which the sale of agricultural products totals \$50 or more annually, or a place operated as a unit of less than 10 acres from which the sale of agricultural products for a year amounts to at least \$250. Places having less than the \$50 or \$250 minimum estimated sales in a given year are also counted as farms if they can normally be expected to produce goods in sufficient quantity to meet the requirements of the definition.

Farmer-owned land.--Land owned by farm operators. (Note: Excludes land leased by farm operators from nonfarm owners, such as railroad companies and States.)

Forest land .-- Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use. (Note: Stocking is measured by comparing specified standards with basal area and/or number of trees, age or size, and spacing.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, or other bodies of water or clearings in forest areas shall be classed as forest if less than 120 feet wide. Also see definitions for land area, commercial forest land, noncommercial forest land, productive-reserved forest land, stocking, unproductive forest land, and water.

Forest industry land.--Land owned by companies or individuals operating primary wood-using plants.

Forest trees.--Woody plants having a well-developed stem and usually more than 12 feet tall at maturity.

Forest type.--A classification of forest land based on the species forming a plurality of live tree stocking. Major forest types in the State are:

Jack pine.--Forests in which jack pine comprises a plurality of the stocking. Common associates include eastern white pine, red pine, aspen, birch, and oak.)

Red pine.--Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and oak.)

White pine.--Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, aspen, birch, and maple.)

Balsam fir.--Forests in which balsam fir and white spruce comprise a plurality of stocking with balsam fir the most common. (Common associates include white spruce, aspen, maple, birch, northern whitecedar, and spruce.)

White spruce.--Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include balsam fir, aspen, maple, birch, and northern white-cedar.)

Black spruce.--Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include tamarack, northern white-cedar, and balsam fir.)

Northern white-cedar.--Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include balsam fir, black ash, spruce, and black spruce.)

Tamarack.--Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce, balsam fir, and aspen.)

Oak-hickory.--Forests in which northern red oak, white oak, bur oak, or hickories, singly or in combination, comprise a plurality of the stocking. (Common associates include jack pine, aspen, birch, and maple.)

Elm-ash-soft maple.--Forests in which lowland elm, ash, cottonwood, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include aspen, birch, and balsam fir.)

Maple-birch.--Forests in which sugar maple, basswood, yellow birch, elm, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include white pine, elm, hemlock, and basswood.)

Aspen.--Forests in which quaking aspen or bigtooth aspen, singly or in combination, comprise a plurality of the stocking. (Common associates include oak, pine, balsam fir, and paper birch.)

Paper birch.--Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

Exotic.--Forests in which species not native to the State comprise a plurality of the stocking. (Mostly Scotch pine plantations.)

Gross area.--The entire area of land and water as determined by the Bureau of the Census, 1970.

Growing-stock trees.--Live trees of commercial species. Excluding rough and rotten dead trees.

Growing-stock volume.--Net volume in cubic feet of growing-stock trees 5 inches d.b.h. and over, from a 1-foot stump to a minimum 4 inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs. Cubic feet can be converted to standard cords by dividing by 79. One standard cord is 128 cubic feet of stacked wood, including bark and air.

Hardwoods.--Dicotyledonous trees, usually broadleaved and deciduous.

Idle farmland.--Includes former cropland, orchards, improved pastures, and farm sites not tended within the past 2 years and presently less than 16.7 percent stocked with trees.

Improved pasture.--Land currently improved for grazing by cultivating, seeding, irrigating, or clearing of trees or brush and less than 16.7 percent stocked with live trees.

Indian land.--All lands held in trust by the United States for individual Indians or tribes, or all lands, titles to which are held by individual Indians or tribes, subject to Federal restrictions against alienation.

Land area.--A. Bureau of the Census. The area of dry land and land temporarily or partly covered by water such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide); streams, sloughs, estuaries, and canals less than one-eighth of a statute mile wide; and lakes, reservoirs, and ponds less than 40 acres in area.

B. Forest Inventory and Analysis. The same as the Bureau of the Census, except minimum width of streams, etc., is 120 feet and minimum size of lakes, etc., is 1 acre.

Live trees.--Growing-stock, rough, and rotten trees 1 inch d.b.h. and larger.

Log grades.--A classification of logs based on external characteristics as indicators of quality or value. (See Appendix for specific grading factors used.)

Logging residues.--The unused growing stock portions of trees cut or killed by logging.

Maintained road.--Any road, hard-topped or other surfaces, that is plowed or graded at least once a year. Includes rights-of-way that are cut or treated to limit herbaceous growth.

Marsh.--Nonforest land that characteristically supports low, generally herbaceous or shrubby vegetation and that is intermittently covered with water.

Merchantable.--Refers to a pulpwood or saw log section that meets pulpwood or saw log specifications, respectively.

Miscellaneous federal land.--Federal land other than National Forest, land administered by the Bureau of Land Management, and Indian land.

Miscellaneous private land.--Privately owned land other than forest-industry and farmer-owned land.

Mortality.--The volume of sound wood in growingstock and sawtimber trees that die annually.

National Forest land.--Federal land that has been legally designated as National Forest or purchase units, and other land administered by the USDA Forest Service.

Net annual growth of growing stock.--The annual change in volume of sound wood in live sawtimber

and poletimber trees and the total volume of trees entering these classes through ingrowth, less volume losses resulting from natural causes.

Net annual growth of sawtimber.--The annual change in the volume of live sawtimber trees and the total volume of trees reaching sawtimber size, less volume losses resulting from natural causes.

Net volume.--Gross volume less deductions for rot, sweep, or other defect affecting use for timber products.

Noncommercial forest land.--(a) Unproductive forest land and (b) productive-reserved forest land.

Noncommercial species.--Tree species of typically small size, poor form, or inferior quality that normally do not develop into trees suitable for industrial wood products.

Nonforest land.--Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, power-line clearings of any width, and 1- to 40-acre areas of water classified by the Bureau of the Census as land. If intermingled in forest areas, unimproved roads and nonforest strips must be more than 120 feet wide and more than 1 acre in area to qualify as nonforest land.)

a. Nonforest land without trees.--Nonforest land with no live trees present.

b. Nonforest land with trees.--Nonforest land with one or more trees per acre at least 5 inches d.b.h.

Nonstocked land.--Commercial forest land less than 16.7 percent stocked with growing-stock trees.

Other removals.--Growing-stock trees removed but not utilized for products, or trees left standing but "removed" from the commercial forest land classification by land use change. Examples are removals from cultural operations such as timber stand improvement work, land clearing, and changes in land use.

Ownership.--Property owned by one owner, regardless of the number of parcels in a specified area.

Ownership size class.--The amount of commercial forest land owned by one owner, regardless of the number of parcels.

Owner tenure.--The length of time a property has been held by the owner.

Physiographic class.--A measure of soil and water conditions that affect tree growth on a site. The physiographic classes are:

Xeric sites.--Very dry soils where excessive drainage limits growth and species occurrence. Example: sandy jack pine plains.

Xeromesic sites.--Moderately dry soils where excessive drainage limits growth and species occur-

rence to some extent. Example: dry oak ridge.

Mesic sites.--Deep, well-drained soils. Growth and species occurrence are limited only by climate.

Hydromesic sites.--Moderately wet soils where insufficient drainage or infrequent flooding limits growth and species occurrence to some extent. Example: better drained bottomland hardwood sites.

Hydric sites.--Very wet sites where excess water seriously limits both growth and species occurrence. Example: frequently flooded river bottoms and spruce bogs.

Plant byproducts.--Plant residues used for products such as mulch, pulp chips, and fuelwood.

Plant residues.--Wood and bark materials generated at manufacturing plants during production of other products.

Poletimber stands.--(See stand-size class.)

Poletimber trees.--Growing-stock trees of commercial species at least 5 inches d.b.h. but smaller than sawtimber size.

Productive-reserved forest land.--Forest land sufficiently productive to qualify as commercial forest land but withdrawn from timber utilization through statute, administration regulation, designation, or exclusive use for Christmas tree production, as indicated by annual shearing.

Productive-deferred.--Forest land sufficiently productive to qualify as commercial forest land but presently withdrawn from timber utilization because it is being considered for possible inclusion into the Wilderness system.

Rotten trees.--Live trees of commercial species that do not contain at least one 12-foot saw log or two saw logs 8 feet or longer, now or progressively, and/or do not meet regional specifications for freedom from defect primarily because of rot; that is, when more than 50 percent of extra cull volume in a tree is rotten.

Rough trees.--(a) Live trees of commercial species that do not contain at least one merchantable 12-foot saw log or two saw logs 8 feet or longer, nor or prospectively, and/or do not meet regional specifications for freedom from defect primarily because of roughness or poor form, and (b) all live trees of noncommercial species.

Roundwood products.--Logs, bolts, or other round sections (including chips from roundwood) cut from trees for industrial or consumer uses. (Note: Includes saw logs, veneer logs and bolts; cooperage logs and bolts; pulpwood, fuelwood; piling; poles; posts; hewn ties; mine timbers; and various other round, split, or hewn products.)

Salvable dead trees.--Standing or down dead trees considered merchantable by regional standards.

Saplings.--Live trees 1 to 5 inches d.b.h.

Sapling-seedling stands.--(See stand-size class.)

Saw log.--A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight and with a minimum diameter outside bark (d.o.b.) for softwoods of 7 inches (9 inches for hardwoods) or other combinations of size and defect specified by regional standards.

Saw log portion.--That part of the bole of sawtimber trees between the stump and the saw log top.

Saw log top.--The point on the bole of sawtimber trees above which a saw log cannot be produced. The minimum saw log top is 7 inches d.o.b. for softwoods and 9 inches d.o.b. for hardwoods.

Sawtimber stands.--(See stand-size class.)

Sawtimber trees.-Growing-stock trees of commercial species containing at least a 12-foot saw log or two noncontiguous saw logs 8 feet or longer, and meeting regional specifications for freedom from defect. Softwoods must be at least 9 inches d.b.h. Hardwoods must be at least 11 inches d.b.h.

Sawtimber volume.--Net volume of the saw log portion of live sawtimber in board feet, International ¼-inch rule, from stump to a minimum 7 inches top diameter outside bark (d.o.b.) for softwoods and a minimum 9 inches top d.o.b. for hardwoods.

Seedlings.--Live trees less than 1 inch d.b.h. that are expected to survive. Only softwood seedlings more than 6 inches tall and hardwood seedlings more than 1 foot tall are counted.

Short-log (rough tree).--Sawtimber-size trees of commercial species that contain at least one merchantable 8- to 11-foot saw log but not a 12-foot saw log.

Shrub biomass.--The total above-ground weight (including the bark) of selected shrubs and trees less than 1 inch d.b.h.

Site class.--A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands.

Site index.--An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.

Softwoods.--Coniferous trees, usually evergreen, having needles or scale-like leaves.

Stand.--A growth of trees on a minimum of 1 acre of forest land that is stocked by forest trees of any size.

Stand-age class.--Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.

Stand-area class.--The extent of a continuous forested area of the same forest type, stand-size class, and stand-density class.

Stand-size class.--A classification of forest land based on the size class of growing-stock trees on the

area; that is, sawtimber, poletimber, or seedlings and saplings.

a. Sawtimber stands.--Stands at least 16.7 percent stocked with growing-stock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

b. Poletimber stands.--Stands at least 16.7 percent stocked with growing-stock trees of which half or more of this stocking is in poletimber and/or saw-timber trees, and with poletimber stocking exceeding that of sawtimber.

c. Sapling-seedling stands.--Stands at least 16.7 percent stocked with growing-stock trees of which more than half of the stocking is saplings and/or seedlings.

d. *Nonstocked stands*.--Stands in which stocking of growing-stock trees is less than 16.7 percent.

State land.--Land either owned by States or leased to them, for 50 years or more.

Stocking.--The degree of occupancy of land by trees, measured by basal area and/or the number of trees in a stand by size or age and spacing, compared to the basal area and/or number of trees required to fully utilize the growth potential of the land; that is, the stocking standard.

A stocking percent of 100 indicates full utilization of the site and is equivalent to 80 square feet of basal area per acre in 5 inches d.b.h. and larger. In a stand of trees less than 5 inches d.b.h., a stocking percent of 100 would indicate that the present number of trees is sufficient to produce 80 square feet of basal area per acre when the trees reach 5 inches d.b.h.

Stands are grouped into the following stocking classes:

Overstocked stands.--Stands in which stocking of trees is 134.0 percent or more.

Fully stocked stands.--Stands in which stocking of trees is from 101.0 to 133.9 percent.

Medium stocked stands.--Stands in which stocking of trees is from 61.0 to 100.9 percent.

Poorly stocked stands.--Stands in which stocking of trees is from 16.7 to 60.9 percent.

Nonstocked areas.--Commercial forest land on which stocking of trees is less than 16.7 percent.

Timber removals from growing stock.--The volume of sound wood in growing-stock trees removed annually for forest products (including roundwood products and logging residues) and for other removals.

Timber removals from sawtimber.--The net board-foot volume of life sawtimber trees removed for forest products annually (including roundwood products and logging residues) and for other removals.

Timber products output.--All timber products cut from roundwood and byproducts of wood manufacturing plants. Roundwood products include logs, bolts, or other round sections cut from growing-stock trees, cull trees, salvable dead trees, trees on nonforest land, noncommercial species, sapling-size trees, and limbwood. Byproducts from primary manufacturing plants include slabs, edging, trimmings, miscuts, sawdust, shavings, veneer cores and clippings, and screenings of pulpmills that are used as pulpwood chips or other products.

Tree biomass.--The total aboveground weight (including the bark) of all trees from 1 to 5 inches in d.b.h., and the total aboveground weight (including the bark) from a 1-foot stump for trees more than 5 inches in diameter.

Tree size class.--A classification of trees based on diameter at breast height, including sawtimber trees, poletimber trees, saplings, and seedlings.

Unproductive forest land.--Forest land incapable of producing 20 cubic feet per acre of annual growth or of yielding crops of industrial wood under natural conditions because of adverse site conditions. (Note: Adverse conditions include shallow soil, dry climate, poor drainage, high elevation, steepness, and rockiness).

Upper stem portion.--That part of the bole of sawtimber trees above the saw log top to a minimum top diameter of 4 inches outside bark or to the point where the central stem breaks into limbs.

Urban and other areas.--Areas within the legal boundaries of cities and towns; suburban areas developed for residential, industrial, or recreational purposes; schoolyards; cemeteries; roads; railroads; airports; beaches; powerlines; and other rights-ofway; or other nonforest land not included in any other specified land use class.

Water.--(a) Bureau of the Census.--Permanent inland water surfaces, such as lakes, reservoirs, and ponds at least 40 acres in area; and streams, sloughs, estuaries, and canals at least one-eighth of a statute mile wide.

(b) *Noncensus.*--Permanent inland water surfaces, such as lakes, reservoirs, and ponds from 1 to 39.9 acres in area; and streams, sloughs, estuaries, and canals from 120 feet to one-eighth of a statute mile wide.

Wooded pasture.--Improved pasture with more than 16.7 percent stocking in live trees but less than 25 percent stocking in growing-stock trees. Area is currently improved for grazing or there is other evidence of grazing.

Wooded strip.--An acre or more of natural continuous forest land that would otherwise meet survey standards for commercial forest land except that it is less than 120 feet wide.

TABLES

AREA

- Table 1.--Area of land by land class, 1968 and 1983
- Table 2.--Area of land by land use class and county
- Table 3.--Area of commercial forest land by ownership class and county
- Table 4.--Area of commercial forest land by ownership class and site class
- Table 5.--Area of commercial forest land by ownership class and stand-volume class
- Table 6.--Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding
- Table 7.--Area of commercial forest land by forest type, stand-size class, and ownership class
- Table 8.--Area of commercial forest land by forest type and county
- Table 9.--Area of commercial forest land by county and stand-size class
- Table 10.--Area of commercial forest land by forest type, stand-size class, and site class
- Table 11.--Area of commercial forest land by forest type and stand-age class

- Table 12.--Area of commercial forest land by forest type and site-index class
- Table 13.--Area of commercial forest land by forest type, stand-size class, and basal-area class
- Table 14.--Area of commercial forest land by stocking class of growing-stock trees and stand-size class
- Table 15.--Area of commercial forest land in plantations by forest type and stand-age class
- Table 16.--Area of commercial forest land with conifer understory by forest type and conifer understory species
- Table 17.--Area of noncommercial forest land by ownership class
- Table 18.--Area of noncommercial forest land by forest type

NUMBER OF TREES

- Table 19.--Number of all live trees on commercial forest land by species group and diameter class
- Table 20.--Number of growing-stock trees on commercial forest land by species group and diameter class

VOLUME

- Table 21.--Net volume of growing stock on commercial forest land by species group
- Table 22.--Net volume of all live trees on commercial forest land by species group and diameter class
- Table 23.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods
- Table 24.--Net volume of growing stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species
- Table 25.--Net volume of noncommecial species on commercial forest land by individual species
- Table 26.--Net volume of growing stock on commercial forest land by species group and county
- Table 27.--Net volume of sawtimber on commercial forest land by species group and county
- Table 28.--Net volume of growing stock on commercial forest land by species group and diameter class
- Table 29.--Net volume of sawtimber on commercial forest land by species group and diameter class
- Table 30.--Net volume of growing stock on commercial forest land by species group and forest type
- Table 31.--Net volume of sawtimber on commercial forest land by species group and forest type
- Table 32.--Net volume of growing stock on commercial forest land by species group and ownership class
- Table 33.--Net volume of sawtimber on commercial forest land by species group and ownership class
- Table 34.--Net volume of growing stock on commercial forest land by forest type and stand-age class
- Table 35.--Net volume of sawtimber on commercial forest land by forest type and stand-age class
- Table 36.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 37.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-size class
- Table 38.--Net volume of sawtimber on commercial forest land by species group and butt log grade
- Table 39.--Net volume of short-log trees on commercial forest land by species group and diameter class (cubic feet)

Table 40.--Net volume of short-log trees on commercial forest land by species group and diameter class (board feet)

GROWTH AND REMOVALS

- Table 41.--Net annual growth of growing stock on commercial forest land by softwoods and hardwoods
- Table 42.--Net annual growth of growing stock on commercial forest land by species group and county
- Table 43.--Net annual growth of sawtimber on commercial forest land by species group and county
- Table 44.--Net annual growth of growing stock on commercial forest land by ownership class and softwoods and hardwoods
- Table 45.--Net annual growth of growing stock on commercial forest land by species group and type
- Table 46.--Net annual growth of sawtimber on commercial forest land by species group and type
- Table 47.--Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 48.--Net annual growth of sawtimber on commercial forest land by forest type, standsize class, and basal-area class
- Table 49.--Current annual growing stock removals on commercial forest land by species group and county
- Table 50.--Current annual sawtimber removals on commercial forest land by species group and county
- Table 51.--Average annual growing-stock removals on commercial forest land by species group and county
- Table 52.--Average annual sawtimber removals on commercial forest land by species group and county
- Table 53.--Current annual growing-stock and sawtimber removals on commercial forest land by species group
- Table 54.--Current annual growing-stock and sawtimber removals on commercial forest land by item and species category

MORTALITY

Table 55.--Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, 1967 and 1982

- Table 56..--Annual mortality of growing stock on commercial forest land by species group and cause
- Table 57.--Annual mortality of sawtimber on commercial forest land by species group and cause
- Table 58.--Annual mortality of growing stock and sawtimber on commercial forest land by county and softwoods and hardwoods
- Table 59.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods

TIMBER PRODUCTS OUTPUT

- Table 60.--Output of timber products by product, softwoods and hardwoods, and source of material
- Table 61.--Output of roundwood products by product, softwoods and hardwoods, and source of material

- Table 62.--Timber products from roundwood by species group and product
- Table 63.--Volume of primary plant residue by use and type of residue

BIOMASS

- Table 64..--All live tree biomass on commercial forest land by species group and forest type
- Table 65.--All live tree biomass by species group and tree biomass component

SAMPLING ERRORS

- Table 66.--Sampling errors for estimates smaller than the Unit totals of growing-stock volume, net growth, removals, and area of commercial forest land
- Table 67.--Sampling errors for county totals of growing-stock volume, net growth, removals, and area of commercial forest land.

Table 1.--Area of land by land class, Central Unit, Wisconsin, 1968 and 1983

(In thousand acres)

Land class	1968	1983
Forest land		
Commercial forest land		
Jack pine	255.7	203.1
Red pine	68.6	135.5
White pine	59.5	77.9
Balsam fir	11.9	11.9
White spruce	2.2	2.2
Black spruce	9.0	11.6
Northern white-cedar	11.1	23.3
Tamarack	43.6	39.0
Oak-hickory	861.6	937.6
Elm-ash-soft maple	217.5	271.5
Maple-birch	390.6	506.2
Aspen	688.4	577.5
Paper birch	111.0	118.6
Exotic		2.2
Nonstocked	101.1	32.8
Subtotal	2,831.8	2,950.9
Noncommercial forest land		
Unproductive	21.7	21.5
Productive-reserved	3.9	30.1
Subtotal	25.6	51.6
Total	2,857.4	3,002.5
Nonforest land		
Cropland	2,489.7	2,441.0
Pasture and range	423.3	538.7
Other	1,430.9	1,188.0
Total	4,343.9	4,167.7
Total land	7,201.3	7,170.2
Water (Bureau of the Census)	111.41/	114.6 ² /
Total land and water	7,312.71/	7,284.8 ^{2/}

 $[\]frac{1}{2}$ U.S. Department of Commerce, Bureau of Census, 1960.

 $[\]frac{2}{\text{U.S.}}$ Department of Commerce, Bureau of Census, 1980.

Table 2.--Area of land by land use class and county, Central Unit, Wisconsin, 1983
(In thousand acres)

	A11 _				Co	unty			
Land use class	counties	Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquett
Forest land									
Commercial forest	2,950.9	234.3	225.7	316.1	154.5	371.4	252.1	358.5	94.3
Unproductive forest	21.5		2.5			4.6		4.8	
Productive reserved	30.1	2.4	4.2		1.8	2.9	3.9	2.1	
Total	3,002.5	236.7	232.4	316.1	156.3	378.9	256.0	365.4	94.3
Nonforest land									
Cropland with trees	9.9		1.7	2.2		2.3		2.3	
Improved pasture with trees	99.4		4.7	9.3	4.6	2.2	6.5	22.9	2.3
Wooded strips	20.9	2.6		2.2	2.4	W 40		2.3	
Idle farmland with trees	60.5	3.0	~-	4.3	2.3	6.6	-	6.8	2.3
Marsh with trees	149.4	10.1	4.9	25.7		11.9	12.7	25.9	9.0
Urban and other windbreaks	69.1	10.8	4.5	2.2	4.1	3.0	8.5	8.6	6.7
Windbreaks	2.6	2.6							
Wooded pasture	32.0		2.3	6.8				7.2	
Subtotal	443.8	29.1	18.1	52.7	13.4	26.0	27.7	76.0	20.3
Nonforest without trees									
Cropland without trees	2,431.1	102.8	298.9	283.2	141.9	125.1	116.7	357.3	122.0
Improved pasture without trees	407.3	8.9	27.9	46.2	48.2	34.8	13.0	87.3	6.9
Idle farm without trees	60.3	5.9	2.5		4.6	2.1	2.2		6.9
Marsh without trees	259.6	8.5	21.0	26.4	2.4	32.5	21.7	31.4	20.7
Other farm-farmstead	88.8	5.9	2.3	17.6	6.9	2.1		18.0	2.3
Urban and other	449.4	16.9	44.6	35.2	34.6	30.5	54.0	55.8	16.1
Noncensus water	27.4		3.2	2.2		6.6	4.2	6.7	1.4
Subtotal	3,723.9	148.9	400.4	410.8	238.6	233.7	211.8	556.5	176.3
Total	4,167.7	178.0	418.5	463.5	252.0	259.7	239.5	632.5	196.6
otal land	7,170.2	414.7	650.9	779.6	408.3	638.6	495.5	997.9	290.9
water (Bureau of the Census) $^{1\over2}$	114.6	26.1	15.6	0.6	4.9	1.3	19.2	10.9	6.5
otal land and water $\frac{1}{2}$	7,284.8	440.8	666.5	780.2	413.2	639.9	514.7	1,008.8	297.4
									2 continu

 $\frac{1}{2}$ U.S. Department of Commerce, Bureau of Census, 1980.

(Table 2 continued)

Land use class	Monroe	Portage	Waupaca	Waushara	Wood
Forest land					
Commercial forest	245.0	174.3	172.6	145.6	206.5
Unproductive forest	2.3		7.3		
Productive reserved			1.2	11.6	
Total	247.3	174.3	181.1	157.2	206.5
Nonforest land					
Cropland with trees			1.4		
Improved pasture with trees	6.9	10.3	3.7	12.8	13.2
Wooded strips	2.2	2.2	2.4	2.3	2.3
Idle farmland with trees		8.8	8.5	11.2	6.7
Marsh with trees	4.4	5.9	12.0	6.7	20.2
Urban and other windbreaks	2.2	5.8	6.2	2.3	4.2
Windbreaks					
Wooded pasture	11.3	4.4	-		
Subtotal	27.0	37.4	34.2	35.3	46.6
Nonforest without trees					
Cropland without trees	164.2	203.6	205.3	163.8	146.3
Improved pasture without trees	68.8	28.8	11.5	6.8	18.2
Idle farm without trees	4.4	8.9	9.2		13.6
Marsh without trees	4.4	20.1	18.5	18.3	33.7
Other farm-farmstead	9.0	11.1	9.2		4.4
Urban and other	53.2	31.2	13.8	20.3	43.2
Noncensus water		3.1		100 100	
Subtotal	304.0	306.8	267.5	209.2	259.4
Total	331.0	344.2	301.7	244.5	306.0
Total land	578.3	518.5	482.8	401.7	512.5
Water (Bureau of the Census) 1/	3.0	8.3	6.7	6.4	5.1
Total land and water $\frac{1}{2}$	581.3	526.8	489.5	408.1	517.6

 $[\]frac{1}{2}$ U.S. Department of Commerce, Bureau of Census, 1980.

Table 3.--Area of commercial forest land by ownership class and county, Central Unit, Wisconsin, 1983

(In thousand acres)

	A11				County			
Ownership class	counties	Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon
National Forest								
Miscellaneous federal	130.6					29.4	55.9	
State	96.6	7.0	4.7		2.4	42.1	4.2	7.1
County and municipal	399.3	2.3	22.3	134.1	54.7	87.9	15.0	26.1
Indian	4.6					2.2		2.4
Forest industry	126.0	33.5		2.4		20.4	6.6	32.9
Farmer	996.7	37.6	102.0	101.8	33.3	124.1	49.4	163.1
Misc. private-corporation	129.5	14.4	17.5	4.9	2.4	4.6	21.6	14.0
Misc. private-individual	1,067.6	139.5	79.2	72.9	61.7	60.7	99.4	112.9
ill owners	2,950.9	234.3	225.7	316.1	154.5	371.4	252.1	358.5

(Table 3 continued)

(Table 3 continued)

			Cou	nty		
Ownership class	Marquette	Monroe	Portage	Waupaca	Waushara	Wood
National Forest						
Miscellaneous federal		45.3				
State			11.0		11.3	6.8
County and municipal		9.1				47.8
Indian						
Forest industry		~~	4.4	9.8	2.3	13.7
Farmer	44.8	109.2	54.1	87.4	49.1	40.8
Misc. private-corporation		11.4	2.2	4.9	15.8	15.8
Misc. private-individual	49.5	70.0	102.6	70.5	67.1	81.6
All owners	94.3	245.0	174.3	172.6	145.6	206.5

Table 4.--Area of commercial forest land by ownership class and site class, Central Unit, Wisconsin, 1983

	A11	Site	class (c	ubic feet of	fgrowth	per acre per	year)
Ownership class	classes	225+	165-224	120-164	85-119	50-84	20-49
National Forest							
Miscellaneous federal	130.6				13.1	59.6	57.9
State	96.6			6.6	6.6	51.6	31.8
County and municipal	399.3			9.2	63.9	229.2	97.0
Indian	4.6					4.6	
Forest industry	126.0			5.2	25.9	60.2	34.7
Farmer	996.7			27.4	241.5	411.3	316.5
Misc. private-corporation	129.5		2.2	4.7	23.4	62.7	36.5
Misc. private-individual	1,067.6		2.2	45.9	190.3	493.0	336.2
All owners	2,950.9		4.4	99.0	564.7	1,372.2	910.6

Table 5.--Area of commercial forest land by ownership class and stand-volume class, Central Unit, Wisconsin, 1983

(In thousand acres)

	•	*		
		Stand-volu	me class (bo	ard feet $\frac{1}{}$)
	A11	Less than	1,500 to	
Ownership class	classes	1,500	5,000	5,000+
National Forest		***		
Miscellaneous federal	130.6	80.2	37.4	13.0
State	96.6	60.0	27.6	9.0
County and municipal	399.3	257.6	120.2	21.5
Indian	4.6		2.4	2.2
Forest industry	126.0	57.9	42.1	26.0
Farmer	996.7	444.7	375.9	176.1
Misc. private-corporation	129.5	64.5	53.1	11.9
Misc. private-individual	1,067.6	513.4	406.2	148.0
All owners	2,950.9	1.478.3	1.064.9	407.7

 $[\]frac{1}{2}$ International ¼4-inch rule.

Table 6.--Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding, Central Unit, Wisconsin, 1983

					Size of	holding (acres)			
Ownership class	A11						101-	501-	2,501-	
and owner-tenure class	sizes	1-4	5-10	11-20	21-50	51-100	500	2,500	5,000	5001+
Forest industry										
1-4 years	4.7									4.7
5-9 years	11.7			~~				2.3		9.4
10-19 years	18.4							2.3		16.1
20+ years	91.2					2.3	2.3			86.6
All classes	126.0					2.3	2.3	4.6		116.8
Farmer										
1-4 years	189.2			18.8	39.1	62.1	62.4	6.8		
5-9 years	156.0	4.9	6.9	21.6	40.3	38.8	43.5	~~		
10-19 years	323.7	4.3	16.0	28.0	73.8	109.0	92.6			
20+ years	327.8	2.3	7.1	38.7	83.1	83.3	104.1	9.2		~-
All classes	996.7	11.5	30.0	107.1	236.3	293.2	302.6	16.0		
Misc. privcorporation										
1-4 years	25.4				11.6	4.7	4.3	4.8		
5-9 years	21.0				4.5	2.3	6.9	2.5	2.4	2.4
10-19 years	27.5		2.3		2.2	4.4	4.8	9.1		4.7
20+ years	55.6				2.5		18.9	9.1	7.2	17.9
All classes	129.5		2.3		20.8	11.4	34.9	25.5	9.6	25.0
Misc. privindividual										
1-4 years	250.1	11.5	20.9	22.9	83.3	65.2	46.3			
5-9 years	279.3	4.6	13.6	36.1	86.9	65.9	65.3	6.9		
10 - 19 years	331.8	6.7	9.2	21.1	101.3	103.4	76.2	13.9		
20+ years	206.4	2.4	2.4	19.9	71.2	55.1	50.1	2.4		2.9
All classes	1,067.6	25.2	46.1	100.0	342.7	289.6	237.9	23.2		2.9
All private owners										
1-4 years	469.4	11.5	20.9	41.7	134.0	132.0	113.0	11.6		4.7
5-9 years	468.0	9.5	20.5	57.7	131.7	107.0	115.7	11.7	2.4	11.8
10-19 years	701.4	11.0	27.5	49.1	177.3	216.8	173.6	25.3		20.8
20+ years	681.0	4.7	9.5	58.6	156.8	140.7	175.4	20.7	7.2	107.4
All classes	2,319.8	36.7	78.4	207.1	599.8	596.5	577.7	69.3	9.6	144.7

Table 7.--Area of commercial forest land by forest type, stand-size class, and ownership class, Central Unit, Wisconsin, 1983 (In thousand acres)

					MO.	Ownership class	ass			
									Misc.	Misc.
Forest type and stand-size class	All	National Forest	Misc. federal	State	County & municipal	Indian	Forest	Farmer	priv corp.	priv indiv.
Jack pine Sawtimber	24.5	ł	4.3	;	:	2.2	:	6.8	i	11.2
Poletimber	97.1	;	6.8	6.9	11.5	ł	6.9	9.4	6.5	47.0
Sapling & seedling	81.5	1	11.4	8.9	9.1	!	13.9	4.4	8.9	27.0
All stands	203.1	8	24.6	15.8	20.6	2.2	20.8	20.6	13,3	85.2
Red pine	C		c	c	C			L .	c	-
Sawtimber	6.02	ł	7.7	7.7	7.7	1	; ,	0 5	2,3	#* OC
Poletimber	77.E	: 1	10	7.7	y.v.	1 1	14.7	4.01	1.1	14.2
All stands	135.5	1	0.6	4.4	13.8	;	19.0	19.9	9.4	60.09
White pine										
Sawtimber	59.8	;	2.2	2.3	4.6	1	4.6	23.1	4.6	18.4
Poletimber	11.3	!	2.2	1	;	;	:	;	!	9.1
Sapling & seedling	8.9	-	•	2.2	2.2	1	1	2.4	9	•
All stands	6.77	:	4.4	4.5	8.9	8	4.6	25.5	4.6	27.5
Balsam fir Sawtimber	2.3	:	;	;	*	1	9	;	2.3	8 8
Poletimber	;	;	;	;	1	*		:	;	;
Sapling & seedling	9.6	:	;	;	1	;	•	7.2	8	2.4
All stands	11.9	1		9	1	9 9	8 9	7.2	2.3	2.4
White spruce		1	;	:	:	;		:	:	:
Poletimber	;	1	;	;	:	;	:	;	;	;
Sapling & seedling	2.2	1	;	1	!	;	;	;	;	2.2
All stands	2.2	1	*	:	-	:	ŷ B	ê e	40.00	2.2
Black spruce										
Sawtimber	;	;	:	;	1	;	:	:	;	;
Poletimber	:	:		;	;	;	1	!	1	:
Sapling & seedling	11.6	:	2.2	2.3	4.7	-	2	2.4	•	
All stands	11.6		2.2	2.3	4.7	-	*	2.4		-
Northern white-cedar										
Sawtimber	2.4	1	1	2.4	1	1	1	1	1	1
Poletimber	18.7	;	9	•	1	;	1	9,5	2°3	6.9
Sapling & seedling	2.2	1	9	-	•		1	-	*	2.2
All stands	23.3	-	-	2.4	1	;	1	9.5	2.3	9.1
								(Table 7	continued	continued on next page)

(Table 7 continued)

					6	Ownership class	ass			
Forest type and stand-size class	A11 owners	National Forest	Misc. federal	State	County & municipal	Indian	Forest industry	Farmer	Misc. priv corp.	Misc. priv indiv.
Tamarack Sawtimber	2,2	1	:	;	:	;	;	2.2	1	9
Poletimber	16.4	:	:	! <	2.5	1	: :	7.0	100	6.9
All stands	39.0	1	:	4.4	2.5	:	:	20.6	2.2	9.3
Oak-hickory			c	,				0 901	9	
Sawtimber	3/5.2	:	χ, α α, ς	0.7	13.9	1	4 6	134.2	12.0	144.5
Sapling & seedling	384.7	! !	15.4	6:1	25.1	: :	0.6	39.1	11.3	1.261
All stands	937.6	1	46.6	13.5	104.6	:	21.0	333.9	43.6	374.4
Elm-ash-soft maple										
Sawtimber	93.9	:	2.3	2.4	2.4	1	8.4	42.4	2.4	37.2
Poletimber	95.5	:	2.3	2,3	0°0	1	2.0	39.9	2.3	39.4
Sapering a securing	271.5	: :	4.6	6.5	14.1	: :	6.5	112.8	16.3	105.0
Maple-birch										
Sawtimber	224.9	;	2.1	4.5	9.6	1	23.4	108.0	11.8	65.5
Poletimber	130.6	;	;	4.4	11.9	1	4.7	43.2	7.3	59.1
Sapling & seedling	150.7	:	2.2	13.5	18.9	*	1	74.0	1	42.1
All stands	506.2	:	4.3	22.4	40.4	1	28.1	225.2	19.1	1.991
Aspen	0 43		9	c	0			0 30		
Doletimber	268 9	: :	13.5	6.7	85.7	2.4	13.7	2.62	0	76.3
Sapling & seedling	243.8	1	10.8	8.7	73.0	; !	9.3	60.5	9.1	72.4
All stands	577.5	:	30.3	17.7	165.9	2.4	23.0	151.8	14.0	172.4
Paper birch										
Sawtimber	11.6	:	;	1	2,5	1	;	φ, φ,	:	2.3
Poletimber Sanling & seedling	51.8	: :	1 %	: :	12.0	1 1	1 1	32.4	4.0	18.7
All stands	118.6	:	2.3	:	25.9	:	:	60.3	2.4	27.7
Exotic										
Sawcilliber	:	:	•	i	;	:	ŧ	;		:
Sanling & seedling	2	: :	: :	! ;	: :	: :	: :	: :	: :	
All stands	2.2	:	:	:	:	:	:	:	:	2.2
Nonstocked	32.8		2.3		:	:	;	7.0	:	23.5
All types Sawtimber	882.5	9 8	28.2	23.1	42.6	2.2	37.6	403.2	35.4	310.2
Poletimber	1,152.1	;	48.9	29.0	205.4	2.4	39°6	322.2	50.7	453.9
Sapling & seedling	883.5	: 1	51.2	44.5	151.3	:	48.8	264.3	43.4	280.0
All stands	2 050 0		130 6	9 90	2000	9 0	136.0	7 500	120 E	1 067 6
ALL SCANOS	6,900.9		130.0	30.06	0373.0	4.0	U.021	330.1	123.3	1,00/.0

Table 8.--Area of commercial forest land by forest type and county, Central Unit, Wisconsin, 1983

(In thousand acres)

	- H													
Forest type	counties	Adams	Adams Chippewa	Clark	Eau Claire Jackson	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Jack pine	203.1	40.3	1	4.8	7.2	62.8	45.2	:	1	22.7	4.4	:	4.4	11.3
Red pine	135.5	33.8	1	4.9	7.1	15.8	12.8	2.4	8.9	2.3	17.4	8.6	17.9	4.5
White pine	77.9	4.7	5.0	4.9	4.7	15.7	4.3	4.7	4.4	4.4	2.2	4.8	0.6	9.1
Balsam fir	11.9	!	;	1	;	;	;	4.7	1	ł	1	7.2		; ;
White spruce	2.2	1	;	;	:	;	1	!	;	1	;	1	;	2.2
Black spruce	11.6	1	2.4	!	1	2.3	2.2	2.4	ł	i	;	1	:	2,3
Northern white-cedar	r 23.3	1	;	;	;	1	*	9.4	1	;	4.4	7.3	2.2	;
Tamarack		!	7.3	;	:	13.5	1	2.3	2,3	1	2.1	4.8	4.5	2.2
Oak-hickory	937.6	103.7	34.5	61.1	78.6	148.4	103.5	16.3	96.0	142.8	48.0	29.2	72.1	43.4
Elm-ash-soft maple	271.5	2.4	36.9	19.4	7.1	13.7	15.2	51.9	8.9	9.1	22.0	48.9	13.3	22.7
Maple-birch	506.2	14.3	72.8	65.5	11.9	24.4	17.3	156.3	4.6	31.9	32.2	45.8	8.7	20.5
Aspen	577.5	25.5	42.1	134.1	33,1	61.0	49.5	87.2	4.6	11.4	35.1	12.3	6.9	74.7
Paper birch	118.6	4.8	17.2	19.0	4.8	13.8	2.1	14.0	4.5	15.8	4.3	2.5	2.2	13.6
Exotic	2.2	;	;	1	;	1	i	:	;	;	;	,	2.2	;
Nonstocked	32.8	4.8	7.5	2.4	•	1	;	6.9	2.2	4.6	2.2	1	2.2	!
All types	2,950.9	234.3	225.7	316.1	154.5	371.4	252.1	358.5	94.3	245.0	174.3	172.6	145.6	206.5

Table 9.--Area of commercial forest land by county and stand-size class, Central Unit, Wisconsin, 1983

(In thousand acres)

			Stan	Stand-size class	
	All	Sawtimber	Poletimber	Sapling and	Nonstocked
County	stands	stands	stands	seedling stands	areas
Adams	234.3	47.2	82.1	100.2	8.4
Chippewa	225.7	0.99	84.1	68.1	7.5
Clark	316.1	71.1	129.1	113.5	2.4
Eau Claire	154.5	35.7	90.5	28.3	!
Jackson	371.4	92.3	155.8	123.3	;
Juneau	252.1	81.8	105.7	64.6	:
Marathon	358.5	114.5	143.5	93.6	6.9
Marquette	94.3	38.1	22.6	31.4	2.2
Monroe	245.0	99.5	88.8	52.1	4.6
Portage	174.3	50.3	9.69	56.2	2.2
Waupaca	172.6	92.6	51.3	25.7	;
Wausahra	145.6	38.1	64.8	40.5	2.2
Mood	206.5	52.3	68.2	86.0	1
All counties	2,950,9	882.5	1.152.1	883.5	32.8

Table 10.--Area of commercial forest land by forest type, stand-size class, and site class, Central Unit, Wisconsin, 1983

Forest type and	A11	Site	e class (c	ubic feet o	f growth pe	r acre pe	r.year)
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	24.5					13.3	11.2
Poletimber	97.1				7.1	63.2	26.8
Sapling & seedling	81.5				4.5	33.8	43.2
All stands	203.1				11.6	110.3	81.2
Red pine							
Sawtimber	20.9		~ =	6.9	4.6	7.2	2.2
Poletimber	77.1		4.4	31.7	38.8	2.2	
Sapling & seedling	37.5			7.5	11.0	12.1	6.9
All stands	135.5		4.4	46.1	54.4	21.5	9.1
White pine							
Sawtimber	59.8			6.7	27.3	9.5	16.3
Poletimber	11.3			2.2	4.5	4.6	
Sapling & seedling	6.8				4.6	2.2	
All stands	77.9			8.9	36.4	16.3	16.3
Balsam fir							
Sawtimber	2.3				2.3		~-
Poletimber							
Sapling & seedling	9.6			2.4	4.8	2.4	
All stands	11.9			2.4	7.1	2.4	
White spruce							
Sawtimber							
Poletimber							
Sapling & seedling	2.2						2.2
All stands	2.2		~~		No +0		2.2
Black spruce							
Sawtimber							
Poletimber							
Sapling & seedling	11.6					4.6	7.0
All stands	11.6					4.6	7.0
Northern white-cedar							
Sawtimber	2.4						2.4
Poletimber	18.7					2.4	16.3
Sapling & seedling	2.2						2.2
All stands	23.3					2.4	20.9

(Table 10 continued on next page)

(Table 10 continued)

Forest type and	A11			ubic feet		per acre per	
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber	2.2						2.2
Poletimber	16.4				2.4	9.5	4.5
Sapling & seedling	20.4				2.4	9.0	9.0
All stands	39.0				4.8	18.5	15.7
Oak-hickory							
Sawtimber	375.2			4.4	83.3	176.2	111.3
Poletimber	384.7				30.1	216.1	138.5
Sapling & seedling	177.7				20.9	86.4	70.4
All stands	937.6			4.4	134.3	478.7	320.2
Elm-ash-soft maple							
Sawtimber	93.9				9.3	38.0	46.6
Poletimber	95.5				11.7	25.4	58.4
Sapling & seedling	82.1				4.7	33.2	44.2
All stands	271.5				25.7	96.6	149.2
Maple-birch							
Sawtimber	224.9			2.3	35.8	109.1	77.7
Poletimber	130.6			4.6	26.1	64.8	35.1
Sapling & seedling	150.7			4.7	30.6	78.5	36.9
All stands	506.2			11.6	92.5	252.4	149.7
Aspen							
Sawtimber	64.8			9.0	25.8	21.1	8.9
Poletimber	268.9			9.4	82.1	156.5	20.9
Sapling & seedling	243.8			4.9	67.0	127.3	44.6
All stands	577.5			23.3	174.9	304.9	74.4
Paper birch							
Sawtimber	11.6			2.3	6.9		2.4
Poletimber	51.8				4.6	31.1	16.1
Sapling & seedling	55.2				9.3	18.4	27.5
All stands	118.6			2.3	20.8	49.5	46.0
Exotic							
Sawtimber							
Poletimber							
Sapling & seedling	2.2				2.2		
All stands	2.2				2.2		
Nonstocked	32.8					14.1	18.7
All types							
Sawtimber	882.5			31.6	195.3	374.4	281.2
Poletimber	1,152.1		4.4	47.9	207.4	575.8	316.6
Sapling & seedling	883.5			19.5	162.0	407.9	294.1
Nonstocked	32.8					14.1	18.7
All stands	2,950.9		4.4	99.0	564.7	1,372.2	910.6

Table 11.--Area of commercial forest land by forest type and stand-age class, Central Unit, Wisconsin, 1983

							oralid-a	פומיות במלט בומים לאבמים	(Seals)					
	. ITA											101-	121-	
Forest type	ages	1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	120	140	141+
Jack oine	203.1	11.2	61.7	28.9	38.3	43.2	13.4	4.2	2.2	1	;	;	;	1
Red pine	135.5	19.4	29.4	54.4	15.9	4.5	9.7	:	1	1	2.2	1	;	1
White pine	77.9	2.2	8.9	1	11.6	8.9	4.6	11.6	4.5	13.8	2.3	4.6	2.3	4.7
Balsam fir	11.9	4.8	2.4	2.4	1	2.3	1	;	1	1	1	;	;	!
White spruce	2.2	:	2.2	i	į	1	1	;	;	!	!	;	;	1
Black spruce	11.6	2.4	8.9	1	1	2.4	1	;	;	1	;	{	1	
Northern white-cedar	23.3	;	;	;	1	;	11.5	2.5	4.7	2.2	2.4	1	:	1
Tamarack	39.0	6.9	13.5	1	2.5	2.4	4.7	2.4	4.5	2.1	1	;	;	!
Oak-hickory	937.6	8.76	54.4	43.6	57.5	138.9	163.0	119.3	110.7	47.5	39.3	34.1	25.6	8.9
Elm-ash-soft maple	271.5	49.2	30.6	2.3	25.4	37.9	23.4	20.8	35.2	21.5	13.8	0.6	2.4	!
Maple-birch	506.2	67.3	62.2	30.9	28.3	45.4	54.4	61.1	39.2	50.9	26.5	20.9	12.0	7.1
Aspen	577.5	132.6	76.5	51.1	85.9	138.0	54.0	4.5	22.8	8.6	2.3	1	;	;
Paper birch	118.6	25.0	21.1	11.5	25.9	11.6	11.9	9.3	2,3	1	!	1	!	*
Exotic	2.2	;	2.2	1 0	1	1	:	1	1	1	;	1	;	;
Nonstocked	32.8	32.8	1	1	1	1			-	:	1	;	;	:
All types	2,950.9	451.6	369.8	225.1	291.3	435.5	350.6	235.7	226.1	147.8	88.8	9.89	39°3	20.7

Table 12.--Area of commercial forest land by forest type and site-index class, Central Unit, Wisconsin, 1983

(In thousand acres)

	A11				Site-in	Site-index class (feet	(feet)			
Forest type	classes	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	203.1	1	;	4.7	24.6	63.1	72.6	35.7	2.4	1
Red pine	135.5	;	;	8.9	2.2	19.3	35.9	46.3	20.6	4.4
White pine	6.77	1	;	2.3	11.7	16.4	27.2	13.6	6.7	!
Balsam fir	11.9	;	;	;	7.1	2.4	2.4	1	;	1
White spruce	2.2	;	:	;	2.2	•	I	;	;	1
Black spruce	11.6	;	;	2.4	4.6	4.6	ì	;	;	!
Northern white-cedar	23,3	;	6.9	9.4	4.6	ł	2.4	;	;	!
Tamarack	39.0	;	;	4.5	11.2	11.6	6.9	2.4	2.4	1
Oak-hickory	937.6	;	1	54.6	131.8	277.5	267.5	123.7	71.3	11.2
Elm-ash-soft maple	271.5	;	;	2.2	23.2	78.8	94.3	47.3	25.7	1
Maple-birch	506.2	;	;	4.8	26.7	118.2	176.1	106.3	60.2	13.9
Aspen	577.5	;	1	;	35.2	122.8	188.2	147.2	8.09	23.3
Paper birch	118.6	;	;	2.3	13.7	25.3	28.7	25.5	20.8	2.3
Exotic	2.2	1	;	;	;	;	;	2.2	1	1
Nonstocked	32.8	1	;	4.5	2.3	11.9	9.5	4.9	-	;
All types	2.950.9	1	6.9	98.5	301.1	751.9	911.4	555.1	270.9	55.1

Table 13.--Area of commercial forest land by forest type, stand-size class, and basal-area class, Central Unit, Wisconsin, 1983 (In thousand acres)

State Colored Colore	18.5 Colored Color 11-20 21-30 31-40 41-50 51-60 61-70 71-80 81-90 91-100 101-120 121-150 24.5	Forest type and	1.14						Basal		area class (square feet per acre	e feet pe	er acre)				
seedling 2.3	seedling	stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Seeding St. 2 St. 2 St. 3 St	seedling 2.3	Jack pine															
seedling 91.5 2.6 11.6 92.5 2.3	seedling 9.1.1 1.1.2 1.1.3 1.1.8 26.8 11.6 9. 41 20.31 8.9 6.8 11.8 6.8 11.8 6.8 13.4 27.0 38.6 31.0 13.8 13.9 41 20.3 4.9 6.8 11.8 6.8 13.5 24.4 27.0 38.6 31.0 13.8 13.9 24 4.4 2.2 4.4 2.2 4.4 2.2 4.4 2.2 4.4 2.4 4.4 2.2 2.4 4.4 2.4 4.	Sawtimber	24.5	1	;	;	2.2	1	4.4	2.4	2.3	4.2	2.2	4.6	2.2	:	;
seeding 81.5 8.9 6.8 11.8 6.2 13.5 4.9 24.4 20.5 13.8 4.5 13.6 4.9 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.5 13.8 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4 2.5 4.4 2.4 2.4 2.4 2.4 2.4 2.4 2.2 4.4 2.5 3.0	seedling 81.5 8.9 8.9 13.4 20.5	Poletimber	97.1	1	1 (1	2.3	4.6	11.1	11.2	15.8	26.8	11.6	9.2	2.3	1	2.2
Seedling 203.1 8.9 6.8 11.8 6.8 13.5 24.4 27.0 38.6 31.0 13.8 13.8 4.5	Seedling 20,9	Sapling & seedling	81.5	8	8.9	11.8	2.3	8.9	8.9	13.4	20.5	1	1	;	1	-	1
seedling 20.9	seedling 20.9 -	All stands	203.1	8.9	6.8	11.8	8.9	13.5	24.4	27.0	38.6	31.0	13.8	13.8	4.5		2.2
seedling 77.1	seedling 2.3 4.9 2.4 4.9 2.4 4.9 2.4 4.9 2.4 15.5 4.9 2.4 4.9 2.4 15.5 4.9 2.4 4.9 2.4 15.5 4.9 2.4 4.9 2.4 15.5 4.6 15.5 4.6 15.8 4.6 15.9 2.4 2.5 2.4 2.5 2.4 2.5 2.4 2.4 2.4 15.9 2.2 2.4 15.9 2.2 2.4 15.9 2.2	Red pine															
seedling 37.1	geedling 77.1 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.8 4.6 6.7 6.7 6.8 6.7 6.8 6.7 6.8 6.8 6.8 6.0 6.8 6.9 6	Sawtimber	50.9	1	!	1	1	1	1	;	2.3	4.9	2.4	4.4	4.4	2.5	-
seedling 33.5 lo.5 4.6 2.3 2.9 2.3 2.1 4.5 2.3 2.9 5.7 1.5 5.8 4.6 13.8 4.8 22.3 20.5 11.5 5.8 5.9 5.7 2.4 5.4 5.7 2.4 5.6 13.8 4.8 22.3 20.5 11.5 5.8 5.9 5.7 2.4 5.6 5.8 4.6 18.1 16.0 2.3 5.9 5.9 5.7 2.4 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2	seedling 37.5 16.5 4.6 - 2.3 2.9 2.3 - 2.1 4.5 - 2.5 seedling 59.8 - 2.5 - - 2.3 - 2.2	Poletimber	77.1	1	1	1	1	1	4.4	2.4	2.2	4.4	2.4	15.6	16.1	0.6	20.6
135.5 16.5 4.6 2.3 2.9 6.7 2.4 6.6 13.8 4.8 22.3 20.5 11.5 11.3	ds 135.5 16.5 4.6 - 2.3 2.9 6.7 2.4 6.6 13.8 4.8 22.2 seedling 6.8 - 2.5 - 2.5 - 2.2 2.4 - 2.2 <th< td=""><td>Sapling & seedling</td><td>37.5</td><td>16.5</td><td>4.6</td><td>1</td><td>2.3</td><td>5.9</td><td>2.3</td><td>1</td><td>2.1</td><td>4.5</td><td></td><td>2.3</td><td>1</td><td>1</td><td>;</td></th<>	Sapling & seedling	37.5	16.5	4.6	1	2.3	5.9	2.3	1	2.1	4.5		2.3	1	1	;
seedling 59.8 -2.5 -2.2	seedling	All stands	135.5	16.5	4.6	1	2.3	2.9	6.7	2.4	9*9	13.8	4.8	22.3	20.5	11.5	20.6
seedling 2.3	seedling 13.4	White pine															
seedling 11.3	seedling 11.3	Sawtimber	59.8		2.5		:	:	2,3	1	7.2	8.9	4.6	18.1	16.0	2.3	:
seedling 6.8 2.5 2.4 2.2 2.4 2.2	seedling 6.8 2.2 2.4 2.2 9.4 9.0 4.6 20. ds 77.9 2.5 2.3 9.4 9.0 4.6 20. seedling 9.6 2.4 2.4 2.4 -	Poletimber	11.3	1 8	;	;	;	:	2.2	:	;	2.2	:	2,3	;	4.6	1
Seedling 2.2 2.5 2.2 6.9 9.4 9.0 4.6 20.4 16.0 6.9 6.9 seedling 2.2 2.4	ds 77.9 2.5 2.6 9.4 9.0 4.6 20. seedling 2.3 2.4	Sapling & seedling	8.9	1	1	1	:	2.2	2.4	1	2.2	:	;	1	;	:	;
seedling 2.3 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4	seedling 2.3 2.4	All stands	9.77	1	2.5	;	1	2.2	6.9	1	9.4	0.6	4.6	20.4	16.0	6.9	1
2.3 2.4 <	Seedling	Balsam fir															
seedling 9.6 2.4 2.4 2.4 2.4 2.4	seedling 9.6 2.4 2.4 2.4	Sawtimber	2.3	1	!	1	;	2.3	1	;	!	;	1	1	;	;	;
seedling 9.6 2.4 2.4 2.4	seedling 9.6 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4	Poletimber	:	:	1	1	1	*	1	;	:	;	!	;	:	:	ľ
Seedling 11.9	seedling 2.2 2.4 4.7 2.4 2.4	Sapling & seedling	9°6	-	-	2.4	1	2.4	!	2.4	2.4	1	1	1	;	:	;
seedling 2.2	seedling 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.4 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.4 2.3 2.4	All stands	11.9	-		2.4	1	4.7	1	2.4	2.4	:	9	1	1	:	;
seedling 2.2	seedling 2.2	White spruce															
seedling 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.3 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.	seedling 2.2 2.3 2.2 2.5	Sawtimber	1	1	!	1	;	;	1	1	1	1	1	:	1	:	;
seedling 2.2 2.2 2.2	seedling 2.2 2.3 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.3 2.3 2.3 2.3 2.4 2.4 2.4 4.4	Poletimber	1	1	1	:	;	;	1	1	1	1	!	:	ŀ	;	ţ
seedling 11.6 2.4 2.3 2.3 2.2 2.4 2.5	seedling 11.6 2.4 2.3 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.3 2.3 2.3 2.4 2.3 2.3 2.3 2.3 2.4 2.4 2.4 2.4 2.4	Sapling & seedling	2.2	1	:		-	:	1		2.2	-	-	1	!	;	
seedling 11.6 2.4 2.3 2.3 2.2 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.2 2.2 2.2 2.2 4.7 9 seedling 2.2 2.3 2.3 2.4 2.4 2.4 4.4 2.2 4.7 9 ds	seedling 11.6 2.4 2.3 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.4 2.4 2.4 2.4 2.4 2.3 2.3 2.4 2.4 2.4 2.4 2.4 2.4 4.	All stands	2.2	:	;	;	1	1	1	•	2.2	:	:	-	-		*
11.6 2.4 2.3 2.3 2.2 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.2 2.2 2.2 2.2 2.2 2.3 2.3 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.5 4.7 9	11.6 2.4 2.3 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.2 2.3 2.3 2.3 2.3 2.3 2.3 2.4 2.3 2.3 2.4 2.3 2.3 2.4 2.3 2.3 2.4 2.	Black spruce															
11.6 2.4 2.3 2.3 2.2 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.4 2.3 2.2 2.4 2.5 2.2 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.4 3.2 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3	11.6 2.4 2.3 2.3 2.2 2.3 2.2 2.2 2.1 11.6 2.4 2.3 2.3 2.2 2.3	Sawtimber	:	;	;	1	;	;	1	:	:	:		1	;	:	1
11.6 2.4 2.3 2.3 2.2 2.4 2.4 2.4 1.1 1.6 2.4 2.2 2.2 4.7 9 2.4 2.4 2.2 2.2 2.4 2.2 2.2 4.7 9 2.3 2.4 2.2 2.2 2.2 4.7 9	11.6 2.4 2.3 2.3 2.2 2. 11.6 2.4 2.3 2.3 2.2 2. 11.6 2.4 2.3 2.2 2. 18.7 2.4 2. 2.2 2.4 2. 2.3 2.4 2. 2.3 2.4 -	Poletimber	:	1	1	1	*	1	1	1	!	;	;	:		;	:
2.4 2.3 2.2 2.4 2.4 2.5 4.7 9 11.6 2.4 2.2 2.4 2.5 4.7 9 23.3 2.4 2.4 4.4 2.2 4.7 9	2.4 2.3 2.2 2.4 2.5 2.2 2.4 2.5 2.2 2.4 2.4 2.5 2.2 2.5 2.3 3 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5	Sapling & seedling	11.6	2.4	2.3	1		2.3	2.2	1	;	:	!	2.4	1	:	:
2.4 2.5 2.7 2.7 2.2 2.2 2.2 2.2 2.3 2.3 4.4 2.2 4.7 9	2.4 2.4 2.5 2.	All stands	11.6	2.4	2,3	1	:	2,3	2.2	:	!	:	1	2.4	;	;	;
2.4 2.4 2.7 2.7 2.7 2.7 4.7 2.3 4.7 2.3 4.7 2.3 4.7 2.3 4.7 2.3 4.7 2.4 2.4 4.4 2.2 4.7	2.4 2.4 2.7 2.	Northern white-cedar															
23.3 2.4 4.4 2.2 4.7	23.3 2.4 4.	Sawtimber	2.4	1	;	!	:	1	1	;	2.4	1	:	;	1	;	;
23.3 2.4 4.4 2.2 4.7	23.3 2.4 4.	Poletimber	18.7	:	;	;	;	;	1	1	!	;	;	2.2	2.2	4.7	9.6
23.3 2.4 4.4 2.2 4.7	23.3 2.4 4.	Saping & seeding	2.2	•	1	1	*	-	-	•	-	:	1	2.2	1	;	-
	(Table 13 continued or	All stands	23.3	*	:	;	1	1	;	1	2.4	;	1	4.4	2.2	4.7	9.6

(Table 13 continued)

Forest type and	411						Basal	area class	ss (square	e feet per	r acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	2.2	1	ŧ	2.2	!	1	1	!	* 1	1	1	:	1	-	1
Poletimber	16.4	i	;	1	2.4	2.5	t i	1	1	8.8	4.7	1	-	8 0	9
Sapling & seedling	20.4	8.9	2.3	1	-	6.9	1	2.3	-	1	1	1	-		-
All stands	39.0	8.9	2.3	2.2	2.4	9.4	1	2.3	**	8.9	4.7	:	1	1	:
Oak-hickory															
Sawtimber	375.2	;	9	4.5	2.2	22.4	30.0	27.5	38.9	45.4	27.3	91.9	73.7	8.9	4.6
Poletimber	384.7	;	;	1	4.5	2.2	55.8	20.3	52.8	59.5	45.8	51.9	71.4	18.2	2,3
Sapling & seedling	177.7	11.2	13.7	50.4	15.8	27.2	27.3	16.1	8.9	4.6	2.5	-	-	-	
All stands	937.6	11.2	13.7	54.9	22.5	51.8	113.1	63.9	100.6	109.5	75.6	143.8	145.1	25.0	6.9
Elm-ash-soft maple															
Sawtimber	93.9	1	2.4	2.4	1	8.9	2.5	4.4	9.5	9.5	14.5	14.0	18.6	7.2	1
Poletimber	95.5	ì	2.4	2.4	8.9	9.1	11.4	7.6	11.5	13.9	2.3	14.3	4.6	4.6	2.5
Sapling & seedling	82.1	15.8	14.4	2.4	11.9	4.7	19.0	4.8	7.0			2.1	-	1	•
All stands	271.5	15.8	19.2	7.2	18.7	22.7	32.9	18.9	28.0	23.4	16.8	30.4	23.2	11.8	2.5
Maple-birch															
Sawtimber	224.9	1	;	3.9	1	16.5	13.5	2.4	26.2	36.9	18.6	33.1	52.5	16.7	4.6
Poletimber	130.6	;	;	2.4	4.9	2.3	11.6	12.0	16.9	9.5	16.7	23.5	23.7	2.5	4.6
Sapling & seedling	150.7	16.7	17.5	20.8	16.4	18.2	18.7	8.9	7.0	11.8	4.8	8.6	2.2	!	-
All stands	506.2	16.7	17.5	27.1	21.3	37.0	43.8	21.2	50.1	58.2	40.1	66.4	78.4	19.2	9.5
Aspen															
Sawtimber	64.8		2.3	1	2.3	4.4	4.6	2.2	8.9	8.9	7.2	16.3	4.8	5.0	1
Poletimber	568.9	:	2.4	2.2	4.7	14.1	23.1	20.9	34.9	46.7	16.1	59.0	32.7	6.7	2.4
Sapling & seedling	243.8	33.8	48.9	37.2	29.9	37.9	18.7	21.0	7.0	7.0	1	2.4	1	1	1
All stands	577.5	33.8	53.6	39.4	36.9	56.4	46.4	44.1	48.7	62.6	23.3	7.77	37.5	14.7	2.4
Paper birch	2 11							0	c				•		
Dolotimbon	0.13		,	1	1	7 7	9 7	9 4	0.01	7 7	7	2 1	11.5	6	
Sapling & seedling	55.2	4.6	16.0	9,3	8.9	6.9	o o o	? !	J !	2.4	<u>}</u>	2.3	2 !	: 1	: :
All stands	118.6	4.6	16.0	9,3	8.9	11.6	11.5	7.3	16.5	9.2	4.7	4.4	14.2	2.5	:
Exotic															
Sawtimber	:	;	1	1	;	;	1	;	;	:	:	;	1	;	;
Capling & coodling		1	;	:	;	!	;	;	;	;	:	1	:	1	;
מלהווה מ מכניתווה	7.7								7.7						
All Stands	7.7	:	:	:	:	:	1	1	7.7				•	-	:
Nonstocked	32.8	0.6	11.8	:	2.5	1	2	:	;	1	7.1	1	2.4	-	1
All types	2000			12		2 7 2	6 73	1 0	0	110	0 52	4 001	2 471		c
Sawt illiber	002.3	1	7.7	13.0	1.00	0.400	5.70	45.7	91.9	110./	0.07	182.4	1/4.0	0°04	7.6
Conling & coodling	1,156.1	1001	126 5	124 3	0.02	39,5	7.471	0.67	148.3	30.3	104.3	180.1	154.8	55°K	7.44
Nonstocked	32.8	0.011	11.8	134.3	2.5	C.U21	100.4	0.00	61.0	20.2	7.1	63.3	2.4	: :	: :
All stands	2 950 9	127 R	150 3	154 3	120.2	214 F	287 0	189 5	307 7	323 E	105 5	386.0	344.0	96 3	53 A
250522	L100010	71.	2	20100	3.034	£47 0 U		107.0	1000	0.010	77700	2000	2110	2000	1.00

Table 14.--Area of commercial forest land by stocking class of growing-stock trees and stand-size class, Central Unit, Wisconsin, 1983

(In thousand acres)

Stocking			Stand-	Stand-size class	
class	LIL	Sawtimber	Poletimber	Poletimber Sapling and	Nonstocked
(percent)	stands	stands	stands	seedling stands	areas
Less than 16.7	32.8	1	;	:	32.8
16.7 to 60.9	647.1	246.2	227.6	173.3	1
61.0 to 100.9	1,236.3	354.1	543.1	339.1	;
101.0 to 133.9	874.7	259.2	323.4	292.1	1
134.0+	160.0	23.0	58.0	79.0	1 8
All classes	2,950.9	882.5	1,152.1	883.5	32.8

Table 15.--Area of commercial forest land in planations by forest type and stand-age class, Central Unit, Wisconsin, 1983

(In thousand acres)

							Stand-age	e class ()	(years)					
	All								1			101-	121-	
Forest type	ages	1-10	11-20	21-30		41-50	51-60	61-70	- 1	81-90		120	140	141+
Jack pine	35.8	1	7.1	:	2.3	0.6	11.0	11.0 4.2	2.2	;	;	;	1	!
Red pine	114.9	19.4	27.0	50.0		4.5	2.5	t i		!		;	f	;
White pine	22.5	2.2	4.4	1		6.8	2.2	2.3		1		;	;	-
White spruce	2.2	3 4	2.2	1		1	;	ŧ		:		1	;	4 3
Exotic	2.2	1	2.2	1		1	1	1		!		1	;	*
Nonstocked	2.3	2.3	-			*	1	1	- 1	:		;	:	-
All types	179.9	23.9	42.9	50.0		20.3	15.7	6.5		-		:	:	;
			The same of the sa		The state of the s									

Table 16.--Area of commercial forest land with conifer understory by forest type and conifer understory species, Central Unit, Wisconsin, 1983

(In thousand acres)

Forest type Jack pine											
Forest type Jack pine	All	White	Red	Jack	Balsam	White	Black		Northern	Eastern	Other Other
Jack pine	species	pine	pine	pine	fir	spruce	spruce	Hemlock	white-cedar	redcedar	softwoods
	119.9	6.8	2.4	108.5	;	1	1	}	;	1	2.2
Red pine	31.6	4.4	22.8	4.4	7	;	;	;	;	!	1
White pine	50.5	48.1	;	*	2.4	;	1	;	;	1	1
Balsam fir	9.6	8	ŧ	!	9.6	;	;	1		1	:
Black spruce	11.6	8 8	1	1 (;	1	9,3	1	;	1	2.3
Northern white-cedar	11,5	1	1	;	2.3	1	1	-	9.2		;
Tamarack	36.9	1	*	•	1	1	2.3	1 8	;	;	34.6
Oak-hickory	231.9	103.2	80	103.9	7.0	2.2	•	;	;	2.2	4.6
Elm-ash-soft maple	51.0	20.6	2 2	ž į	25.7	:	1 2	4.7	;		7 1
Maple-birch	9.66	47.7	2.2	6.7	31.2	8 6	1 0	7.1	2.5	1	2.2
Aspen	90°2	46.7	7.1	15.7	16.5	1	2.2	2.3	2 2	1	:
Paper birch	18.2	9.1	2.3	1 1	2.4	1	i	;	2.1	1	2.3
Exotic	2.2	1	1	;	;	2.2	1	;	:	1	;
Nonstocked	4.6	1	4.6	1	1	1	;	!	1	1	-
All types	9.697	286.6	50.2	239.2	97.1	4.4	13.8	14.1	13.8	2.2	48.2

Table 17.--Area of noncommercial forest land by ownership class, Central Unit, Wisconsin, 1983

Ownership class	All areas	Unproductive areas	Productive- reserved areas
National Forest			
Miscellaneous federal	2.3	2.3	1 mm mm
State	8.0		8.0
County and municipal	3.9		3.9
Indian			***
Forest industry			
Farmer	9.4	7.1	2.3
Misc. private-corp.	4.4		4.4
Misc. private-indiv.	23.6	12.1	11.5
Total	51.6	21.5	30.1

Table 18.--Area of noncommercial forest land by forest type, Central Unit, Wisconsin, 1983

(In thousand acres)

	A11	Unproductive	
Forest type	areas	areas	reserved areas
Jack pine			
Red pine	11.3		11.3
White pine			
Balsam fir			
White spruce			
Black spruce	2.4	2.4	
Northern white-cedar			
Tamarack			
Oak-hickory	4.8	2.3	2.5
Elm-ash-soft maple	12.8	7.3	5.5
Maple-birch	2.5	2.5	
Aspen	6.3	2.3	4.0
Paper birch	2.3	2.3	
Exotic	6.8		6.8
Nonstocked	2.4	2.4	
All types	51.6	21.5	30.1

Table 19.--Number of all live trees on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983 (In thousand trees)

	A11	1.0-	3.0-	-0-9	7.0-	-0.6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-		29.0	
Species group	classes	2.9	4.9	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods															
Jack pine	142,690	74,982	27,427	19,928	12,384	5,508	1,971	394	96	8 8	9	8	8	;	8 8
Red pine	77,746	•	18,138	27,681	13,041	2,479	999	415	234	120	56	10	1	1	-
White pine	54,563		10,246	7,515	3,842	2,320	1,272	915	730	419	316	192	118	46	1
White spruce	5.272	2,082	2,972	175	į	22	13	œ	1	1	;	1	*	;	!
Black spruce	11,214	6,403	3,305	1,388	64	40	14	1	;	;	;	;	;	;	9 0
Ba'lsam fir	27,614	15,992	7,160	2,902	1,143	314	95	3	;	00	!	1	;	1	1
Hemlock	6,153	1,376	718	1,465	1,016	725	427	198	113	09	34	4	17	8	1
Tamarack	30 273	19 751	5 024	3 485	1.520	258	142	75	13	, LC	1	;	1	1	1
Factorn reducedar	1 279		3 1	32	9	44	0	. 1			;	!	;	;	1
Northborn Ebitology	24 303	6 736	0 600	A 631	2 407	630	304	48	15	J	Δ	1	;	;	1
Other softwoods	5,255	2,892	1,362	697	175	69	49	2 !	11	1	1	;	1 1	1	1
Total	386,452	172,921	85,961	668,899	35,648	12,418	4,961	2,053	1,212	612	380	206	135	46	1
Hardwoods															
White oak	87,681		16,918	10,953	6,857	4,517	2,822	1,611	1,071	009	201	132	66	22	3
Select red oak	99,002	29,246	5,806	6,804	7,279	6,238	4,445	2,398	1,579	096	547	334	313	99	!
Other red oak	199,582		25,238	22,818	17,361	12,140	6,593	3,303	1,942	860	435	244	216	10	*
Select hickory	5,257	3,395	1,102	179	168	248	44	69	41	5	ł	9	ŀ	;	1
Other hickory	8,209	4,342	2,098	634	646	228	194	54	13	8	1		i	;	1
Basswood	21,407	9,808	4,218	1,325	1,996	2,010	917	509	319	162	99	41	28	00	1
Beech	92	;	;	1	31	1	30	10	7	9	∞	1	;	ł	1
Yellow birch	17,707	9,293	3,592	1,479	1,435	888	587	265	86	34	21	14	;	-	
Hard maple	50,351	25,188	10,776	5,736	3,202	1,868	1,357	930	622	335	150	105	73	6	;
Soft maple	280,420		56,732	27,162	12,144	9/0°9	3,030	1,522	925	390	175	168	148	24	9
Elm	46,480	29,622	8,429	4,469	1,249	1,237	664	455	201	64	13	27	10	7	!
Black ash	38,496		9,553	5,666	2,510	1,457	652	277	103	56	14	:	;	1	1
White & green ash	22,689	14,145	3,097	2,279	1,006	1,207	494	219	120	99	31	16	7	1	1
Cottonwood	79	1	1	;	27	1	11	00	:	5	12	;	00	œ	1
Willow	1,372	1,220	;	;	25	55	22	17	7	6	∞	4	9	2	!
Hackberry	219	219	1	1	;	!	!	1	1	;	!	1	;	i	!
Balsam poplar	1		;	;	;	;	1	;	1	;	1	1	1	1	!
Bigtooth aspen	52,551		7,784	6,329	5,677	3,961	1,844	731	280	70	12	10	9	;	1
Quaking aspen	248,985		37,762	26,259	19,487	9,599	3,210	1,028	313	71	19	9	1	;	1
Paper birch	121,357	64,251	28,780	17,041	7,550	2,837	0.29	203	25	*	8	1	1	;	1
River birch	1,698	1,055	211	1	208	147	99	!	!	1	00	1	m	2 0	1
Black cherry	61,314		9,700	2,473	1,395	735	106	44	53	17	;	;	;	2	!
Black walnut	29	1	1	1	1	;	16	11	ì	!	;	!	2	!	;
Butternut	1,599	1,208	;	1	144	1	71	81	40	40	13	1	2	;	!
Other hardwoods	7,569		1,398	601	171	223	103	73	16	9	9	!	1	;	9 5
Noncommercial species	93,694	79,992	11,230	1,841	420	185	19	-	7	:	0 1		:	-	
Total	1,434,842	842,333	244,424	144,048	90,988	55,853	27,967	13,818	7,758	3,728	1,739	1,107	921	149	6
All coories	1 001 204	4 047 014	700 000												

Table 20.--Number of growing-stock trees on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983 (In thousand trees)

cies group classes 2.9 4.9 5.0- 7.0- 9.0- 11.0- 13.0 thools are kine classes 2.9 4.9 4.9 6.9 6.9 10.9 10.9 11.9 11.0 thools are kine classes 2.9 4.9 4.9 6.9 17.336 12.794 2.426 6.6 41.0 11.0 11.0 11.0 11.0 11.0 11.0 11.0							Diameter c	class (inches	at	breast height	qht)					
cedar 137,486 74,301 26,549 17,793 11,626 5,102 1,733 323		All	1.0-	3.0-	-0°9	7.0-	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
The Fig. 137, 486	Species group	classes	2.9	4.9	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	- 1	39.0+
ne	Softwoods															
ne 76,891 14,937 17,906 27,365 12,794 24,426 665 415 ne 52,592 26,632 10,246 67,78 3,404 1,863 1,120 870 pruce 1,272 2,082 1,682 1,120 665 1,120 870 pruce 1,274 6,403 3,305 1,388 64 32 13 8 fir 5,814 1,376 7,18 1,419 967 640 328 18 redcedar 1,229 1,138 1,28 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48 1,48	Jack pine	137,486	74,301	26,549	17,793	11,626	5,102	1,733	323	59	!	E	1	9	1	9
hicker 52.592 26.632 10.246 6.768 3,404 1,863 1,120 870 1,100 1,214 6.403 3,305 1,388 64 40 14 14 1.514 6.403 3,305 1,388 64 40 14 14 1.514 1,376 1,012 1,418 6.403 3,316 1,419 967 286 75	Red pine	76,891	14,937	17,906	27,365	12,794	2,426	999	415	227	120	56	10	R R		1
Pruce 5,272 2,082 2,972 1,75 22 13 8 64 70 14 67,470 15,992 7,160 2,902 1,055 286 75 67,470 15,992 7,160 2,902 1,055 286 75 67,470 15,992 7,160 2,902 1,055 286 75 67,80	White pine	52,592	26,632	10,246	6,768	3,404	1,863	1,120	870	269	379	303	169	105	36	;
Fire 11, 214 6, 403 3,305 1,388 64 40 14	White spruce	5,272	2,082	2,972	175		22	13	00	1	1	1	;	1	1	1
fire	Black spruce	11,214	6,403	3,305	1,388	64	40	14	1	1	;	;	;	;	1	1
Freecedar 23,814 1,376 7,18 1,419 967 640 328 180 180 180 180 19,751 5,024 3,316 1,486 258 142 54 142 1,376 7,18 1,419 180 258 142 54 180 1,289 1,188 1,188 6,438 6,738 9,377 4,256 2,278 5,278 5,28 28 28 1,188 6,469 1,188 1	Balcam fin	27 470	16 902	7 160	2000	1 055	986	75	i							
k redcedar 30,044 19,751 5,724 3,415 1,907 0,40 258 142 549 17,229 11,138 6,736 2,278 525 238 28	Dalsayıı III	6 014	10,576	710	1 410	COO 6 T	007	000	1 00	100	1 0	10	i <	1 0	•	i i
k white-cedar 1,229 19,781 5,024 3,310 1,486 258 142 34 oftwoods 1,229 19,781 5,024 3,317 4,256 2,278 528 28 oftwoods 376,228 172,240 84,393 65,963 33,823 11,208 4,377 1,878 ak	neill ock	90.00	1,5/0	01/	1,419	706	040	970	160	100		47	+	CT	1	1
redcedar 1,1229 1,138 9,37 4,26 2,31 528 n white-cedar 23,428 6,136 9,37 4,26 2,138 18 525 8.9 oftwoods 376,228 172,240 84,393 65,963 33,823 11,208 4,377 1,878	lamarack	30,049	19,751	5,024	3,316	1,486	258	142	54	13	2	1	;	;	!	:
whitee-cedar 23,438 6,736 9,377 4,256 2,278 525 238 28 oftwoods 4773 2,892 1,135 65,963 33,823 11,208 4,377 1,878 ak 76,612 41,424 13,529 8,488 5,047 3,512 2,014 1,226 acd oak 61,081 29,246 5,570 6,418 6,462 5,612 3,766 1,878 ed oak 61,081 29,246 5,570 6,418 6,649 5,612 3,766 1,889 ed oak 61,081 29,246 5,570 6,418 6,649 5,612 3,766 1,889 hickory 8,079 4,342 2,988 634 573 1,72 1,77 39 1,72 d 4,731 3,395 3,894 1,234 1,234 1,26 1,84 1,12 d 4,731 3,395 3,893 6,44 1,27 1,27 1,27 1,27	Eastern redcedar	1,229	1,138	;	32	31	28	!	*	;	!	!	;	:	1	8
ak 77,3 2,892 1,136 549 118 18 49 ak 76,528 172,240 84,393 65,963 33,823 11,208 4,377 1,878 ak 61,081 29,246 5,570 5,418 6,469 5,612 3,786 1,888 red oak 171,921 107,523 21,978 14,913 11,385 8,021 4,185 1,864 rickory 4,731 3,395 2,098 634 573 21,4 172 1,312 d 6,469 5,612 4,185 1,864 rickory 8,079 4,342 2,098 634 1,772 1,772 1,72 1,999 472 birch 15,630 8,805 3,360 1,274 1,724 1,722 1,999 472 birch 15,630 8,805 3,360 1,279 1,045 510 369 164 ple 46,456 22,426 10,082 5,052 2,796 1,606 1,047 5,519 green ash 21,764 14,145 3,097 2,009 10,865 5,025 573 371 sh 36,123 18,238 8,146 5,124 2,289 1,354 626 248 green ash 21,764 14,145 3,097 2,009 10,865 5,025 22 17 ry 219 219 219 219 219 219 219 219 219 219	Northern white-cedar	23,438	6,736	9,377	4,256	2,278	525	238	58	!	;	;		;	1	1
ak 75,628 172,240 84,393 65,963 33,823 11,208 4,377 1,378 red oak 61,081 29,246 5,570 5,418 6,469 5,612 3,786 1,988 rickory 81,731 3,395 21,978 14,913 11,385 8,021 4,185 1,864 rickory 81,079 4,731 2,988 3,37 168 131 24 18 1,284 rickory 81,079 4,342 2,988 5,974 1,234 1,772 1,772 799 472 19 10 15,630 8,805 3,360 1,279 1,045 6,065 1,047 694 ple 266,862 170,785 51,594 23,909 10,856 5,047 2,258 1,223 sh	Other softwoods	4,773	2,892	1,136	549	118	18	49	1	11		1	;	;	8	1
ak field a fie	Total	376,228	172,240	84,393	65,963	33,823	11,208	4,377	1,878	1,107	547	353	183	120	36	1
wite oak 76,612 41,424 13,529 8,458 5,047 3,512 2,014 1,226 elect red oak 11,921 29,446 5,570 5,418 6,469 5,612 3,786 1,898 ther red oak 17,921 107,524 2,570 8,418 1,185 1,864 1,864 1,866 1,898 1,89	Hardwoods															
elect red oak	White oak	76,612	41,424	13,529	8,458	5,047	3,512	2,014	1,226	747	387	126	82	20	10	1,
ther red oak 171,921 107,523 21,978 14,913 11,385 8,021 4,185 1,864 elect hickory 4,31 3,395 883 37 168 131 24 61 assword 20,330 9,808 3,974 1,234 1,772 1,772 1,772 1,999 472 assword 20,330 9,808 3,974 1,234 1,772 1,772 1,772 1,999 472 eech 15,630 8,805 3,360 1,279 1,045 5,052 2,796 1,604 1,694 oft maple 266,862 170,785 11,594 23,909 10,866 5,047 2,258 1,223 1m 43,540 29,436 7,501 3,515 962 925 5,73 371 ask sh 43,540 29,436 7,501 3,515 962 925 5,73 371 ask sh 13,56 1,220 25 5,289 1,354 626 248 hite & green ash 21,764 14,145 3,997 2,009 702 995 450 164 ortnowood 1,366 1,220 25 52 17 ask sh 13,56 1,220 25 52 17 ask sh 13,56 25,392 7,784 6,114 5,472 3,866 1,721 656 aper birch 113,765 63,322 26,657 14,136 6,637 2,328 5,64 1,104 13,765 63,521 14,136 6,637 2,328 5,64 1,104 13,765 1,204 1,055 1,104 1,105 1,204 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1,105 1,104 1,105 1	Select red oak	61,081	29,246	5,570	5,418	6,469	5,612	3,786	1,898	1,331	834	444	231	207	35	1
ther hickory 4,731 3,395 883 37 168 131 24 61 ther hickory 8,079 4,342 2,098 634 573 114 172 33 eech 2,30 9,80 3,974 1,772 1,772 1,772 79 10 eech 46,456 24,562 10,982 5,165 10,666 1,047 694 ard maple 46,456 24,565 10,982 5,165 2,796 1,606 1,047 694 ard maple 46,456 21,594 23,909 10,856 5,047 2,253 1,523 m 43,540 29,436 7,501 3,515 962 925 573 371 lack ash 36,123 18,238 8,146 5,124 2,289 1,354 626 2,48 illow opplar 2,39 27,784 6,114 5,472 3,866 1,721 656 arkberry 2,39 27,784 6,114 5,472 3,866 2,843 826 alsam poplar 1,504 34,299 23,812 18,231 8,686 2,843 826 alsam poplar 1,504 1,208 1,120 20,710 117,182 75,426 45,464 11,193 ther hardwoods 5,578 1,209 20,706 117,182 75,426 45,464 11,103 arkberry 2,23 24,459 20,706 117,182 75,426 45,464 11,103 arkberry 2,30 2,706 117,182 75,426 45,464 11,103	Other red oak	171,921	107,523	21,978	14,913	11,385	8,021	4,185	1,864	1,141	441	248	116	102	4	1
ther hickory 8 079 4,342 2,098 634 573 214 172 33 asswood 20,330 9,808 3,974 1,234 1,772 1,772 799 472 eech 78	Select hickory	4,731	3,395	883	37	168	131	24	61	56	1		9	ŧ	1	;
seech	Other hickory	8,079	4,342	2,098	634	573	214	172	33	13	;	;	1	8	1	1
eech action by the bound of the	Basswood	20,330	9,808	3,974	1,234	1,772	1,772	799	472	262	141	45	53	52	1	ļ
ard maple	Beech	78	!	;	*	31	1	30	10	7	1	;	:	;	1	1
ard maple	Yellow birch	15,630	8,805	3,360	1,279	1,045	510	369	164	9/	17	4	E	;	- -i	1
off maple 266,862 170,785 51,594 23,909 10,856 5,047 2,258 1,223	Hard maple	46,456	24,262	10,082	5,052	2,796	1,606	1,047	694	476	245	102	29	23	4	ı
lm	Soft maple	266,862	170,785	51,594	23,909	10,856	5,047	2,258	1,223	661	244	93	96	93	6	į
lack ash 36,123 18,238 8,146 5,124 2,289 1,354 626 248 hite & green ash 21,764 14,145 3,097 2,009 702 995 450 164 ottonwood 1,366 1,220 25 52 22 17 ackberry 219 219 25 52 52 22 17 alsam poplar 51,296 25,392 7,784 6,114 5,472 3,866 1,721 656 aper birch 113,765 63,322 26,657 14,136 6,637 2,328 526 141 ack walnut 1,504 1,208 5,771 1,306 635 542 42 36 11 ack walnut 1,464 1,208 5,771 1,306 635 542 42 36 there hardwoods 5,578 3,800 1,172 232 80 207 66 21 there hardwoods 1,51,20 207,706 117,182 75,426 45,464 21,614 10,193 aper 12,106 60 31 207,706 117,182 75,426 45,427 25,691 12,071 and the hardwoods 1,51,20 207,706 117,182 75,426 45,427 75,991 12,071 and the hardwoods 1,51,20 207,706 117,182 75,426 45,427 75,991 12,071 and the hardwoods 1,51,510 207,706 117,182 75,426 45,427 75,991 12,071	Elm	43,540	29,436	7,501	3,515	396	925	573	371	159	22	13	19	7	2	;
hite & green ash	Black ash	36,123	18,238	8,146	5,124	2,289	1,354	929	248	64	50	14	!	;	:	;
ottonwood 1,366 1,220 25 52 17 ackberry 219 219	White & green ash	21,764	14,145	3,097	2,009	702	966	450	164	. 97	19	31	6	4	;	1
ackberry 1,366 1,220 25 52 22 17 ackberry 219 219 25 52 22 17 ackberry 219 219 25 52 22 17 askmap poplar	Cottonwood	29	;	1	1	27	1	;	00	1	9	æ	!	2	9	ł
ackberry 219 219	Willow	1,366	1,220		;	25	52	22	17	7	6	∞	:	4	2	1
al Sam poplar 51,296 25,392 7,784 6,114 5,472 3,866 1,721 656 1,970 daking aspen 281,296 25,392 7,784 6,114 5,472 3,866 2,843 826 adking aspen 281,296 34,299 23,812 18,231 8,686 2,843 826 aper birch 11,504 1,055 21, 11,316 6,637 2,328 542 42 36 141 ack cherry 53,298 44,948 5,771 1,306 635 542 42 36 11 ack walnut 1,464 1,208 1,172 23 80 207 66 21 ther hardwoods 5,578 3,800 1,172 232 80 207 66 21 to 10,193 species 1,616,609 924,459 29,099 183,145 109,246 5,672 5,691 12,071 species	Hackberry	219	219	1	1	:	1	1	1	;	;	:	;	;	;	;
figuoch aspen 51,296 25,392 7,784 6,114 5,472 3,866 1,721 656 uaking aspen 238,614 149,646 34,299 23,812 18,231 8,686 2,843 826 apper birch 113,765 63,322 26,657 14,136 6,637 2,328 5,66 141 and the birch 1,504 1,055 211 111 84 32 111 and the birch 1,504 1,055 211 1,306 635 542 42 36 141 and the birch 1,464 1,208 1,771 1,306 635 542 42 36 49 therefore 1,464 1,208 1,72 20,706 117,182 75,426 45,464 21,614 10,193 species 1,616,609 93,459 209 117,182 75,426 45,464 21,614 10,193 species 1,616,609 93,459 209 117,182 75,426 56,72 75,91 12,071	Balsam poplar		1	1	;	1	1	E i	!	!	;	1	;	;	;	1
uaking aspen 238,614 149,646 34,299 23,812 18,231 8,686 2,843 826 aper birch 113,765 63,322 26,657 14,136 6,637 2,328 526 141 iver birch 1,504 1,055 211 111 84 32 lack chery 53,298 44,948 5,771 1,306 635 542 42 36 lack walnut 1,464 1,208 11 11 utter hardwoods 5,578 3,800 1,172 232 80 207 66 21 Iotal 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 snecies 1,616,609 92,454 292,009 183,145 109,246 25,61 12,011	Bigtooth aspen	51,296	25,392	7,784	6,114	5,472	3,866	1,721	929	237	45	;	က	9	ŀ	;
aper birch 113,765 63,322 26,657 14,136 6,637 2,328 526 141 iver birch 1,504 1,055 211 - 111 84 32 - lack cherry 53,298 44,948 5,771 1,306 635 542 42 36 lack walnut 1,464 1,208 - - 11 - 11 utternut 5,578 3,800 1,172 232 80 207 66 21 ther hardwoods 5,578 3,800 1,172 232 80 207 66 21 Iotal 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 sneries 1,616,609 974,459 292,099 183,145 109,240 56,572 26,901 12,071	Quaking aspen	238,614	149,646	34,299	23,812	18,231	8,686	2,843	826	236	30	2	ł	;	1	9
iver birch 1,504 1,055 211 111 84 32 1ack cherry 53,298 44,948 5,771 1,306 635 542 42 36 1ack walnut 11 113 113 113 1144 1,208 1,172 232 80 207 66 21 ther hardwoods 5,578 3,800 1,172 232 80 207 66 21 ther hardwoods 1,52,219 207,706 117,182 75,426 45,464 21,614 10,193 species 1,616,609 924,459 29,009 183,145,109,249 56,672 75,901 12,071	Paper birch	113,765	63,322	26,657	14,136	6,637	2,328	526	141	18	1	;	;	:	;	1
lack cherry 53,298 44,948 5,771 1,306 635 542 42 36 lack walnut 11 11 11 utternut 1,464 1,208 1,172 22 80 207 66 21 ther hardwoods 5,578 3,800 1,172 207,706 117,182 75,426 45,464 21,614 10,193 sneries 1,616,609 974,459 292,009 183,145 109,246 56,572 26,91 12,071	River birch	1,504	1,055	211	1	111	84	32	!	;	;	ဆ	;	m	;	1
Jack walnut 11 11 utternut 1,464 1,208 1,172 23 80 207 66 21 Inter hardwoods 5,578 3,800 1,172 23 80 207 66 21 Inter hardwoods 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 sneries 1,616,609 974,459 292,009 183,145 100,249 56,572 56,901 12,071	Black cherry	53,298	44,948	5,771	1,306	635	542	45	36	9	12	;	ł	ŀ	1	1
utternut 1,464 1,208 113 29 49 ther hardwoods 5,578 3,800 1,172 232 80 207 66 21 Total 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 snecies 1,616,609 924,459 292,009 183,145,109,249 56,672 25,901 12,071	Black walnut	11	1	;	;	1		1	11	1	!	*	1	;	ł	;
ther hardwoods 5,578 3,800 1,172 232 80 207 66 21 Total 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 snecies 1.616,609 924,459 292 099 183 145, 109 249 56,672 25,991 12,071	Butternut	1,464	1,208	!	;	113	;	53	49	15	35	13	:	2	;	ŀ
Total 1,240,381 752,219 207,706 117,182 75,426 45,464 21,614 10,193 species 1.616.609 924.459 292.099 183.145 109.249 56.672 25.991 12.071	Other hardwoods	5,578	3,800	1,172	232		207	99	21	:	:	;	:	:	;	;
species 1.616.609 924.459 292.099 183.145 109.249 56.672 25.991 12.071	- 1	1,240,381	752,219	207,706	117,182	75,426	45,464	21,614	10,193	5,579	2,583	1,159	652	531	73	:
3pecies 1,040,000 3c4,403 c3c,003 100,143 100,047 00,012 1c,01/1	All species	1,616,609	924,459	292,099	183,145	109,249	56,672	25,991	12,071	989,9	3,130	1,512	835	651	109	:

Table 21.--Net volume of growing stock on commercial forest land by species group, Central Unit, Wisconsin, 1968 and 1983

Species group	1968 ¹ /	1983
Softwoods		
Jack pine	137,700	190,546
Red pine	36,900	232,454
White pine	103,700	172,290
White spruce	700	905
Black spruce	1,700	3,982
Balsam fir	10,300	16,335
Hemlock	27,800	26,895
Tamarack	16,500	25,976
Eastern redcedar	250	405
Northern white-cedar	24,700	30,702
Other softwoods	450	2,565
Total	360,700	703,055
Hardwoods		
White oak	111,000	160,013
Select red oak	249,200	336,908
Other red oak	137,600	317,206
Select hickory	2,800	5,344
Other hickory	6,200	11,836
Basswood	53,100	75,883
Beech	500	1,092
Yellow birch	23,700	24,323
Hard maple	78,600	115,891
Soft maple	146,000	306,458
Elm	105,600	43,125
Black ash	40,400	63,807
White and green ash	23,900	38,682
Cottonwood		2,368
Willow	2,400	3,034
Hackberry		
Balsam poplar	100	***
Bigtooth aspen	92,200	153,865
Quaking aspen	225,200	351,029
Paper birch	66,000	127,154
River birch	3,400	2,706
Black cherry	7,900	16,345
Black walnut	200	220
Butternut	2,900	4,880
Other hardwoods	700	3,641
Total	1,379,600	2,165,810
All species	1,740,300	2,868,865

 $[\]frac{1}{1968}$ volumes adjusted for difference in volume equations.

Table 22.--Net volume of all live trees on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983

$\overline{}$
feet
J
· pun
cubic
thousand
드

Colored Colo						Diam	Diameter class	(inches	at breast	height)				
roup classes 6-9 8.9 10.9 12.9 14.9 16.9 18.9 20.9 22.9 28.9 re 265.266 10.1915 6.621 18.9 10.072 2.435 5.44 5.040 1.410 631 re 265.266 10.1915 76.062 23.488 10.072 2.438 2.040 1.410 631 1.440 1.440 1.440 631 1.440 1.440 1.440 1.440 631 1.440 1.4		All	5.0-	7.0-	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
the 186,634 11,179 64,211 49,984 27,648 7,976 2,435	Species group	classes	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Three 205,256 11,1915 6,437 18,794 27,648 7,976 2,435	Softwoods													
the 186,685 10,1915 16,402 18,749 17,1581 24,601 19,191 19,618 15,422 12,449 19,101 18,749 11,17,692 2,938 3.6 41,11,1592 2,938 3.6 4,011 1,154 2.2 13,19 1,164 1,19 1,164 2.2 1,19 1,19 1,19 1,19 1,19 1,19 1,19 1,1	Jack pine	206,233	53,979	64,211	49,984	27,648	7,976	2,435	!	!	;	;		;
price 186,684 11,179 16,437 18,794 18,467 21,581 24,601 19,919 19,618 15,422 12,949 price 17,895 6.346 6.012 3.46 11,547 18,795 15,214 3.97 3.19 2,007 1,642 2.29 1.519 price 20,570 2.278 4,001 5,375 5,214 3.97 3.19 2,007 1,642 2.20 1,519 price 20,570 2.278 4,001 5,375 5,214 3.97 3.19 2,007 1,642 2.20 1,519 price 20,570 2.278 4,001 5,375 5,214 3.97 2,007 1,642 2.20 1,519 price 20,570 2.278 4,001 5,375 5,214 3.78 price 20,570 2.278 4,001 5,375 5,004 3.3 price 20,570 2.278 4,001 5,375 5,004 3.3 price 20,570 2.278 5,004 3,375 5,004 4,575 3,460 2.7,491 12,391 13,923 price 20,570 2.28,635 189,099 110,115 70,249 45,597 38,460 27,491 12,391 13,923 price 20,570 2.28,635 189,099 110,115 70,249 45,597 38,460 27,491 12,391 13,923 price 20,570 2.28,635 189,099 110,115 70,249 45,597 38,460 27,491 12,391 13,923 price 20,570 2.28,635 189,099 110,115 70,249 45,597 38,460 72,841 16,303 13,923 price 20,570 2.28,635 189,099 110,115 70,249 45,597 38,460 72,491 16,303 17,811 13,923 price 20,570 2.28,632 2.28,632 2.29,70 2.29	Red pine	235,256	101,915	76,065	23,483	10,072	9,496	7,144	5,040	1,410	631	:	;	;
prince 3,995 2,948 3.46 1,1544 3.2 3.19 2,007 1,642 2.0 1,519 1.2 1,1599 2,548 3.19 2,018 2,17 2,1213 1,554 3.19 2,007 1,642 2.0 1,519 2.0 1,089 2,088 2,198 2,577 2,1213 1,536 408 2,007 1,642 2.0 1,519 2.0 1,995 1,10,195 2,119 3,750 2,199 2.0 1,519 2.0 1,519 2.0 1,199 2.0 1,10,195 2.0 1,10,	White pine	186,684	11,179	16,437	18,794	18,467	21,581	24,601	19,919	19,618	15,452	12,404	8,232	ļ
free fig. 17,699 6,348 6,012 3,476 5,224 3,957 7,319 2,007 1,519 1	White spruce	902	248	1	205	244	208	1	;	1	;	;	+	;
tire 17, 699 6.346 6.012 3,376 1,544 322	Black spruce	3,982	2,938	346	411	287	1	;	;	1	;	;	1	;
Ke Cacheline 29,570 2.278 4,001 5,375 5,224 3,967 3,319 2,007 1,642 220 1,519 redecedar 3680 9,088 2,37 2,213 1,536 3,326	Balsam fir	17,699	6,346	6,012	3,476	1.544	0	•	321	1	;	;	;	i
Ketcedar 26 888 10,859 2,778 2,713 1,336 408 204	Hemlock	29.570	2,278	4.001	5,375	5.242	3.967	3,319	2.007	1.642	220	1.519	;	;
Techcodea	Tamarack	26,885	10,859	9,088	2,577	2,213	1,536	408	204	1	;	1	;	;
n white-cedar 33,756 11,755 12,138 5,034 3,750 833 255 171 744,962 21,225 189,092 10,152 70,249 45,597 38,460 27,491 25,271 29,700 35,032 33,888 28,471 24,975 17,229 66,108 61,108 45,537 38,460 27,491 12,221 29,700 36,450 49,647 38,460 27,218 6,108 61,208 66,450 46,534 27,221 1,108 13,423 1,108 1,108 1,108 1,138 1,108 1,138 1,138 1,108 1,138 1,108 1,138 1,109 1,109 1,107 1,107 1,107 1,107 1,107 1,107 1,107 1,107 1,107 1,108 1,148 1,108 1,148 1,108 1,148 1,108 1,148 1,108 1,148 1,118 1,118 1,108 1,148 1,118 1,108 1,148 1,118 1,108 <	Eastern redcedar	089	95	179	310	96		1	;	;	;	;	;	;
oftwoods 3,332 1,223 622 503 686 298 <t< td=""><td>Northern white-cedar</td><td>33,756</td><td>11,575</td><td>12,138</td><td>5.034</td><td>3,750</td><td>833</td><td>255</td><td>1</td><td>171</td><td>;</td><td>;</td><td>1</td><td>;</td></t<>	Northern white-cedar	33,756	11,575	12,138	5.034	3,750	833	255	1	171	;	;	1	;
ak 214,146 23,271 29,700 35,032 33,858 28,471 24,972 17,329 7,228 6,106 6,108 ed oak 391,669 20,884 12,970 35,032 33,858 28,471 24,972 17,329 7,228 6,106 6,108 ed oak 391,669 20,884 12,986 65,450 66,545 36,533 36,188 26,193 17,812 12,969 red oak 391,669 20,884 12,886 28,131 81,394 60,216 46,534 26,074 16,289 17,969 rickory 15,538 2,491 11,431 11,431 11,431 11,432 12,289 12,196 12,196 rickory 15,534 2,491 11,431	Other softwoods	3,332	1,223	622	503	686	;	298	;	1	;	1	1	;
red oak 391,969 20,824 42,793 60,508 65,450 49,664 45,635 36,158 65,193 17,821 21,969 e1,084 45,635 31,969 20,884 42,793 60,508 65,450 49,664 45,635 36,158 65,193 17,821 21,969 11,000 20,884 42,793 60,508 21,000 11,000	Total	744,982	202,635	189,099	110,152	70,249	45,597	38,460	27,491	22,841	16,303	13,923	8,232	*
124,146 23,271 29,700 35,503 38.86 28,471 24,972 31,7329 7,728 6,106 6,108 oak 488,198 79,709 35,508 69,5450 49,664 46,534 26,074 16,299 11,969 oak 488,118 48,898 79,775 60,508 6,108 10,248 11,88 1,249 17,821 21,969 oak 488,118 48,898 79,775 21,93 3,074 2. 2491 3,645 11,045 11,048 11,049 11,048	Hardwoods													
d ook	White oak	214,146	23,271	29,700	35,032	33,858	28,471	24,972	17,329	7,228	6,106	6,103	1,505	999
cory 465,118 49,888 79,876 98,313 83,394 60,216 46,534 26,074 16,259 11,045 13,423 ckory 13,633 2,491 3,757 2,193 3,077 1,008 1,68 397 ckory 13,033 2,491 3,757 2,193 3,077 1,08 1,68 2,103 3,974 397 397 397 <	Select red oak	391,969	20,854	42,793	805,09	65,450	49,664	45,635	36,158	25,193	17,821	21,969	5,924	;
kory 7,595 684 1,168 2,101 638 1,431 1,008 168 397 678 85,591 3,467 11,497 1,078 4,437 1,078 4,443 2,831 2,499 2,252 1,535 197 2,491 3,757 2,193 1,407 1,078 4,437 2,831 2,499 2,252 1,535 197 2,833 6,082 7,334 8,158 1,356 12,713 6,875 5,600 4,661 1,40,765 16,393 18,044 18,018 20,378 1,356 12,713 6,875 5,600 4,661 1,40,765 16,393 18,044 18,018 20,378 1,356 12,713 6,875 5,600 1,465 16,393 18,044 18,018 20,378 1,356 12,713 6,875 5,600 1,465 16,393 15,633 13,974 5,178 2,562 69,588 2,472 1,40,1 10 1,410 1	Other red oak	485,118	48,898	79,876	98,313	83,394	60,216	46,534	26,074	16,259	11,045	13,423	1,086	ļ
kory 13,033 2,491 3,757 2,193 3,077 1,078 437	Select hickory	7,595	684	1,168	2,101	638	1,431	1,008	168	1	397	1	1	1
1,535	Other hickory	13,033	2,491	3,757	2,193	3,077	1,078	437	;	!	;	;	;	;
reen ash 46,556 16,333 18,044 18,018 20,378 19,75 17,713 6,875 5,600 4,661 140,765 16,333 18,044 18,018 20,378 19,356 17,789 18,745 10,103 9,487 17,713 6,875 5,600 4,661 17,818 18,533 18,044 18,018 20,378 19,356 17,786 12,713 6,875 5,600 4,661 17,818 18,518 18,649 5,479 10,193 9,487 5,445 2,491 5,603 11,465 895 69,058 21,303 15,633 11,607 7,902 4,888 3,252 2,472 1,471 773 490 11,607 7,902 4,888 3,252 2,472 1,471 773 490 11,607 1,907 1	Basswood	85,591	3,446	11,497	19,982	14,678	11,747	9,742	6,443	2,831	2,409	2,252	564	;
rch 34,358 2,833 6,082 7,334 8,152 4,999 2,691 1,165 5,79 301 140,765 16,393 18,044 18,018 20,378 17,786 12,713 6,875 5,600 4,661 6,27,81 6,449 5,479 10,193 9,588 9,474 5,465 2,491 5,603 18,742 10,006 52,781 6,449 5,479 10,193 9,588 9,474 5,445 2,491 5,60 1,465 895 69,058 21,303 15,633 13,974 9,154 5,179 2,562 6,95 5,58 1,465 895 69,058 21,303 15,633 13,974 9,154 5,179 2,562 6,95 5,472 1,471 773 490 10,193 1,100 10,862 10,006 10,106 118,011 347 415 10,006 10,006 11,006 118,011 91,779 45,186 19,631 8,219 2,045 511 172 ch 4,304 1,202 1,416 1,048 1,219 2,045 511 1,72 266 4,999 2,063 1,294 1,512 1,79 45,186 19,631 8,219 2,045 511 1,72 266 4,999 1,106 118,011 91,779 45,186 19,631 8,219 2,045 511 1,72 266 220 266 3,445 26,698 9,268 4,014 700 266 3,495 1,512 1,512 1,525 999 1,289 609 266 4,994 1,512 1,788 1,296 1,039 206,440 127,183 71,936 55,505 62,106 1,209 1,206 1,209 1,206 1,209 1,206 1,209 1,206 1,209 1,206 1,209 1,20	Beech	1,535	:	197	;	445	214	236	212	231	;	;	!	;
e 140,765 16,333 18,044 18,018 20,378 19,356 17,786 12,713 6,875 5,600 4,661 965,878 87,535 71,839 45,116 25,624 13,571 7,003 8,742 10,006 569,058 21,303 15,633 13,974 9,154 5,179 2,562 695 558 1,465 895 69,058 21,303 15,633 13,974 9,154 5,179 2,562 695 560 1,465 895 69,058 21,303 15,633 13,974 9,154 5,179 2,562 695 560 1,465 10,006 4 21,010 4,184 1,47 773 490 1,16	Yellow birch	34,358	2,833	6,082	7,334	8,152	4,999	2,691	1,165	6/9	301	;	222	;
e 356,878 87,535 71,839 59,339 45,716 32,115 25,624 13,571 7,003 8,742 10,006 695,731 15,633 13,974 9,154 5,145 2,491 5,445 10,193 9,188 9,174 5,445 2,491 5,60 1,465 895 21,303 15,633 13,974 9,154 5,179 2,252 6,472 1,471 773 490	Hard maple	140,765	16,393	18,044	18,018	20,378	19,356	17,786	12,713	6,875	2,600	4,661	941	;
Feen ash 69,058 21,303 15,633 13,974 9,154 5,146 2,491 560 1,465 895 895 896 896 896 896 896 896 896 896 896 896	Soft maple	365,878	87,535	71,839	59,339	45,716	32,115	25,624	13,571	7,003	8,742	10,006	3,014	1,374
Freen ash 69,058 21,303 15,633 13,974 9,154 5,179 2,562 695 558 The state of t	Elm	52,781	6,449	5,479	10,193	9,588	9,474	5,445	2,491	260	1,465	895	742	;
Treen ash 45,566 6,953 6,185 11,607 7,502 4,588 3,525 2,472 1,471 773 490 3,010 98	Black ash	69,058	21,303	15,633	13,974	9,154	5,179	2,562	695	558	H	1 ;	;	;
3,010 98 107 190 249 588 710 and a spen spen spen spen spen spen spen spen	White & green ash	45,566	6,953	6,185	11,60/	7,502	4,588	3,525	2,472	1,471	1/3	490	1 0	•
plar spen 160,862 18,654 36,076 43,321 31,167 18,208 9,053 2,948 413 469 553 599 596 spen 160,862 18,654 36,076 43,321 31,167 18,208 9,053 2,948 413 469 553 599 ch 147,747 61,603 45,464 26,698 9,288 4,014 700 ch 147,747 61,603 8,013 6,798 1,548 734 670 546 ch 27,408 9,023 8,013 6,798 1,548 734 670 546 ch 6,834 ch 6,495 1,512 1,724 1,039 903 279 1,289 609 ch 3,96,956 629,498 693,987 622,189 463,497 319,996 244,900 154,674 94,777 71,808 76,029	LOTTONWOOD	3,010	:	85.5	1 5	10/	190	1 00	249	288	1 00	710	1,062	1
aspen 160,862 18,654 36,076 43,321 31,167 18,208 9,053 2,948 413 469 553 559 550 550 550 550 550 550 550 550 550	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	00+60		110	114	7+0	614	200	403	403	607	0+0	667	ļ
spen 160,862 18,654 36,076 43,321 31,167 18,208 9,053 2,948 413 469 553 spen 376,660 91,106 118,011 91,779 45,186 19,631 8,219 2,045 511 172	Raisam poplar			•	1	1	;	1	!	:	1	;	,	9
th 47,747 61,603 45,464 26,998 4,014 700 415 4223 th 47,747 61,603 45,464 26,998 4,014 700 415 223 try 27,408 9,023 8,013 6,798 1,548 734 670 546 80 try 27,408 9,023 8,013 6,798 1,548 734 670 546 80 try 27,408 9,023 8,013 6,798 1,548 734 670 546 80 try 27,408 9,023 8,013 6,798 1,548 734 670 546 80 try 27,408 9,023 8,013 6,798 1,548 734 670 546 80 try 27,408 9,023 8,013 6,798 1,592 989 1,289 609 184 try 27,408 6,495 1,512 1,739 1,724 1,039 903 279 1,529 609 184 try 27,442 3,855 1,788 1,296 1,704 1,703 133,96 244,900 154,674 94,777 71,808 76,029	Rigtooth accou	160 862	18 654	36 076	13 321	21 167	10 200	0 063	0000	413	190	56.2	1	1
ch 47,747 61,503 45,464 26,698 4,014 700 415 223 ch 4,304 1,202 1,416 1,048 734 670 546 415 223 rry 27,408 9,023 8,013 6,798 1,548 734 670 546 80 nut 6,834 1,139 1,072 1,552 989 1,289 609 184 chall species 7,242 3,855 1,788 1,296 170 133 2,651,974 426,863 504,888 512,037 393,248 274,399 206,440 127,183 71,936 55,505 62,106 3,396,956 629,498 693,987 622,189 463,497 319,996 244,900 154,674 94,777 71,808 76,029	Onaking aspen	376,660	91 106	118 011	93,321	75,107	10,500	0000	2 046	4T)	170	000		
ch 4,344	Danor hirch	147,747	61,100	AE AEA	26,600	001,00	15,031	0,513	2,042	317	7/1		!	
rry 27,408 9,023 8,013 6,798 1,548 74 670 546 413 223 nut 6,834 1,139	Discon binch	7 1 6 / T T	000 000	10,404	1 416	9,500	4,014	2007		1 1	;	0000		
nut 5.66 -2.7 -3.7 -3.7 -3.2 -3.2 -3.2 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.3 -3.2 -3.3	Black charry	27 AOR	0 033	1,202 8 013	01447	1,040	737	079	575	CT+	8	677	76	1
6,834 1,139 1,072 1,552 989 1,289 609 184 dwoods 6,495 1,512 737 1,724 1,039 903 279 152 149 184 cial species 7,242 3,855 1,788 1,296 170 133 2,651,974 426,863 504,888 512,037 393,248 274,399 206,440 127,183 71,936 55,505 62,106 3,396,956 629,498 693,987 622,189 463,497 319,996 244,900 154,674 94,777 71,808 76,029	Black walnut	566	03060	01060	000	256	220		2			08	2	
dwoods 6,495 1,512 1,713 1,724 1,002 279 1,289 0.09 104 1,013 1,014 1,015 1	Ritternit	834		1 130		1 072	1 55.0	000	1 200	609		1 00		
cial species 7,242 3,855 1,788 1,296 170 133	Other hardwoods	6,495	1.512	737	1,724	1,072	4,932	279	152	149	1 1	101	; ;	: ;
2,651,974 426,863 504,888 512,037 393,248 274,399 206,440 127,183 71,936 55,505 62,106 3,396,956 629,498 693,987 622,189 463,497 319,996 244,900 154,674 94,777 71,808 76,029	Noncommercial species	7,242	3,855	1,788	1,296	170	1 1	133	1 1	1	1	1	1	;
3,396,956 629,498 693,987 622,189 463,497 319,996 244,900 154,674 94,777 71,808 76,029	Total	2,651,974	426,863	504,888	512,037	393,248	274,399	206,440	127,183	71,936	55,505	62,106	15,429	1,940
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	All species	3,396,956	629,498	693,987	622,189	463,497	319,996	244,900	154,674	94,777	71,808	76,029	23,661	1,940

Table 23.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods, Central Unit, Wisconsin, 1983

	411		
Class of timber	All species	Softwoods	Hardwoods
Live trees	Species .	3010110003	1101 0110 003
Growing-stock trees			
Poletimber	1,610,585	376,548	1,234,037
Sawtimber			
Saw log portion	845,831	248,738	597,093
Upper stem portion	412,449	77,769	334,680
Subtotal	1,258,280	326,507	931,773
Total growing stock	2,868,865	703,055	2,165,810
Cull trees			
Rough and rotten cull trees			
Poletimber	225,217	15,186	210,031
Sawtimber	200,443	16,087	184,356
Subtotal	425,660	31,273	394,387
Short-log trees	102,431	10,654	91,777
Total cull	528,091	41,927	486,164
All live trees	3,396,956	744,982	2,651,974
Salvable dead trees			
Growing-stock trees	43,116	7,417	35,699
Cull trees	2,036	253	1,783
All salvable dead trees	45,152	7,670	37,482
All classes	3,442,108	752,652	2,689,456

Table 24.--Net volume of all live trees by individual species, Central Unit, Wisconsin, 1983

			All live tree	es			
	Total	Growing	Short-log	Rough and	Total	Saw log	size trees
Species	all live	stock	cull	rotten cull	saw log	Sawtimber	Short-log
		Thousand cu	bic feet		T	housand board	feet 1/
Softwoods		THOUSANG CO	010 1000		•	nousand board	1000
Jack pine	206,233	190,546	1.961	13,726	422,926	416,129	6,797
Red pine	235,256	232,454	137	2,665	326,159	325,587	572
White pine	186,684	172,290	6,945	7,449	795,158	772,302	22,856
White spruce	905	905	0,510	7 9 1115	3.147	3,147	22,000
Black spruce	3,982	3,982			3,038	3,038	
Balsam fir	17,699	16,335		1,364	18,838	18,838	
Hemlock	29,570	26,895	641	2,034	89,779	88,210	1,569
Tamarack	26,885	25,976	191	718	35,708	34.873	835
Eastern redcedar	680	405	191	275	1,272	1,272	033
			415				
Northern white-cedar	33,756	30,702		2,639	41,846	40,436	1,410
Scotch pine	3,332	2,565	364	403	8,058	6,238	1,820
Total	744,982	703,055	10,654	31,273	1,745,929	1,710,070	35,859
Hardwoods							
White oak	167,030	125,339	9,334	32,357	388,649	363,912	24,737
Swamp white oak	6,971	5,138	509	1,324	19,617	18,313	1,304
Bur oak	40,145	29,536	3,234	7,375	99,020	90,432	8,588
Northern red oak	391,969	336,908	14,390	40,671	1,138,966	1,106,582	32,384
Northern pin oak	172,808	106,847	9,774	56,187	268,012	245,829	22,183
Black oak	312,310	210,359	22,245	79,706	577,972	527,011	50,961
Shagbark hickory	7,595	5,344	429	1,822	15,229	13,982	1,247
Bitternut hickory	13,033	11,836	402	795	20,819	19,733	1,086
American basswood	85,591	75,883	1.704	8,004	216,903	213,198	3,705
Beech	1,535	1,092	-,	443	4,749	4,749	
Yellow birch	34,358	24,323	1,527	8,508	58,330	54,922	3,408
Sugar maple	140,765	115,891	6,855	18,019	358,295	341,476	16,819
Red maple	328,384	279,262	9,220	39,902	496,781	472,281	24,500
Silver maple	37,494	27,196	3,458	6,840	100,048	91,158	8,890
American elm	45,306	36,642	1,822	6,842	99,168	94,504	4,664
	2,988	2,319	1,022	669	5,123	5,123	4,004
Slippery elm							
Rock elm	4,487	4,164		323	9,885	9,885	1 206
Black ash	69,058	63,807	542	4,709	101,612	100,226	1,386
White ash	28,670	24,738	954	2,978	50,553	48,316	2,237
Green ash	16,896	13,944		2,952	48,420	48,420	
Eastern cottonwood	3,010	2,368	188	454	10,747	10,173	574
Black willow	3,453	3,034	214	205	11,517	10,825	692
Hackberry	ups may						
Balsam poplar		~ ~					
Bigtooth aspen	160,862	153,865	1,187	5,810	268,119	266,184	1,935
Quaking aspen	376,660	351,029	1,408	24,223	331,498	328,348	3,150
Paper birch	147,747	127,154	798	19,795	57,513	55,304	2,209
River birch	4,304	2,706	***	1,598	5,566	5,566	
Black cherry	27,408	16,345	357	10,706	11,999	10,963	1,036
Black walnut	566	220		346	1,275	1,275	
Butternut	6,834	4,880	768	1,186	23,341	21,233	2,108
Boxelder	2,715	1,008	97	1,610	3,105	2,742	363
Black locust	3,780	2,633	361	786	4,269	3,001	1,268
Total	2,644,732	2,165,810	91,777	387,145	4,807,100	4,585,666	221,434
All species ^{2/}	3,389,714	2,868,865	102,431	418,418	6,553,029	6,295,736	257,293

 $[\]frac{1}{2}$ International $\frac{1}{4}$ -inch rule.

^{2/} These totals do not include volume for noncommercial species. Volumes for individual noncommercial species are found in Table 25.

Table 25.--Net volume of noncommercial species on commercial forest land by individual species, Central Unit, Wisconsin, 1983

Species	Cull volume
Ailanthus	576
American hornbeam	360
Hawthorn	1,053
Eastern hophornbeam	4,837
Chokecherry	416
All species	7,242

Table 26.--Net volume of growing stock on commercial forest land by species group and county, Central Unit, Wisconsin, 1983

(In thousand cubic feet)

	A11				Count	у			
Species group	counties	Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette
Softwoods									
Jack pine	190,546	36,638	2,511	3,282	9,405	52,358	42,794	412	1,824
Red pine	232,454	40,247	5,099	10,568	23,289	32,066	21,307	2,862	10,341
White pine	172,290	11,283	10,057	13,226	7,054	21,183	9,532	13,719	8,196
White spruce	905		449					208	
Black spruce	3,982		175	1,614				938	
Balsam fir	16,335							8,756	
Hemlock	26,895		88					16,718	
Tamarack	25,976	312	3,834			1,722	534	1,974	3,779
Eastern redcedar	405	pa 40				214	95		96
Northern white-cedar	30,702			~-				6,658	
Other softwoods	2,565	~-				822			846
Total	703,055	88,480	22,213	28,690	39,748	108,365	74,262	52,245	25,082
Hardwoods									
White oak	160,013	4,685	11,520	21,772	14,109	21,656	12,824	2,478	9,525
Select red oak	336,908	7,755	25,414	39,938		63,963	29,203	34,127	5,393
Other red oak	317,206	43,498	7,205	5,095	36,201	52,208	46,527	1,253	16,023
Select hickory	5,344					826	177		398
Other hickory	11,836		4,101	532		W0 W0	144	2,255	90 100
Basswood	75,883	637	15,470	11,172	4,073	106	2,102	24,002	1,280
Beech	1,092				m.m				
Yellow birch	24,323		1,358	1.092				18,586	
Hard maple	115,891		12,753	11,129	1,692		2,226	63,910	
Soft maple	306,458	4,416	22,068	43,128		29,243	12,635	69,527	2,977
Elm	43,125	333	7,909	5,305	334	1,042	1,075	13,653	146
Black ash	63,807	727	14,586	8,869	629		364	10,371	1.454
White & green ash	38,682		6,085	3,781	274	316	1,387	11.330	1,411
Cottonwood	2,368	253		0,701		552	393	,	249
Willow	3,034	675				293	382		433
Hackberry									
Balsam poplar									
Bigtooth aspen	153,865	3,467	21,179	26,347	5,675	28,832	6,752	17,031	
Quaking aspen	351,029	11,083	30,744	88.189	28,532	29,235	25,040	50,195	3,132
Paper birch	127,154	1,736	18,041	18,430	8,908	12,988	7,776	18,747	537
River birch	2,706	2,700	20,012	20,100	669	859	587		
Black cherry	16,345	563	555	961	1,366	1,492	1,032	2,049	173
Black walnut	220		555		1,500	29 752	220	2,043	7.0
Butternut	4,880		261	598			965	504	
Other hardwoods	3,641		201	350		240	703	504	114
Total	2,165,810	79,828	199,249	286,338	130,381	243,851	151,811	340,018	43,245
All species	2,868,865	168,308	221,462	315,028	170,129	352,216	226,073	392,263	68,327

(Table 26 continued on next page)

(Table 26 continued)

			County		
pecies group	Monroe	Portage	Waupaca	Waushara	Wood
oftwoods					
Jack pine	16,465	3,756	~-	8,283	12,818
Red pine	1,898	26,602	17,976	38,917	1,282
White pine	15,534	12,894	20,445	15,789	.13,378
White spruce			96		152
Black spruce		525	411		319
Balsam fir		66	7,513		
Hemlock		1,962	7,982		145
Tamarack		3,379	5,325	5,117	
Eastern redcedar					
Northern white-cedar		6,975	14,995	2,074	
Other softwoods				897	
Total	33,897	56,159	74,743	71,077	28,094
lardwoods					
White oak	13,366	10,187	8,561	15,888	13,442
Select red oak	49,727	15,040	21,145	6,326	22,811
Other red oak	33,067	21,590	8,485	34,437	11,617
Select hickory	2,398		207	1,338	
Other hickory	340	695	3,769		
Basswood	1,206	3,697	7,924	246	3,968
Beech			1,092		
Yellow birch		392	2,658		237
Hard maple	2,829	3,804	14,030		3,518
Soft maple	15,320	15,902	42,695	6,148	30,546
Elm	2,058	1,581	7,411	1,299	979
Black ash	3,874	5,338	13,960	1,638	1,997
White & green ash	1,494	1,011	9,671	1,452	470
Cottonwood	331			590	
Willow			1,251		
Hackberry					
Balsam poplar					
Bigtooth aspen	12,271	5,499	9,925	7,428	9,459
Quaking aspen	8,231	19,683	8,538	1,722	46,705
Paper birch	15,826	5,369	7,870	5,561	5,365
River birch					591
Black cherry	2,585	2,448	1,916	893	312
Black walnut					
Butternut	1,564		823	165	
Other hardwoods	mm ,		2,893	394	
Total	166,487	112,236	174,824	85,525	152,017
ll species	200,384	168,395	249,567	156,602	180,111

Table 27.--Net volume of sawtimber on commercial forest land by species group and county, Central Unit, Wisconsin, 1983

	A11				Cou	inty			
Species group	counties	Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquett
Softwoods									
Jack pine	416,129	81,546	7,123	8,603	14,769	110,118	82,401	2,187	4,592
Red pine	325,587	20,487	28,031	46,413	7,717	53,586	44,733	6,570	
White pine	772,302	35,080	52,459	72,588		89,217	40,323	70,183	29,024
White spruce	3,147		2,082		-			1,065	
Black spruce	3,038							1,390	
Balsam fir	18,838							10,798	
Hemlock	88,210							55,025	
Tamarack	34,873	1.699						933	5,376
Eastern redcedar	1,272					1,272			
Northern white-cedar	40,436					-,		10,914	
Other softwoods	6,238					4,573			892
Total	1,710,070	138,812	89,695	127,604		258,766	167,457	159,065	39,884
Hardwoods	1,710,070	130,012	05,055	127,004	33,303	230,700	107,437	133,003	33,004
White oak	472,657	8,980	28,864	58,994	31,210	44,748	42,910	10,372	42,287
Select red oak	1,106,582	24,656	83,878	115,347		207,378	87,423	100,493	17,536
Other red oak	772,840	82,503	23,389	7,627		125,553	112,975	5,539	65,354
Select hickory	13,982	02,505	-	-	-		861	-	
Other hickory	19,733		6,513	1,275		3,483		3,869	1,483
		2 006					10 240		2 652
Basswood	213,198	2,096	48,342	33,496	-		10,340	59,695	3,653
Beech	4,749		0.075					47 076	
Yellow birch	54,922		2,975	04 654	1 207		11 420	47,976	
Hard maple	341,476		33,183	34,654			11,438	184,487	10 116
Soft maple	563,439	8,226	26,114	46,804		46,892	25,134	150,477	10,446
Elm	109,512	1,431	16,087	14,081	1,129	606	4,498	35,553	693
Black ash	100,226	2,758	16,751	13,820			2,462	1,504	2,691
White & green ash	96,736		8,565	2,056		1,566	5,089	29,592	2,574
Cottonwood	10,173	1,132	~~			2,557	1,810		1,078
Willow	10,825	2,278				1,345			1,855
Hackberry			~~						
Balsam poplar									
Bigtooth aspen	266,184	4,318	52,529	25,661		38,950	13,636	27,668	
Quaking aspen	328,348	11,461	38,966	92,782		20,187	16,898	65,137	4,547
Paper birch	55,304		9,178	4,060	852	4,678	2,097	5,421	
River birch	5,566				1,549	2,070	1,010		
Black cherry	10,963	1,029					1,156	3,890	
Black walnut	1,275						1,275		
Butternut	21,233		1,348	3,258			3,413	1,147	
Other hardwoods	5,743								
Total	4,585,666	150,868	396,682	453,915	217,316	500,013	344,425	732,820	154,197
All species	6,295,736	289,680	486,377	581,519		758,779	511,882	891,885	194,081

 $\frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

(Table 27 continued)

			County		
Species group	Monroe	Portage	Waupaca	Waushara	Wood
Softwoods					
Jack pine	43,385	5,910		24,180	31,319
Red pine	6,682	40,259	33,205	30,491	7,413
White pine	71,444	61,914	95,561	58,355	59,251
White spruce					
Black spruce			1,648		
Balsam fir			8,040		
Hemlock		3,740	28,951		494
Tamarack		8,854	4,035	13,976	
Eastern redcedar					
Northern white-cedar		11,385	16,681	1,456	
Other softwoods				773	
Total	121,511	132,062	188,121	129,231	98,473
lardwoods					
White oak	47,037	37,875	30,892	40,582	47,906
Select red oak	174,869	52,716	85,555	12,854	89,524
Other red oak	72,329	68,644	25,148	88,274	28,97
Select hickory	5,170		985	2,000	
Other hickory	869	2,718	4,489		-
Basswood	3,291	4,064	30,449	1,189	11,418
Beech			4,749		
Yellow birch			2,969		1,002
Hard maple	9,750	5,235	53,984		7,358
Soft maple	23,186	34,865	108,684	15,502	52,960
Elm	6,343	1,643	20,803	3,254	3,39
Black ash	18,751	10,022	24,649	1,308	5,510
White & green ash	2,527	4,224	37,983	1,535	1,029
Cottonwood	1,065			2,531	-
Willow			5,347		-
Hackberry					
Balsam poplar					
Bigtooth aspen	29,467	12,713	25,293	8,962	11,544
Quaking aspen	3,227	15,535	1,299	778	31,982
Paper birch	9,490	6,680	7,110	3,684	2,054
River birch		90.90			937
Black cherry	3,537	1,351			90 0
Black walnut					
Butternut	6,529		4,476	1,062	
Other hardwoods			5,743		
Total	417,437	258,285	480,607	183,515	295,586
All species	538,948	390,347	668,728	312,746	394,059

Table 28.--Net volume of growing stock on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983

					Diameter	class (inches		at breast height	()				
	All	5.0-	7.0-	-0.6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods													
Jack pine	190,546	49,151	61,124	47,022	24,754	9/8/9	1,619	1	1	1	1	-	1
Red pine	232,454	100,819	74.848	23,053	10,072	9,496	7,085	5.040	1,410	631	1	8	1
White pine	172,290	10,333	15,087	15,864	16,939	20,692	23,878	18,400	18,981	13,838	11,429	6,849	1
White spruce	902	248	1	205	244	208	1	-	1	!	1	-	1
Black spruce	3,982	2,938	346	411	287	1	;	!	;	1	1	;	;
Balsam fir	16,335	6,346	5,631	3,146	1,212	1	;	;	1	1	1	1	}
Hemlock	26,895	2,223	3,874	4,991	4.374	3,723	2,991	1.730	1.324	220	1.445	!	1 1
Tamarack	25,976	10.415	9,012	2,577	2,213	1 147	408	204	1 1) † : ii	1	;	į
Factoria and and	AOF	0.5	300	217	3	4 6 4							
Monthern reucedar	002 00	10 000	11 700	+T7	321 6	1 0	1	i i	1	i	1	1	1
Other coftwoods	30,702 2,565	10,020	11,700	130	3,100	070	208	1	1		1 1	1	1
	703 055	104 388	182 160	102 114	63 946	42 667	36 279	25 374	21 715	14 689	12 874	6 840	
SPOOR		6	61	3			1		2016				
Apo atim	160.013	18, 303	21.955	27,945	25, 349	22.462	18.312	11.968	4.862	4.169	3,740	948	;
700 000 400 000	336 000	17,000	20 025	EE 02E	E2,010	40.032	20,01	20 162	21 200	12 021	16 204	900 1	1
Other and oak	330,900	32 421	50,063	00,000	7/16/6	36 000	09,790	32,133	10,000	120,61	10,304	4,000	ľ
Color biologic	017,200	124,00	1 160	100,070	00,000	060,000	000,62	040 607	10,302	10000	0/76/	010	1. 1
Select Mickory	3,044	101	1,100	102,1	160	1,515	00/	1	•	720	B B	;	1
Utner mickory	11,836	2,491	3,401	2,055	18/7	1/9	43/	1 4	1 0	8 G	1 0	1	1
Basswood	75,883	3,141	10,504	18,000	13,099	11,023	8,362	2,656	7,064	1,869	2,105	!	1
Beech	1,092	1	197	1	445	214	236	1	1	1	1	1	I 1
Yellow birch	24,323	2,544	4,601	4,780	5,544	3,502	2,214	989	230	1	!	222	*
Hard maple	115,891	14,812	16,453	16,140	16,440	15,671	14,323	10,077	5,152	4,120	2,182	521	;
Soft maple	306,458	78,892	65,566	51,643	36,162	26,808	19,643	9,371	4,271	5,235	7,580	1,287	;
Elm	43,125	5,424	4,426	7,935	8,339	7,879	4,401	2,235	260	1,017	684	225	!
Black ash	63,807	19,376	14,633	13,161	8,844	4,850	1,755	630	558	!	1	;	;
White & green ash	38,682	6,350	4,413	9,781	6,834	3,701	3,082	2,233	1,471	535	282	1	1
Cottonwood	2,368	-	86	1	1	190	1 2	249	400	100	445	986	1
Willow	3,034	*	110	411	347	415	200	463	463	1	332	293	1
Hackberry	1	1	*	1	1	1	1	ŀ	1	1	1 8	î	1
Balsam poplar	1	1	Į P	1	;	i v	1 1	1	1	1	1	1 1	
Bigtooth aspen	153,865	18,162	35,032	42,552	29,993	17,086	8,165	2,066	ì	256	553	1 1	9
Quaking aspen	351,029	84,704	112,742	86,032	41,955	17,424	6,804	1,124	244	1	1	1 2	į
Paper birch	127,154	53,148	40,620	22,357	7,596	2,917	516	1	ŧ	1	i	1 1	1
River birch	2,706	-	672	837	559	8	;	1	415	1	223	!	1
Black cherry	16,345	5,139	4,150	5,104	099	959	206	430	1	1	1	;	9
Black walnut	220	1	1	8 8	9	220	8	8	1	1	1	1	1
Butternut	4,880	1	919	!	449	1,048	439	1,232	609	1	184	Ì	9
Other hardwoods	3,641	636	368	1,609	708	320	1 1	*		1	1	1	9
Total	2,165,810	363,920	434,983	434,854	319,257	215,294	159,103	95,619	53,591	37,973	42,032	9,184	1
All species	2,868,865	558,308	617,143	536,968	383,203	257,961	195,382	120,993	75,306	52.662	54,906	16,033	1

Table 29.--Net volume of sawtimber on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983 (In thousand board feet) $\frac{1}{2}$

							The same of the same of the same of				
	A11	-0.6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods											
Jack pine	416,129	244,382	127,658	35,633	8,456	;	;	;	1	;	:
Red pine	325,587	133,076	57,537	53,931	40,374	.28,884	8,130	3,655	1	;	1
White pine	772,302	62,973	78,695	104,616	127,120	101,869	107,503	79,998	67,688	41,840	;
White spruce	3,147	006	1,182	1,065	:	;	;	;	;	;	1
Black spruce	3,038	1,648	1,390	;	;	;	;	;	;	;	1
Balsam fir	18,838	13,208	5,630	;	:	;	;	*	;	;	;
Hemlock	88,210	17,732	17,874	16,223	13,652	8,083	6,389	1.071	7,186	ŀ	;
Tamarack	34,873	13,381	11,789	6,288	2,274	1,141	:	1	:	:	;
Fastern redoedar	1,272	1,272	1	:	1		;	;	;	:	;
Northern white-redar	40,436	21, 782	15, 926	2,728	:	;	;	;	;	;	;
Other softwoods	6,238	773	3,793	1	1,672	;	;	;	:	;	1
Total	1,710,070	511,127	321,474	220,484	193,548	139,977	122,022	84,724	74,874	41,840	1
Hardwoods											
White oak	472,657	;	140,269	115,506	91,317	58.897	23,847	20,180	18,036	4.605	ł
Select red oak	1,106,582	:	279,286	197,904	192,961	157,370	105,589	69,017	83,234	21,221	1
Other red oak	772,840	1	266,167	170,755	140,637	72,163	52,324	31,777	35,914	3,103	1
Select hickory	13,982		2,022	6,583	3,485		9	1,892			;
Other hickory	19,733	:	14,392	3,279	2,062	;	•	*	;	1	1
Basswood	213,198	*	61,485	52,867	40,373	27,778	10,329	9,390	10,976	1	;
Beech	4,749	1	2,390	1,159	1,200	1	;	;	1	;	;
Yellow birch	54,922	1	22,617	15,818	10,546	3,432	1,202	1	;	1,307	;
Hard maple	341,476	1	78,551	76,596	71,920	51,446	26,690	21,699	11,703	2,871	9
Soft maple	563,439	;	199,701	137,915	95,894	44,487	20,130	24,420	34,963	5,929	1
Elm .	109,512	1	34,273	34,129	19,383	10,015	2,614	4,736	3,284	1,078	;
Black ash	100,226	1	56,618	28,004	9,427	3,317	2,860	1	1		ļ
White & green ash	96,736	;	39,890	19,539	15,304	11,028	7,103	2,542	1,330		1
Cottonwood	10,173	:	;	791	;	1,078	1,740	1	2,008	4,556	1
Willow	10,825	:	1,481	1,713	843	1,964	1,999	:	1,480	1,345	;
Hackberry	;	1	;	;	;	;	1	;	;	;	;
Balsam poplar	;	;	1	;	:	;	1	;	;	1	ļ
Bigtooth aspen	266,184	1	134,222	79,158	38,656	10,037	1	1,284	2,827	;	1
Quaking aspen	328,348	:	197,826	87,415	35,634	6,122	1,351	;	1	ŀ	;
Paper birch	55,304	1	37,495	15,063	2,746	1	;	1	;	1	;
River birch	5,566	1	2,559	:	1	;	1,947	1	1,060	:	;
Black cherry	10,963	!	3,929	3,842	1,029	2,163	1	;	;	1	1
Black walnut	1,275	1	;	1,275	:	ı	;	1	1	ĺ	;
Butternut	21,233	!	2,651	5,840	2,367	6,327	3,129	1	919		;
Other hardwoods	5,743	-	3,925	1,818	1	;	1	1	;	1	• •
Total	4,585,666	1	1,581,749	1,056,969	775,784	467,624	262,854	186,937	207,734	46,015	;
All coccios	700 7	101		011	0 0	0 0 0	0000		0 0 0 0	100	

 $\frac{1}{2}$ International 1/4-inch rule.

Table 30.--Net volume of growing stock on commercial forest land by species group and forest type,

Central Unit, Wisconsin, 1983

					Forest type			
Species group	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Norther white- cedar
	cypes	prile	pine	priie		spruce	spi uce	Cedai
Softwoods								
Jack pine	190,546	113,248	5,705	5,149				
Red pine	232,454	6,570	200,820	11,284	539			-
White pine	172,290	2,819	6,436	74,502	1,822			637
White spruce	905		96			152		
Black spruce	3,982		346				1,145	424
Balsam fir	16,335				4,693			3,257
Hemlock	26,895							1,193
Tamarack	25,976			370	20.00		896	1,126
Eastern redcedar	405	214						-,120
Northern white-cedar	30,702							20,521
Other softwoods	2,565		1,722					
Total	703,055	122,851	215,125	91,305	7,054	152	2,041	27,158
lardwoods								
White oak	160,013	753	368	2,382		~~		
Select red oak	336,908	2,058	775	781	171			163
Other red oak	317,206	8,999	3,206	6,446				144
Select hickory	5,344			334	m0 rm			
Other hickory	11,836					10.00		-
Basswood	75,883		209		167			296
Beech	1,092		418					
Yellow birch	24,323		710	370				338
	115,891		796	1.514				
Hard maple					140			770
Soft maple	306,458	an an	212	3,692	149			778
Elm	43,125				187			310
Black ash	63,807			867	924			1,063
White & green ash	38,682		416					
Cottonwood	2,368	98						
Willow	3,034							
Hackberry		~~				***		
Balsam poplar						***		
Bigtooth aspen	153,865	908	212	2,358				
Quaking aspen	351,029	3,783	160	7,910				981
Paper birch	127,154	395		1,235	479			1,449
River birch	2,706			1,200	47.5			2,775
Black cherry	16,345			948				
	220							
Black walnut								
Butternut	4,880							
Other hardwoods	3,641	+=	6.770	00.007	0.033			# e
Total	2,165,810	16,994	6,772	28,837	2,077			5,522
All species	2,868,865	139,845	221,897	120,142	9,131	152	2,041	32,680

(Table 30 continued on next page)

(Table 30 continued)

				Forest	type			
		0ak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods						1		
Jack pine		42,821	863	3,893	17,041	1,642		184
Red pine		5,468	387	2,775	2,445	2,166		
White pine	869	28,469	11,684	34,456	5,994	4,602		
White spruce			208	449				
Black spruce			411	287	1,369		~-	
Balsam fir		445	1,699	5,266	686	289		
Hemlock		145	2,322	23,057	178			
Tamarack	17,386		4,696		483	593		426
Eastern redcedar		191						
Northern white-cedar	270	238	4,242	4,135		1,296		
Other softwoods		287					556	
Total	18,525	78,064	26,512	74,318	28,196	10,588	556	610
Hardwoods								
White oak		116,424	7.918	17,711	8,518	5,473		466
Select red oak		242,013	8,773	52,333	23,865	5,821		155
Other red oak		258,680	5,530	10,724	21,112	976		1,389
Select hickory		4,037	207			766		-,005
Other hickory		4,936		6,103	797	,		
Basswood		7,850	10,153	52,988	3,306	426		488
Beech		7,000	10,155	674	3,300	720		700
Yellow birch	86	648	4,007	18,342		532		
Hard maple		10,464	1,025	96,882	3,108	2,102		
		50.084			53,386	5,973		
Soft maple Elm	584 125		88,671	102,929		1,373		862
		4,577	12,157	21,140	2,394			
Black ash		2,321	42,314	8,540	5,479	1,813		486
White & green ash		6,613	8,600	21,490	972	591		
Cottonwood		1,159	393	253	232	233		
Willow			1,344	433	1,057	200		
Hackberry								
Balsam poplar	550	40.000				4.070		
Bigtooth aspen	558	48,866	187	20,090	76,407	4,279		
Quaking aspen	851	32,999	16,460	33,131	241,457	12,855		442
Paper birch	530	23,514	9,800	18,878	33,631	36,968		275
River birch		525	2,181					
Black cherry		6,879	2,098	4,177	1,838	405		
Black walnut				220				
Butternut		2,129		2,158	282	311		
Other hardwoods		370	2,893	114	264			
Total	2,734	825,088	224,711	489,310	478,105	81,097		4,563
All species	21,259	903,152	251,223	563,628	506.301	91.685	556	5,173

Table 31.--Net volume of sawtimber on commercial forest land by species group and forest type, Central Unit, Wisconsin, 1983

	_			Fo	rest type			
	411	11-	D I	110.24	0.1	116.2 5	D1 l	Norther
Sanaina annua	All	Jack	Red	White	Balsam	White	Black	white
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
Softwoods								
Jack pine	416,129	216,356	10,606	11,650				
Red pine	325,587	20,778	201,784	43,508	3,124			
White pine	772,302	11,742	11,584	332,967	9,527			1,984
White spruce	3,147							
Black spruce	3,038							
Balsam fir	18,838	00.00			5,391	40.40		2,774
Hemlock	88,210							3,506
Tamarack	34,873			1,959		***		854
Eastern redcedar	1,272	1,272						
Northern white-cedar	40,436							24,515
Other softwoods	6,238		6,238					~~ ~
Total	1,710,070	250,148	230,212	390,084	18,042			33,633
Hardwoods								
White oak	472,657		2,079	7,601				
Select red oak	1,106,582	6,145	1,742	3,016	850			822
Other red oak	772,840	19,446	9,386	16,898				711
Select hickory	13,982							-
Other hickory	19,733	90.00	~ ~					
Basswood	213,198		960		855			1,567
Beech	4,749		1.110	~ ~				-,
Yellow birch	54,922		**	1,307			~~	
Hard maple	341,476	wa 100	895	7,033				
Soft maple	563,439		1.084	5.818				1,816
Elm	109,512		-,001	0,000				707
Black ash	100,226			5,002	1,392			997
White & green ash	96,736		2,188	0,002	2,002			
Cottonwood	10,173		-,100					-
Willow	10,825							
Hackberry								
Balsam poplar								
Bigtooth aspen	266,184	800		867				
Quaking aspen	328,348			2,159				2,475
Paper birch	55,304			2,139				780
River birch	5,566							700
Black cherry	10,963							
Black walnut	1,275							
Butternut	21,233							
Other hardwoods	5,743							
Total	4,585,666	26,391	19,444	49,701	3,097			9,875
	6,295,736	276,539						43,508
All species	0,295,735	2/0,539	249,656	439,785	21,139			43,508

 $\frac{1}{\sqrt{1}}$ International $\frac{1}{\sqrt{4}}$ -inch rule.

(Table 31 continued)

				Forest	type			
		Oak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods								
Jack pine		98,735	3,321	12,402	59,242	3,817		
Red pine		18,515	2,220	13,036	9,942	12,680		
White pine	3,921	129,376	52,574	171,672	29,836	17,119		
White spruce			1,065	2,082				
Black spruce			1,648	1,390				
Balsam fir			2,910	6,885	878			
Hemlock		494	5,560	77,924	726			
Tamarack	13,383		12,705		2,652	980		2,340
Eastern redcedar								
Northern white-cedar			4,132	9,600		2,189		
Other softwoods								
Total	17,304	247,120	86,135	294,991	103,276	36,785		2,340
Hardwoods							•	
White oak		328,394	30,939	57,848	23,614	20,506		1,676
Select red oak		789,672	35,438	187,451	56,506	24,129		811
Other red oak		601,836	23,955	37,681	56,351	4,462		2,114
Select hickory		10,426	985			2,571		
Other hickory		6,678		13,055				
Basswood		22,560	17,225	158,592	10,122	1,317		
Beech				3,639				
Yellow birch		905	7,373	43,601		1,736		
Hard maple		27,151	2,873	300,352	926	2,246		
Soft maple	766	76,557	223,795	212,469	31,284	9,850		
Elm		9,794	31,187	58,172	6,877	641		2,134
Black ash		1,545	70,721	16.147	1.664	2,758		-,
White & green ash		8,978	34,949	49,088		1,533		
Cottonwood		5,080	1.810	1,132	1,086	1,065		
Willow		3,000	5,849	1,855	2,278	843		
Hackberry			J,045	1,000	2,270			
Balsam poplar								
Bigtooth aspen	1,961	83,614		36,150	128,807	13,985		
Quaking aspen	1,501	35,592	28,679	51,367	196,746	11,330		
Paper birch		9,032	6,600	17,412	4,111	17,369		
River birch		1,010	4,556	1/,712	7,111	17,503		
Black cherry		3,478	4,550	6,420		1.065		
Black walnut		3,470		1,275		1,005		
Butternut		9,583		11,650				
Other hardwoods		9,505	5,743	11,050				
Total	2,727	2,031,885	532,677	1,265,356	520,372	117,406		6,735
All species	20,031	2,279,005	618,812	1,560,347	623,648	154,191		9,075
ATT Species	20,031	2,2/9,005	010,012	1,500,34/	023,048	154,191		9,075

Table 32.--Net volume of growing stock on commercial forest land by species group and ownership class, Central Unit, Wisconsin, 1983

					5	owner arrip crass	000			
	LLA	lenoi+eN	Mic		County 8		10000		Misc.	Misc.
Species group	owners	Forest	federal	State	municipal	Indian	industry	Farmer	corp.	indiv
Softwoods										
Jack pine	190,546	i	20,076	12,423	20,981	3,247	9,439	32,633	7,555	84,192
Red pine	232,454	1	8,932	10,871	28,377	!	15,644	46,747	16,677	105,206
White pine	172,290	1	9,322	7,304	10,072	!	4.557	63,048	5,320	72,667
White spruce	905	;	1		;	;	1	657	1	248
Black spruce	3,982	;	:	319	1 789	!	287	752	1	835
Daller spines	16 225			200	60/64		47.V	10 000	2 EAE	2000
Balsam IIF	10,335	8 8	4	B (*	1	b/b	10,593	6,040	6,963
Hemlock	26,895	1	:	909	*	1	3,579	17,062	2,307	3,339
Tamarack	25,976	:	534	335	1,696	!	312	12,662	1	10,437
Eastern redcedar	405	1	;	;	;	!	;	405	!	1 1
Northern white-cedar	30,702	;	1	1,707	•	;	1,052	16,118	1,169	10,656
Other softwoods	2,565	1	;		;	;		1.024	139	1,402
Total	703,055	8. 9	38,864	33,567	62,915	3.247	35,344	201,501	35,712	291,905
Hardwoods										
White oak	160.013	i	1,347	1.056	15,048	!	1.092	76.899	9,542	55.029
Select red oak	336,908	;	9,595	5,006	34,671	282	9,694	159,992	11,271	106,397
Other red oak	317,206	1 1	13,446	13,512	30,692	2 8	6,463	90,280	16,496	146,317
Select hickory	5,344	;				,		3 060		2,284
Other hickory	11,836	;	;	480	580	1	2,959	5,853	1	1.964
Bassimond	75,883		1	256	6 355	1	7 578	24,626	5 612	21 456
Beech	1,092	1	;		0 1	:	1	438	I II	654
Vellow birch	24 323	8		155	165		6 273	10 061	2 035	F 634
Hard man lo	115 201			1 160	2 050		15 025	100,001	2000	420,00
rial maple	160,011	3 9	100	1,109	606,9		10,000	40,004	190 c	40,700
Sort maple	300,438	!	y, 331	3,073	32,099	1,529	19,435	105,334	136,6	125,706
	43,125	1	ř	1,3/6	1,/51	8	2,600	22,13/	1,228	14,033
Black ash	63,807	1	1	2,301	4,143	:	1,813	35,525	187	19,838
White & green ash	38,682	1	1	•	1,077	;	2,707	19,649	2,268	12,981
Cottonwood	2,368	!	;	i	*	f i	;	1,396	491	481
Willow	3,034	1	1	675	1	1	;	1,684	1	9/9
Hackberry	6 2	1	1	;	;	1	8	;	!	9
Balsam poplar	1	1	;	8	;		8 1	2 %	*	8
Bigtooth aspen	153,865	:	5,183	3,190	36,591	;	3,194	53,219	2,459	50,029
Quaking aspen	351,029	1	15,366	13,842	88,570	2,320	14,391	84,134	10,773	121,633
Paper birch	127,154	9	2,167	1,456	23,179		3,913	51,384	3,245	41,810
River birch	2,706	1	1	9 1	126	3 8		921		1,659
Black cherry	16,345	1		468	470	1	926	9.372	;	5,109
Black walnut	220	3 8	1			1	9 8		220	3 3
Butternut	4.880	!	1	;	•	1	284	2, 983	605	1 008
Other hardwoods	3,641	;	;	:	*	1	1 1	504) 1	3,137
Total	2,165,810	1	56,435	48,015	278,476	4,131	98,347	807,835	80,974	791,597
All cooring	3 969 965		05 200	81 582	341 301	7 378	133 601	1 000 336	116 696	1 NO2 EN2

Table 33.--Net volume of sawtimber on commercial forest land by species group and ownership class, Central Unit, Wisconsin, 1983 (In thousand board feet) $\frac{1}{2}$

					5	מינים לינים ידונים	200			
									Misc.	Misc.
Species group	All	National Forest	Misc. federal	State	County & municipal	Indian	Forest industry	Farmer	priv	priv
Softwoods										
Jack pine		1	51,002	30,864	34,775	12,072	12,160	92,104	15,605	167,547
Red pine		:	33,546	12,397	65,608	!	13,229	78,889	11,473	113,444
White pine		!	39,272	27,286	49,391	;	20,325	311,777	24,422	299,829
White spruce		1	;	1	1	1	;	3,147	;	1
Black spruce	3,038	1	;	;	1	;	1,390	;	:	1,648
Balsam fir		1	•	1	;	;	740	13,759	3,173	1,166
Hemlock		1	;	1.637	:	;	12,918	54,755	8,932	9,968
Tagarack	34 873		;		1	;	1,699	14,321		18,853
Factor and codes					1 1		00061	1 272	1 1	000
Month of this order	•	3	ř	023 3	1	;	•	76 57 51	•	10 000
Northern white-cedar		2 8	1	2,0,0	1	;	•	10,030	1 0	777,01
Other softwoods	6,238		* *	# 1		1	1	4,5/3	1/3	268
Total	1,710,070	1	123,820	77,862	146,775	12,072	62,461	591,133	64,378	631,569
Hardwoods										
White oak	472,657	;	3,554	3,012	24,381	1	3,410	268,906	22,471	146,923
Select red oak		;	16,499	10,022	74,933	1	34,156	584,915	36,797	349,260
Other red oak	772,840	1	24,737	40,821	65,396	!	15,264	226,015	34,988	365,619
Select hickory	13,982	;	:	:	:	;	1	7,265	!	6,717
Other hickory	19,733	1	;	1,710	!	;	3,526	9,846	:	4,651
Basswood		;	;	!	10,293	!	22,625	82,802	12,607	84,871
Beech	4,749	1	;	1	1	;	1	2,439	1	2,310
Yellow birch		1	;	1	;	;	20,188	18,181	3,678	12,875
Hard maple		1	;	3,843	1,091	;	53,579	140,798	23,041	119,124
Soft maple		1	14,131	1,136	17,065	1	31,198	262,944	22,407	214,558
Elm		1	;	2,693	3,679	1	9,179	55,402	1,544	37,015
Black ash	100,226	1	1	5,395	!	1	4,350	65,538	;	24,943
White & green ash		;	1	1	1,052	1	11,437	45,648	8,995	29,604
Cottonwood		1	;	1	;	1	;	6,199	1,810	2,164
Willow	10,825	;	;	2,278	!	1	1	7,202	1	1,345
Hackberry		1	1	!	;	;	1	1	1	1
Balsam poplar	•	1	;	1	1	1	8 8	1	1	1
Bigtooth aspen	266,184	8	5,356	1,552	41,856	1	6,595	125,000	1,969	-83,856
Quaking aspen	328,348	1	9,247	9,051	50,742	;	20,468	102,286	3,253	133,301
Paper birch	55,304	;	913	1	2,430	;	4,678	24,820	4,282	18,181
River birch	5,566	1	1	ŧ	8	;	1	2,070	1	3,496
Black cherry	10,963	1	1	1,331	!	;	1 0	7,538	;	2,094
Black walnut	1,275	!	1	;	!	;	1 2	;	1,275	1
Butternut		1	!	1	;	;	1,589	12,674	3,407	3,563
Other hardwoods	5,743	-	1	**	!	;	1	1	1	5,743
Total	4,585,666		74,437	82,844	292,918	8	242,242	2,058,488	182,524	1,652,213
All species	367 306 3		100 257	160 706	A30 603	12 079	207 703	2 640 621	246 000	000 100

1/International 1/4-inch rule.

Table 34.--Net volume of growing stock on commercial forest land by forest type and stand-age class, Central Unit, Wisconsin, 1983

(In thousand cubic feet)

21-30
15,696
109,825
1
267
3
,
i
14,702
136
37,660
5,904
1
•
205,594

Table 35.--Net volume of sawtimber on commercial forest land by forest type and stand-age class, Central Unit, Wisconsin, 1983

(In thousand board feet) $\frac{1}{2}$

							Stand-	Stand-age class (years	(years)					
orest type	All ages	1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-140	141+
ممتر باعدا.	276 539	684	16.788	12,772	63.921	98,346	52,308	14,270	17,450	1	8	;	1	;
	240,656	790	23,630	60,393	34,132	22,393	76,006	8	1	;	32,312	1	1	1
Ned pille	A30 785		3 121) I	30 235	56.332	21,988	78,115	46.671	82,213	7,384	55,894	22,149	35,683
waite pine Balsam fir	21,139	16,261	850	855		3,173				1	1			1
White spruce	8 8	1 5	1 1	1	;	;	!	1	!	1	1	1	1	9
Black spruce	-	1 1	1 7	1	9 9	1 1	1	*	1	1	î	1	*	1
Northern white-cedar	43,508	1	1	-	1	1	13,834	6,707	10,944	2,218	9,805	1	1	1
Tablarack mission (1985)	20,031	3,921	766	9	î	1,961	898	4,035	5,251	3,229	1	1	1	1
,	2 274 005	54,000	36.812	30.063	73.776	199,398	380.084	350,457	423,172	220,138	149,851	186,942	67,462	62,850
o locate	618 812	24 728	12,211		35,5117	66,551	39,723	38,481	172,809	93,584	80,744		10,232	-
Magle bisch	1 560 347	30 724	61 519	43 536	62 907	101,336	161,664	240,827	141,600	257,316	207,592	91,666	67,653	43,007
Aspen	623,648	37,520	1 0 1	36,022	106,358	177,582	89,689	20,828	71,694	44,408	22,000		1	9
Paper birch	154,191	4,188	16,244	4,558	40,479	8,581	27,358	47,633	5,150	-	!	1	1	0
EXOT I	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nonstocked	9,075	9,075	2 0	8 0	*	1	1	1		2 2	1		1	0.00
All types	6.295.736 194,391 139,488	194,891	139,488	16~,199	447,315	735,653	863,522	801,353	934,741	703,106	549,638	3/8,744	167,496	141,540

1/International 1/International

Table 36.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Central Unit, Wisconsin, 1983

Forest type and	A11 _			al-area cla	ass (square	e feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	27,508				811		3,820	1,559
Poletimber	89,310				2,059	2,037	6,154	6,382
Sapling & seedling	23,027		662	873	475	1,202	2,910	4,714
All stands	139,845		662	873	3,345	3,239	12,884	12,655
Red pine							-	
Sawtimber	38,233							~~
Poletimber	177,318						1,769	1,713
Sapling & seedling	6,346	152			222			
All stands	221,897	152			222		1,769	1,713
White pine								
Sawtimber	103,194		647				1,276	
Poletimber	14,359						1,173	
Sapling & seedling	2,589					281	918	
All stands	120,142		647			281	3,367	
Balsam fir								
Sawtimber	1,441		~ ~			1,441		
Poletimber								
Sapling & seedling	7,690			267		2,154		1,771
All stands	9,131		~~	267		3,595		1,771
White spruce								
Sawtimber								
Poletimber								
Sapling & seedling	152							
All stands	152							
Black spruce								
Sawtimber				***	~~			
Poletimber					~~			
Sapling & seedling	2,041	175	319			183	534	
All stands	2,041	175	319			183	534	
Northern white-cedar								
Sawtimber	2,042		~-					
Poletimber	30,067							
Sapling & seedling	571							
All stands	32,680							

(Table 36 continued on next page)

(Table 36 continued)

Forest type and		Bas	al-area cla	ss (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	2,045	4,365	3,247	7,958	3,703		
Poletimber	13,618	26,397	12,210	12,510	2,685		5,258
Sapling & seedling	12,191						
All stands	27,854	30,762	15,457	20,468	6,388		5,258
Red pine							
Sawtimber	2,598	7,770	3,898	8,215	9,682	6,070	
Poletimber	4,874	5,370	3,802	27,530	34,050	21,632	76,578
Sapling & seedling	2,472	1,531		1,969			
All stands	9,944	14,671	7,700	37,714	43,732	27,702	76,578
White pine							
Sawtimber	8,319	9,167	6.915	37,569	33,220	6,081	
Poletimber		1,628		2,620		8,938	
Sapling & seedling	1,390	1,020		2,020		0,700	
All stands	9,709	10,795	6,915	40,189	33,220	15,019	
Balsam fir	3,,03	20,730	0,310	10,105	00,220	10,015	
Sawtimber							
Poletimber		ea ea					
Sapling & seedling	3,498						
All stands	3,498						
White spruce							
Sawtimber							
Poletimber							
Sapling & seedling	152						
All stands	152						**
Black spruce							
Sawtimber							
Poletimber							
Sapling & seedling				830			
All stands				830			
Northern white-cedar							
Sawtimber	2,042						
Poletimber				1.846	3,032	5,955	19,234
Sapling & seedling				571			
All stands	2,042			2,417	3,032	5,955	19,234
777 3001103				-,/	0,000	0,,,,,	20,00

(Table 36 continued on next page)

(Table 36 continued)

Forest type and	A11 _			al-area cl	ass (squar	e feet pe	r acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber	970			970				
Poletimber	16,773				1,199	1,513		
Sapling & seedling	3,516	115	259			2,025		1,117
All stands	21,259	115	259	970	1,199	3,538		1,117
Oak-hickory								
Sawtimber	463,999			1,203	840	13,017	19,397	21,720
Poletimber	391,293				2,793	1,076	30,349	13,682
Sapling & seedling	47,860	180	1,116	8,392	3,317	10,829	10,825	7,849
All stands	903,152	180	1,116	9,595	6,950	24,922	60,571	43,251
Elm-ash-soft maple								
Sawtimber	133,046		450	1,107		3.873	1,905	4.393
Poletimber	94,272		2,759	758	4,326	4,246	9,362	6,641
Sapling & seedling	23,905	247	1,411	1,077	3,793	2,356	7,636	2,099
All stands	251,223	247	4,620	2,942	8,119	10,475	18,903	13,133
Maple-birch								
Sawtimber	334,782			2,058		8,144	9,250	2,729
Poletimber	168,266		w =	2,034	2,272	2,754	8,166	9,210
Sapling & seedling	60,580	378	2,033	4,612	4,450	6,910	6,452	4,764
All stands	563,628	378	2,033	8,704	6,722	17,808	23,868	16,703
Aspen	000,020		2,000	0,70	0,722	27,000	20,000	20,700
Sawtimber	97,348		627		571	3,302	2,395	2,177
Poletimber	335,599		438	873	2,281	8,743	20,115	27,083
Sapling & seedling	73,354	500	5,949	4,165	9,877	20,442	8,414	12,204
All stands	506,301	500	7,014	5,038	12,729	32,487	30,924	41,464
Paper birch	000,001		7,021	0,000	22,723	02,107	00,521	12,101
Sawtimber	15,915							6,299
Poletimber	57,134					2,300	2,874	1,078
Sapling & seedling	18,636		1,403	1,711	3,153	2,925	4,096	
All stands	91,685		1,403	1,711	3,153	5,225	6,970	7,377
Exotic	31,000		1,100	13,711	0,100	3,220	0,370	,,0,,
Sawtimber								
Poletimber								
Sapling & seedling	556		~~					
All stands	556							
Nonstocked	5,173	426	1,332		395			
All types	0,1/0	12.0	3,002		0,0			
Sawtimber	1,218,478		1,724	5,338	2,222	29,777	38,043	38,877
Poletimber	1,374,391		3,197	3,665	14,930	22,669	79,962	65,789
Sapling & seedling	270,823	1,747	13,152	21,097	25,287	49,307	41,785	34,518
Nonstocked	5,173	426	1,332	21,097	395	49,307	41,765	34,310
All stands	2,868,865	2,173	19,405	30,100	42,834	101,753	159,790	139,184

(Table 36 continued on next page)

(Table 36 continued)

Forest type and		Bas	al-area cla	iss (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack							
Sawtimber							
Poletimber		7,440	6,621				
Sapling & seedling							
All stands		7,440	6,621				
Oak-hickory							
Sawtimber	31,080	48,753	32,091	133,240	133,002	19,540	10,116
Poletimber	40,682	61,545	42,304	60,787	106,094	29,815	2,166
Sapling & seedling	3,186	1,388	778			** **	
All stands	74,948	111,686	75,173	194,027	239,096	49,355	12,282
Elm-ash-soft maple							
Sawtimber	10,324	10,319	24,685	18,205	38,608	19,177	
Poletimber	9,657	13,166	1,615	17,451	7,368	10,072	6,851
Sapling & seedling	3,141			2,145			
All stands	23,122	23,485	26,300	37,801	45,976	29,249	6,851
Maple-birch							
Sawtimber	24,631	48,660	23,445	57,713	101,193	42,323	14,636
Poletimber	13,583	9,541	22,269	32,673	50,038	5,366	10,360
Sapling & seedling	8,281	8,266	3,005	8,663	2,766		
All stands	46,495	66,467	48,719	99,049	153,997	47,689	24,996
Aspen							
Sawtimber	7,971	9,786	9.868	33,210	11,080	16,361	
Poletimber	32,820	49,098	18,476	92,799	53,745	22,090	7,038
Sapling & seedling	3,935	5,367		2,501			
All stands	44,726	64,251	28,344	128,510	64.825	38,451	7,038
Paper birch							
Sawtimber	1.850	4.197			3.569		
Poletimber	12,868	4,783	3,817	2,378	21,477	5,559	
Sapling & seedling		3,294		2,054			
All stands	14,718	12,274	3,817	4,432	25,046	5,559	
Exotic							
Sawtimber							
Poletimber			en en				
Sapling & seedling	556						
All stands	556						
Nonstocked			2,106		914		
All types							
Sawtimber	90,860	143,017	104,149	296,110	334,057	109,552	24,752
Poletimber	128,102	178,968	111,114	250,594	278,489	109,427	127,485
Sapling & seedling	38,802	19,846	3,783	18,733	2,766		
Nonstocked			2,106		914		
	257,764	341,831	221,152	565,437	616,226	218,979	152,237

Table 37.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Central Unit, Wisconsin, 1983

Forest type and	A11					re feet pe		
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	108,506				2,460		14,224	6,829
Poletimber	144,537					2,193	9,015	9,640
Sapling & seedling	23,496		1,677			4,324	368	10,194
All stands	276,539		1,677		2,460	6,517	23,607	26,663
Red pine								
Sawtimber	159,013							
Poletimber	73,412							5,614
Sapling & seedling	17,231	790			1,282			
All stands	249,656	790			1,282			5,614
White pine								
Sawtimber	422,103		3,600				7,384	
Poletimber	15,162						2,120	
Sapling & seedling	2,520						2,520	
All stands	439,785		3,600	₩ →			12,024	
Balsam fir				-				
Sawtimber	3,173					3,173		
Poletimber								
Sapling & seedling	17,966			855		10,797		850
All stands	21,139			855		13,970		850
White spruce								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Black spruce								
Sawtimber								
Poletimber		***						
Sapling & seedling								
All stands								
Northern white-cedar								
Sawtimber	5,678							
Poletimber	37,830							
Sapling & seedling								
All stands	43,508							

 $[\]frac{1}{}$ /International $\frac{1}{4}$ -inch rule.

(Table 37 continued on next page)

(Table 37 continued)

Forest type and		Basa	al-area cla	ss (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	9,029	14,407	12,072	31,410	18,075		
Poletimber	23,678	42,345	21,095	27,587	4,749		4,235
Sapling & seedling	6,933						
All stands	39,640	56,752	33,167	58,997	22,824		4,235
Red pine							
Sawtimber	10,897	32,416	10,387	38,079	44,944	22,290	
Poletimber				7,411	16.371	3.754	40,262
Sapling & seedling	4,017	4,016		7,126	·		
All stands	14,914	36,432	10,387	52,616	61,315	26,044	40,262
White pine							
Sawtimber	40,761	37,068	24,797	166,133	122,862	19,498	
Poletimber		1,772		1,814		9,456	
Sapling & seedling							
All stands	40,761	38,840	24,797	167,947	122,862	28,954	
Balsam fir							
Sawtimber							
Poletimber							
Sapling & seedling	5,464						
All stands	5,464					**	+-
white spruce							
Sawtimber	40.44						
Poletimber							
Sapling & seedling							
All stands							
Black spruce							
Sawtimber							
Poletimber							
Sapling & seedling					**	**	
All stands							
Northern white-cedar							
Sawtimber	5,678						
				2,218	2,310	10.944	22,358
Poletimber							,
Poletimber Sapling & seedling							

(Table 37 continued on next page)

(Table 37 continued)

Forest type and	A11		В	asal-area	class (squ	are feet pe	r acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber	4,318			4,318				
Poletimber	11,026							
Sapling & seedling	4,687	766				3,921		
All stands	20,031	766		4,318		3,921		
Oak-hickory								
Sawtimber	1,624,490			6,265	3,016	49,526	75,274	75,328
Poletimber	547,769				4,423	1,321	46,669	24,440
Sapling & seedling	106,746		2,437	19,362	10,643	16,555	20,601	25,350
All stands	2,279,005		2,437	25,627	18,082	67,402	142,544	125,118
Elm-ash-soft maple								
Sawtimber	455,605		1,422	5,868		19,261	6,022	20,483
Poletimber	126,268		1,722	1,657	7,498	1,700	14,630	10,551
Sapling & seedling	36,939	547	1,686	3,220	3,766	1,604	12,094	2,751
. All stands	618,812	547	3,108	10,745	11,264	22,565	32,746	33,785
Maple-birch	010,012	347	3,100	10,740	11,204	22,500	02,740	00,700
Sawtimber	1,156,430			7,778		27,924	29,011	9,913
Poletimber	271,922			2,183	4,731	2,081	15,137	19,077
Sapling & seedling	131,995	1,381	2,178	7,479	11,777	19,661	10,154	4,433
All stands	1,560,347	1,381	2,178	17,440	16,508	49,666	54,302	33,423
Aspen	1,000,017	1,001	2,270	17,110	10,000	13,000	01,002	00,120
Sawtimber	267,209		2,559		1,997	11,236	9,320	9,471
Poletimber	286,712		2,000	695	1,397	8,863	22,333	27,997
Sapling & seedling	69,727	1,091	16,970	878	5,729	15,775	9,403	11,904
All stands	623,648	1,091	19,529	1,573	9,123	35,874	41,056	49,372
Paper birch	023,040	1,091	19,529	1,5/5	9,123	33,074	41,030	43,372
Sawtimber	52,783							23,043
Poletimber	77,483					1,908	1,474	23,043
Sapling & seedling	23,925		2,597	851	1,705	5,530	6,979	
, ,				851	1,705			23,043
All stands	154,191		2,597	921	1,705	7,438	8,453	23,043
Exotic Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Nonstocked	9,075	2,340	2,191		1,863			
All types								
Sawtimber	4,259,308		7,581	24,229	7,473	111,120	141,235	145,067
Poletimber	1,592,121			4,535	18,049	18,066	111,378	97,319
Sapling & seedling	435,232	4,575	27,545	32,645	34,902	78,167	62,119	55,482
Nonstocked	9,075	2,340	2,191		1,863			
All stands	6,295,736	6,915	37,317	61,409	62,287	207,353	314,732	297,868

(Table 37 continued on next page)

(Table 37 continued)

Forest type and		Bas	al-area cl	ass (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack							
Sawtimber							an a
Poletimber		6,123	4,903				
Sapling & seedling				49 50	es 40		
All stands		6,123	4,903				
Oak-hickory							
Sawtimber	105,029	173,870	117,689	476,115	452,297	62,415	27,666
Poletimber	41.926	87,218	64,067	92,750	153,371	30,489	1,095
Sapling & seedling	2,231	5,491	4,076				
All stands	149,186	266,579	185,832	568,865	605,668	92,904	28,761
Elm-ash-soft maple	,						
Sawtimber	42,306	34.147	80,242	53,500	139,974	52,380	
Poletimber	15,926	19,024	845	26,024	13,357	4,789	10,267
Sapling & seedling	2,283	17,024	0+3	8,988	10,007	7,700	10,207
All stands	60,515	53,171	81,087	88,512	153,331	57,169	10,267
Maple-birch	00,313	55,171	01,007	00,012	100,001	37,103	10,207
Sawtimber	88,852	186,657	76,894	193,944	346,741	138,999	49,717
Poletimber	26,442	24,388	27,319	46,111	84,753	3,608	16,092
Sapling & seedling	7,024	26,768	6,699	27,933	6,508	5,000	10,092
All stands	122,318	237,813	110,912	267,988	438,002	142,607	65,809
	122,510	237,013	110,512	207,300	430,002	142,007	03,007
Aspen	23,632	28,826	23,025	96.314	27,268	33,561	
Sawtimber						,	4 040
Poletimber	27,652	58,117	12,942	62,442	48,773	10,653	4,848
Sapling & seedling		6,731		1,246			
All stands	51,284	93,674	35,967	160,002	76,041	44,214	4,848
Paper birch							
Sawtimber	5,150	11,190			13,400		
Poletimber	16,530	11,484	1,172	3,912	34,930	6,073	
Sapling & seedling		6,263			-+		
All stands	21,680	28,937	1,172	3,912	48,330	6,073	
Exotic							
Sawtimber							
Poletimber				~~			***
Sapling & seedling							
All stands							
Nonstocked			2,681				
All types							
Sawtimber	331,334	518,581	345,106	1,055,495	1,165,561	329,143	77,383
Poletimber	152,154	250,471	132,343	270,269	358,614	79,766	99,157
Sapling & seedling	27,952	49,269	10,775	45,293	6,508		
Nonstocked			2,681				
All stands	511,440	818,321	490,905	1,371,057	1 500 600	408,909	176,540

Table 38.--Net volume of sawtimber on commercial forest land by species group and butt log grade, Central Unit, Wisconsin, 1983

	A11			Log grade	
Species group	grades	1	2	3	Tie and timber
Softwoods					
Jack pine	416,129	10,013	31,227	374,889	
Red pine	325,587	69,624	21,801	234,162	
White pine	772,302	43,123	150,740	407,436	171,003
White spruce	3.147	,	200,7.10	3,147	2,2,000
Black spruce	3,038			3,038	
Balsam fir	18,838			18,838	
Hemlock	88,210			88,210	
Tamarack	34,873			34,873	
Eastern redcedar	1,272			1,272	
Northern white-cedar	40,436			40,436	
Other softwoods	6,238			6,238	
Total	1,710,070	122,760	203,768	1,212,539	171,003
Hardwoods					
White oak	472,657	17,146	99,478	281,788	74,245
Select red oak	1,106,582	228,337	382,697	455,855	39,693
Other red oak	772,840	25,997	87,439	431,183	228,221
Select hickory	13,982			13.982	
Other hickory	19,733			19,733	
Basswood	213,198	42,647	29,665	140,886	
Beech	4,749			4,749	
Yellow birch	54,922		11.540	37,510	5,874
Hard maple	341,476	45,170	122,460	148,122	25,724
Soft maple	563,439	50,270	127,922	374,289	10,958
Elm	109,512	30,270	49,306	28,138	32,068
Black ash	100,226	25,210	48,126	26,890	52,000
White & green ash	96,736	48,662	21,278	20,637	6,161
Cottonwood	10,173	40,002	21,270	10,173	0,101
Willow	10,173		8,623	2,202	
	10,025		0,023	2,202	
Hackberry					
Balsam poplar	200 104	17 001	102 607		4 210
Bigtooth aspen	266,184	17,801	103,607	140,464	4,310
Quaking aspen	328,348		61,978	241,880	24,488
Paper birch	55,304			55,304	
River birch	5,566			5,566	
Black cherry	10,963			10,963	
Black walnut	1,275		***	1,275	
Butternut	21,233		21,233		
Other hardwoods	5,743			5,743	
Total	4,585,666	501,240	1,175,352	2,457,332	451,742
All species	6,295,736	624,000	1,379,120	3,669,871	622,745

Table 39.--Net volume of short-log trees on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983 (In thousand cubic feet)

				ı		1					
	A	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods											
Jack pine	1,961	1,038	719	204	1	;	1 1	1	;	1	;
Red pine	137	137	;	1	;	;	1	!	1	1	1
White pine	6,945	2,077	1,027	226	377	808	353	906	852	319	!
White spruce	;	;	:	;	!	!	*	1 1	;	1	5
Black spruce	;	;	1	1	;	1 2	1	1	ŀ	1	1 5
Balsam fir	:	1	1	*	1	1	;	:	1	1	1
Hemlock	641		316	179	1	1	146	1	į	1	9
Tamarack	191	1	1	191	;	;	3 3	;	;	1	!
Eastern redcedar	;	;	;	;	1	:	!	!	;	1	;
Northern white-cedar	415	130	285	1	;	1	1	1	1	1	1
Other softwoods	364	364	;	1	1	1	;	!	;	1	1
Total	10,654	3,746	2,347	800	377	808	499	906	852	319	E E
Hardwoods			,								
White oak	13,077	1	1,912	3,050	2,060	2,571	1,268	350	1,300	ţ	999
Select red oak	14,390	;	563	3,766	2,265	2,004	1,845	1,531	1,743	673	1
Other red oak	32,019	1	4,708	8,746	7,866	5,547	1,835	1,544	1,773	1	1
Select hickory	429	3 8	247	1	182	1	1	1	1	1	1
Other hickory	402	1	151	251	-	;	1	;	;	1	;
Basswood	1,704	1	1	512	238	259	252	237	1	206	1
Beech	;	1	1	!	;	;	1	1	1	1	;
Yellow birch	1,527	;	317	802	202	506	1	;	1	1	1
Hard maple	6,855	1	349	1,080	1,599	1,306	911	899	715	227	}
Soft maple	12,678	;	1,216	1,814	2,446	1,213	1,451	1,586	1,343	1,033	576
Elm .	1,822	ŀ	1	280	629	;	1	448	211	224	1
Black ash	542		1	1	542	Î	1	ş	î	1	;
White & green ash	954	!	234	227	254	239	1	i	;	1 1	į
Cottonwood	188	1 8	;	1	;	;	188	1	;	1	1
Willow	214	1	;	1	:	;	1	1	214	1	;
Hackberry	;	;	:	1	:	;	!		;	Î	1
Balsam poplar	1	!	;	1	!	:	1	1	1	1	•
Bigtooth aspen	1,187	ì	205	256	505	;	221	;	;	1	1
Quaking aspen	1,408	3 8	721	464	223	8	;	;	ę	1	;
Paper birch	798	1	173	441	184	1 8	1	1 2	1	8	1
River birch	1	1	1	i	1	1	ş	1	1	9	8
Black cherry	357	;	146	ŀ	211	1	ì	1	1 1	1	1
Black walnut	;	;	1	1	!	9	;	1	1	1 1	8 8
Butternut	292	1	398	199	171	8 1	1	1	;	1	7
Other hardwoods	458	ŧ	236	97	125	-	000	*	1		-
Total	91,777	1	11,576	21,985	19,732	13,345	7,971	6,364	7,299	2,363	1,142
All species	102,431	3,746	13.923	22,785	20,109	14,153	8.470	7.270	8,151	2.682	1.142

Table 40.--Net volume of short-log trees on commercial forest land by species group and diameter class, Central Unit, Wisconsin, 1983 (In thousand board feet) $\frac{1}{2}$

					Diameter class	ass (inches	at breast	height)			
	A11	0.6	11.0-	١.	15.0-		19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods											
Jack pine	6,797	3,599	2,493	705	9 9	1	!	1 8	-	1	9
Red pine	572	572	1	1	1	ì	!	į.	1	ţ	8 9
White pine	1	1 2	1	1	1	;	1	1	1	1	ļ
White spruce	1	î	1	1	1 1	8	8	1	ı	1	1
Black spruce	0	1	1	1	!	1	1	1 1	-	1	1
Balsam fir	1	1	8	1 1	1	1	ì	1	1	!	;
Hemlock	22,856	5,440	3.040	754	1,330	2,931	1,315	3,433	3,312	1,301	1 1
Tamarack	1,569	1	733	444	1	:	392	1		1	ļ
Eastern redcedar	835	1	ŀ	835	;	;	1	1	1	1	1
Northern white-cedar	1,410	423	987	1	:	1	;	1	1	1	;
Other softwoods	1,820	1,820	-	1	1	;	1	i	1	1	;
Total	35,859	11,854	7,253	2,738	1,330	2,931	1,707	3,433	3,312	1,301	1
Hardwoods											
White oak	34,629	1	5,495	8.295	5.374	6.615	3,205	876	3,309	;	1,460
Select red oak	32,384	1	1,246	8,331	5 104	4 461	4 132	3 480	4.031	1 599	201
Other red oak	73,144	1	10 734	19 910	17 854	12,652	4 256	3,100	4,031	66661	
Select hickory	1,247	1	769	04 1	478	10,001	00761	5 1	00761		} }
Other hickory	1 086	1	435	651				} }			
Racewood	3 705			1001	E13	E 5 7	E 4.2	550	1	950	
Booth	00/60	8	653	1,104	213	700	242	076	1	404	1
Vellen Fineh	0,400	:	200	1,14	0/4/0	716	100	1 0	1 6	! 3	;
Hand man 10	22, 200	;	840	7,541	3,839	3,205	2,268	1,689	1,83/	000	1 1
nard maple	33,390	1	3,040	5,003	6,491	3,102	3,/12	4,007	3,401	2,5/3	1,455
Sort maple	4,564	;	8	299	1,650	1	1	1,173	199	618	;
E-I-B	1,386	1	1	1	1,386	!	:	1	;	i	;
Black ash	2,237	1	585	556	565	534	;	1	9	;	!
White & green ash	574	1	1	:	;	;	574	1	;	î	;
Cottonwood	692	!	1	;	;	;	1	1	692	1	;
Willow	;	;	!	!	;	;	;	1	;	!	;
Hackberry	1	1	1	;	;	;	1	!	1	!	;
Balsam poplar	;	1	1	;	;	1	;	1	1	1	;
Bigtooth aspen	1,935	1	320	402	833	1	380	1	1	;	;
Quaking aspen	3,150	1	1,533	1,078	539	1	1	:	!	1	;
Paper birch	2,209	!	481	1,202	526	;	1	!	1	;	1
River birch	:	;	!	;	;	1	;	ŧ	1	;	;
Black cherry	1,036	1	454	1	582	;	;	:	;	1	1
Black walnut	;	;	1	;	;	;	;	;	;	!	;
Butternut	2,108	;	1,118	543	447	;	;	1	;	1	1
Other hardwoods	1,631	1	825	363	443	1	1	1	1	1	i
Total	221,434		29,130	52,415	47,094	31,638	19,070	15,328	17,986	5,858	.2,915
All species	257,293	11,854	36,383	55,153	48,424	34,569	20,777	18,761	21,298	7,159	2,915

1/International 44-inch rule.

Table 41.--Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, Central Unit, Wisconsin, 1967 and 1982

Species	1967 <u>-</u> 1/	1982
Softwoods	21,400	32,720
Hardwoods	50,600	67,456
All species	72,000	100,176

 $[\]frac{1}{2}$ /Figures have been adjusted from those published after the 1968 survey to conform to 1982 volumes because of changes in survey procedures.

Table 42.--Net annual growth of growing stock on commercial forest land by species group and county, Central Unit, Wisconsin, 1982 (In thousand cubic feet)

	רנע							County						
Species group	counties	Adams	Сніррема	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Softwoods														
Jack pine	8,124	1,241	86	256	310	2,380	2,193	11	93	529	216	1	386	423
Red pine	15,411	2,790	104	395	1,463	2,130	1,307	509	885	217	1,802	1,320	2,445	44
White pine	6,226	546	566	351	218	750	379	554	465	436	489	582	685	505
White spruce	37	8	9	8	;	1	:	14	1	ł	;	7	!	10
Black spruce	305	1	86	117	;	:	1	40	1	;	22	19	!	21
Balsam fir	773	;	-7	:	1	1	!	401	;	1	09	319	!	;
Hemlock	375	:	2	1	;	;	;	213	ł	1	55	100	;	тC
Tamarack	240	6	56	;	1	47	£.	80	63	-41	21	118	φ.	;
Eastern redcedar	21	3	1	;	;	00	9	!	7	;	;	;	;	•
Northern white-cedar	Ι,	1	1	1	1	;	;	195	1	1	414	383	9/	1
Other softwoods	140	8	;		1	20	!	;	28	!	-	1	62	;
Total	32,720	4,586	569	1,119	1,991	5,335	3,882	1,945	1,571	1,141	3,079	2,848	3,646	1,008
Hardwoods														
White oak	2,950	86	243	592	205	426	204	44	229	169	164	122	260	194
Select red oak	8,337	214	295	1,257	358	1,563	633	916	86	1,279	295	487	129	486
Other red oak	10,830	1,686	156	214	1,215	2,027	1,676	13	294	1,091	644	389	966	430
Select hickory	113	1	1	1	1	17	4	!	80	45	!	2	37	ł
Other hickory	285	1	97	15	;	1	7	53	1	7	34	72	ì	;
Basswood	2,344	25	428	395	102	106	7	837	31	35	132	130	9	118
Beech	7	;	;	!	!	!	1	;	;	1	1	7	;	1
Yellow birch	454	;	37	17	1	1	1	321	;	;	80	42	:	53
Hard maple	3,318	:	969	241	59	ł	47	1,813	ŀ	72	151	267	1	100
Soft maple	12,334	218	1,125	2,324	710	1,483	605	2,040	81	295	485	1,094	215	1,392
Elm	-1,059	8	09-	-135	-77	51	-19	-411	-36	-46	-28	-272	58	-46
Black ash	2,080	18	527	394	19	1	8	389	25	75	508	311	28	11
White & green ash	1,837	;	240	217	∞	∞	16	544	222	193	53	250	72	38
Cottonwood	38		1	;	;	10	;	;	4	13	;	;	10	1
Willow	17	38	1	;	1	-24	14	1	12	1	ł	-23	!	;
Hackberry	!	ı	1	!	;	!	1		:	1	!	;	1	3 2
Balsam poplar	-4	ii	ì	!	;	1	;	;	;	!	;	;	1	4-
Bigtooth aspen	4,296	102	614	789	169	702	198	653	;	282	124	165	216	282
Quaking aspen	13,046	486	1,232	2,759	939	066	1,098	1,767	109	178	869	304	-16	2,502
Paper birch	5,352	42	681	529	373	473	235	1,526	14	299	105	389	164	154
River birch	-12		!	1	31	21	-80	1	;	;	;	;	1	16
Black cherry	581	19	15	99	99	72	28	47	က	74	101	52	53	6
Black walnut	9	1	!	1	;	1	9	:	;	;	!	;	1	1
Butternut	98	1	9	17	!	1	21	10	!	-5	!	31	9	!
Other hardwoods	220	•	1	;	1	8	1	1	4	1	!	64	144	!
Total	67,456	2,939	6,501	9,691	4,147	7,933	4,700	10,622	1,098	4,691	3,151	3,883	2,323	5,777
All species	100,176	7,525	7,070	10,810	6,138	13,268	8,582	12,567	2,669	5,832	6,230	6,731	5,969	6,785

Table 43.--Net annual growth of sawtimber on commercial forest land by species group and county, Central Unit, Wisconsin, 1982

	LIA							County						
Species group	counties	Adams	Сһіррежа	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Softwoods														
Jack pine	23,196	4,201	38	644	1,131	5,316	4,809	102	217	2,001	262	!	1,090	2,625
Red pine	27,575	3,124	737	2,627	565	3,078	4,525	503	:	183	2,058	7,163	2,730	252
White pine	29,065	1,901	1,399	2,073	1,618	3,078	1,354	2,435	1,991	2,532	2,197	2,946	2,957	2,584
White spruce	157	:	86	1	;	•	!	71	:	•	;	;	1	:
Black spruce	148	1	1	;	•	•	1	30	:	1	;	118	1	1
Balsam fir	1,129	1	;	1	1	1	1	630	;	;	1	499	1	:
Hemlock	1,289	!	;	;	1	;	1	770	!	1	18	477	1	24
Tamarack	874	52	;	ł	1	;	1	19	279	!	84	268	172	:
Eastern redcedar	82	1	:	:	;	82	:	;	:	:	1	:	;	:
Northern white-cedar	۲,	ŧ	1	:	:	1	:	401	:	:	374	655	46	:
Other softwoods	314	1	:	:	•	197	•	;	59	:	1	•	28	:
Total	85,308	9,278	2,260	5,344	3,344	11,754	10,688	4,961	3,306	4,716	4,993	12,126	7,053	5,485
Hardwoods														
White oak	13,744	359	935	2,122	1,568	1,206	2,117	151	1,205	813	584	480	698	1,506
Select red oak	38,379	570	3,065	4,262	1,688	6,430	3,999	3,281	401	6,616	1.547	2,826	472	3,222
Other red oak	36,212	6,983	1,006	260	2,710	7,520	3,993	115	1,370	2,855	2,110	1,748	3,648	1,894
Select hickory	251	1		;	:	114	13	;	24	72	!	6	19	1
Other hickory	820	i	213	86	;	;	1	297	;	14	125	73	1	:
Basswood	7,683	79	2,445	1,286	241	;	46	1,739	200	89	176	983	27	393
Beech	1,198	1	;	:	•	;	!	:	:	:	;	1,198	1	;
Yellow birch	1,981	•	46	1	;	:	1	1,547	1	1	ł	172	;	216
Hard maple	11,491	*	772	790	-54	;	292	6.840	;	137	86	2,438	;	178
Soft maple	21,042	290	2,537	1,977	564	1,921	1,432	4,683	304	1,000	1,267	2,720	781	1,566
Elm	-2,676	-38	-220	-502	-318	579	654	-1,133	06-	-340	-352	-809	-7	-100
Black ash	5,536	124	1,664	499	1	;	176	43	192	189	625	1,101	93	332
White & green ash	4,896	1	437	110	;	33	107	841	95	29	288	1,704	43	1,171
Cottonwood	140	9	1	!	;	49	3	1	18	19		1	45	:
Willow	-26	103	;	1	;	96-	ŀ	;	53	!	•	-86	!	;
Hackberry	*	;	:	1	;	;	;	1	!	!	;	;	1	1
Balsam poplar	;	:	:	;	;	;	1	1	;	!	1	;	:	;
Bigtooth aspen	12,694	213	2,137	2,211	974	1,534	9/9	1,580	1	786	1,040	265	640	306
Quaking aspen	22,119	201	2,759	6,104	1,669	1,326	934	4,721	833	648	694	93	6	1,828
Paper birch	3,406	:	537	285	16	88	94	171	:	377	1,171	264	187	216
River birch	17	;	1	;	119	57	-161	ŧ	;	*	1	;	;	2
Black cherry	379	34	:	1	:	!	19	227	:	m	96	1	;	;
Black walnut	25	:	1	1	:	!	52		;	!	;	;	i	1
Butternut	1,682	!	56	164	!	1	13	16	!	102	!	305	1,056	;
Other hardwoods	884	1	1	1	:		1		•	1		884	***	-
Total	181,877	9,224	18,359	19,666	9,177	20,761	14,432	25,119	4,605	13,924	9,469	16,700	7,711	12,730
All pecies	267,185	18,502	20,619	25,010	12,521	32,515	25,120	30,080	7,911	18,640	14,462	28,826	14,764	18,215

1/International 44-inch rule.

Table 44.--Net annual growth of growing stock on commercial forest land by ownership class and softwoods and hardwoods, Central Unit, Wisconsin, 1982

		Growing sto	ock	Sawtimber				
Ownership class	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods		
	Th	usand board f	board feet $\frac{1}{}$					
National Forest					.=-			
Miscellaneous federal	3,644	1,469	2,175	9,089	5,345	3.744		
State	3,102	1,413	1,689	7,062	4,206	2,856		
County and municipal	13,079	3,010	10,069	26,417	9,148	17,269		
Indian	241	96	145	541	541			
Forest industry	5,095	2,266	2,829	12,444	2,676	9,768		
Farmer	31,332	7,127	24,205	95,035	22,363	72,672		
Misc. private-corp.	4,342	2,176	2,166	9,614	3,118	6,496		
Misc. private-indiv.	39,341	15,163	24,178	106,983	37,911	69,072		
All owners	100,176	32,720	67,456	267,185	85,308	181.877		

 $[\]frac{1}{4}$ -inch rule.

Table 45.--Net annual growth of growing stock on commercial forest land by species group and forest type,

Central Unit, Wisconsin, 1982

(In thousand cubic feet)

		Forest type							
Species group	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white- cedar	Tamarac
	сурез	Pine	priic	priic	111	Sprace	Sprace	ccaai	Tamar ac
Softwoods	0 104	F F11	20.6	220					
Jack pine	8,124	5,511	206	230					
Red pine	15,411	763	13,240	584	26			1.4	40
White pine	6,226	110	426	2,813	84	10		14	49
White spruce	37		7		~~	10		10	
Black spruce	305		19				142	13	
Balsam fir	773				231			153	
Hemlock	375							~ 5	
Tamarack	240			15			2 ,	-12	334
Eastern redcedar	21	8							***
Northern white-cedar	1,068				~-			762	13
Other softwoods	140		82						
Total	32,720	6,392	13,980	3,642	341	10	144	925	396
lardwoods									
White oak	2,950	8	10	43	**				
Select red oak	8,337	15	11	20	6			2	
Other red oak	10,830	461	121	194				2	
Select hickory	113			22					
Other hickory	285						-		
Basswood	2,344		2		4			3	
Beech	7		-3		7				
Yellow birch	454			-11				-2	5
Hard maple	3,318		8	23					
				251	8			-2	24
Soft maple	12,334		1						
Elm	-1,059			-23	8	ma am		-17	5
Black ash	2,080			14	13			9	
White & green ash	1,837		9					~~	
Cottonwood	38	9			~-				
Willow	17								
Hackberry									
Balsam poplar	-4								
Bigtooth aspen	4,296	38	-8	125					14
Quaking aspen	13,046	95	2	743				-47	194
Paper birch	5,352	12		47	18			12	18
River birch	-12								
Black cherry	581			66					
Black walnut	6								
Butternut	86								
Other hardwoods	220								
Total	67,456	638	153	1,514	57			-40	260
All species	100,176	7,030	14,133	5,156	398	10	144	885	656

(Table 45 continued on next page)

(Table 45 continued)

	Forest type							
Species group	Oak- hickory	Elm-ash- soft maple	Maple- birch	Aspen	Paper birch	Exotic	Non- stocked	
Softwoods								
Jack pine	1,378	-2	210	534	53	00 00	4	
Red pine	219	13	410	72	84			
White pine	975	379	1,003	193	180			
White spruce		14	6			~~		
Black spruce	-	19	5	107				
Balsam fir	26	69	257	25	12			
Hemlock	5	55	308	12				
Tamarack		-115		11	-12		17	
Eastern redcedar	13	-113			-12			
Northern white-cedar	9	107	123		54			
Other softwoods	20		#=		9=	38		
Total	2,645	539	2,322	954	371	38	21	
Hardwoods	2,045	333	2,322	304	3/1	30	6.1	
White oak	2,056	155	332	215	123		8	
Select red oak	6,002	165	1,256	727	129		4	
Other red oak	8,573	166	439	792	27		55	
Select hickory	71	2	439	132	18		20	
Other hickory	94		130	61	10			
Basswood	209	517	1.491	84	17		17	
Beech	203	517	10	04			1/	
Yellow birch	16	71	373	-4	6			
Hard maple	250	18	2,703	267	49			
Soft maple	1,916	3,593	3,415	2,916	212			
Elm	-54	- 597	-334	- 57	49		-39	
Black ash	38	1,436	185	314	52		19	
White & green ash	350	255	1,142	60	21		19	
Cottonwood	19	233	1,142	5	4			
Willow	19	-60	12	52	13			
Hackberry		-00	12	32	15			
Balsam poplar				-4				
	1,061	2	558	2,347	159			
Bigtooth aspen		544	890				2	
Quaking aspen	822	213	745	8,883	918		14	
Paper birch	1,075			1,279	1,919		14	
River birch	-2 239	-10 47	154	56	19			
Black cherry		· ·		56				
Black walnut	44		6 25	7	10			
Butternut				7				
Other hardwoods	13	64	4	139	2 745	~ ~	00	
Total	22,792	6,581	13,537	18,139	3,745	***	80	
All species	25,437	7,120	15,859	19,093	4,116	38	101	

Table 46.--Net annual growth of sawtimber on commercial forest land by species group and forest type,

Central Unit, Wisconsin, 1982

		Forest type							
						•		Northern	
inectes another	A11	Jack	Red pine	White pine	Balsam fir	White	Black	white-	Tamanad
Species group	types	pine	prne	prne	111	spruce	spruce	cedar	Tamarac
Softwoods									
Jack pine	23,196	13,990	652	364					
Red pine	27,575	1,002	23,223	1,211	148				
White pine	29,065	749	775	12,967	492			34	229
White spruce	157								
Black spruce	148								
Balsam fir	1,129				291			152	
Hemlock	1,289							-18	
Tamarack	874			140				-2	562
Eastern redcedar	85	85							
Northern white-cedar	1,476							859	
Other softwoods	314		314						
Total	85,308	15,826	24,964	14,682	931			1,025	791
Hardwoods						•			
White oak	13,744		96	115					
Select red oak	38,379	173	-16	72	28			12	
Other red oak	36,212	649	364	536				10	
Select hickory	251								
Other hickory	820								
Basswood	7,683		12		23			15	
Beech	1,198		1,079						
Yellow birch	1,981			-80					
Hard maple	11,491		890	156					
				147				9	11
Soft maple	21,042		1					-	
Elm	-2,676			-68				-49	
Black ash	5,536			149	93			71	
White & green ash	4,896		37						
Cottonwood	140								
Willow	~26								
Hackberry									
Balsam poplar									
Bigtooth aspen	12,694	53		-43					33
Quaking aspen	22,119			18			40.70	-15	
Paper birch	3,406			-58				5	
River birch	17								
Black cherry	379								
Black walnut	25								
Butternut	1,682								
Other hardwoods	884								
Total	181,877	875	2,463	944	144			58	44
All species	267,185	16,701	27,427	15,626	1,075		hle 46 cor	1,083	835

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

(Table 46 continued on next page)

(Table 46 continued)

			Fo	rest type			
	Oak-	Elm-ash-	Maple-		Paper		Non-
Species group	hickory	soft maple	birch	Aspen	birch	Exotic	stocke
Softwoods							
Jack pine	4,714	44	425	2,896	111		
Red pine	716	74	348	226	627		
White pine	5,050	1,741	5,086	867	1,075		
White spruce		71	86				
Black spruce		118	30				
Balsam fir		219	423	44			
Hemlock	24	12	1,208	63			40 40
Tamarack		11		68	-5		100
Eastern redcedar							
Northern white-cedar		196	345	-~	76		
Other softwoods							
Total	10,504	2,486	7,951	4,164	1,884		100
lardwoods							
White oak	9,545	591	1,394	556	1,426		21
Select red oak	26,837	1,035	6,013	3,466	740		19
Other red oak	28,584	747	1,524	3,572	183		43
Select hickory	196	9			46		
Other hickory	170		650				
Basswood	817	748	5.552	415	101		
Beech			119				
Yellow birch	65	314	1.614		68		
Hard maple	511	49	9,749	37	99		
Soft maple	3,433	7,214	7,375	2,350	502		
Elm	313	-2,283	-600	340	-159		-170
Black ash	31	4.134	804	130	124		
White & green ash	1,352	1,602	1.787		118		
Cottonwood	88	3	6	24	19		
Willow		-238	53	103	56		
Hackberry							
Balsam poplar			eo ==				
Bigtooth aspen	2,881		1,355	7,653	762		
Quaking aspen	2,638	2,207	3,346	13,410	515		
Paper birch	336	317	1.055	253	1.498		40.10
River birch	15	2					
Black cherry	148		206		25		
Black walnut			25				
Butternut	1,290		392				
Other hardwoods	-,	884					
Total	79,250	17,335	42,419	32,309	6,123		-87
All species	89,754	19,821	50.370	36,473	8,007		13

Table 47.--Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Central Unit, Wisconsin, 1982

(In thousand cubic feet)

Simple S	rorest type and	- X						nena	מו במ כומי	a panhel e	alea class (shaale leet pel acle)	מרובו				
4829 29 189 47 54 65 624 465 115 18 415 435 415 435 521 1,151 564 465 110 10 7,000 1,215 660 699 225 10 7,000 1,215 660 699 225 10 7,000 1,216 660 699 225 10 1,216 660 699 226 10 1,216 463 7,96 415 2,004 1,535 12 12 2,100 1,516 60 699 226 1,516 1,605 1,604 1,535 12 1,218 1,47 443 7,44 1,536 2,404 1,536 2,210 1,516 60 2,825 2,700 1,762 2,825 2,700 1,562 2,225 2,700 <t< th=""><th>stand-size class</th><th>classes</th><th>0-10</th><th>11-20</th><th>21-30</th><th>31-40</th><th>41-50</th><th>51-60</th><th>61-70</th><th>71-80</th><th>81-90</th><th>91-100</th><th>101-120</th><th>121-150</th><th>151-180</th><th>181+</th></t<>	stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
4,125	Jack pine								!							
4,125	Sawtimber	829	;	1	;	23	! 6	189	47	54	65	96	234	115	!	1 0
12,176	Poletimber	4,125	1	1 :	1	128	35	415	483	521	1,151	204	465	110	!	193
1,600	Sapling & seedling	2,0/6	:	81	151	30	105	161	396	1,215	:	;	:	1	1	1
1,600	All stands	7,030	1	18	151	187	200	292	926	1,790	1,216	099	669	225	-	193
1,600	Red pine															
12,177	Sawtimber	1,600	;	;	!	;	1	1	;	160	361	247	309	296	227	1
3,611 7 131 82 132 132 132 132 132 132 132 132 132 132 132 132 133 82 132 133 82 132 134 1,185 662 2,525 2,700 1,762 1,762 1,185 626 2,525 2,700 1,762 <t< td=""><td>Poletimher</td><td>12,177</td><td>;</td><td>1</td><td></td><td></td><td>1</td><td>118</td><td>147</td><td>453</td><td>796</td><td>415</td><td>2 084</td><td>2 404</td><td>1 535</td><td>4 225</td></t<>	Poletimher	12,177	;	1			1	118	147	453	796	415	2 084	2 404	1 535	4 225
3,611 - </td <td>Sapling & seedling</td> <td>356</td> <td>4</td> <td>;</td> <td>;</td> <td>7</td> <td>•</td> <td>1</td> <td>1</td> <td>131</td> <td>82</td> <td>2 1</td> <td>132</td> <td></td> <td></td> <td>2 1</td>	Sapling & seedling	356	4	;	;	7	•	1	1	131	82	2 1	132			2 1
3,611 43 -43	All stands	14.133	Φ	:	:	7	:	118	147	744	1 239	662	2 525	2 700	1 762	4 225
3,611 -43 -43 -10 22 -20 470 402 1,063 1,185 223 1,528	White pine										20762		22067	200	10.61	226
1,288	Cartimber	3 611		43				22		203	070	402	1 063	1 185	223	
4.5 Correction 4.0 Cor	DO10+100	1 200		P	1			101	!	203	0/1	404	1000	1,103	669	
5,156 43 430 551 402 1,746 1,185 626 43 43 430 <t< td=""><td>rolecimoer</td><td>1,200</td><td>1</td><td>!</td><td>1</td><td>!</td><td>1 0</td><td>171</td><td>!</td><td>1 6</td><td>10</td><td>;</td><td>200</td><td>!</td><td>405</td><td>!</td></t<>	rolecimoer	1,200	1	!	1	!	1 0	171	!	1 6	10	;	200	!	405	!
5,156 43 430 551 402 1,746 1,185 626 356 43 94 145 -	Sapiing & seediing	/97	-	;	:	:	30	1	1	177	1	:	:	;	:	1
43 43 <td< td=""><td>All stands</td><td>5,156</td><td>1</td><td>43</td><td>*</td><td>:</td><td>30</td><td>143</td><td></td><td>430</td><td>551</td><td>402</td><td>1,746</td><td>1,185</td><td>929</td><td>•</td></td<>	All stands	5,156	1	43	*	:	30	143		430	551	402	1,746	1,185	929	•
43 43	Balsam fir															
355 -1 <t< td=""><td>Sawtimber</td><td>43</td><td>1</td><td></td><td>;</td><td>1</td><td>43</td><td>1</td><td>;</td><td>;</td><td>;</td><td>;</td><td>;</td><td>ł</td><td>;</td><td>1</td></t<>	Sawtimber	43	1		;	1	43	1	;	;	;	;	;	ł	;	1
355 14 94 145 <	Poletimber	1	;	;	;	;	1	1	;	i	;	;	:	!	;	!
398	Sapling & seedling	355	1	1	14	:	102	!	94	145	;	;	ł	;	i	!
10	All stands	398	:	;	14	:	145	1	94	145	:	:	:	:	;	;
10 10	White spruce															
10	Sawtimber	:	;	;	1	:	1	1	;	;	1	;	;	;	!	1
10 <td>Poletimber</td> <td>;</td> <td>;</td> <td>;</td> <td>;</td> <td>;</td> <td>;</td> <td>1</td> <td>!</td> <td>1</td> <td>;</td> <td>;</td> <td>;</td> <td>;</td> <td>1</td> <td>1</td>	Poletimber	;	;	;	;	;	;	1	!	1	;	;	;	;	1	1
10 10	Sapling & seedling	10	:	:	-	1	;	;	1	10	1	;	1	1	!	;
144 86 21 3 -3 -3 3 -3 37 37 37 37 37 37 37 37 37 37 37	All stands	10	1	1	1	;	1	:	:	10	:	:	:	1	1	;
144 86 21 3 37 144 86 21 3 37 33 33 37 569 885 33 33 140 3	Black spruce															
144 86 21 3 -3	Sawtimber	!	;	:	1	1	:	;	!	;	!	:	;	;	1	!
144 86 21 3 -3 37 144 86 21 3 37 569 47 61 140 3 283 140 3 885 140 3	Poletimber	;	1	;	;	;	;	;	!	!	1	;	;	!	!	!
33 <	Sapling & seedling	144	98	21	:	:	က	ကူ	!	1	;	1	37	1	1	:
33 47 61 140 569 47 61 140 283 283 33 140	All stands	144	98	21	:	:	က	۳-	:	:	;	:	37	1	!	:
33 33 <	Northern white-cedar															
569 47 61 140 283 283 283 140 885 33 33 61 140	Sawtimber	33	1	;	;	1	;	;	!	33	1	1	1	1	!	!
283 283 140 885 33 140	Poletimber	269	:	;	;	;	;	:	1	:	;	;	47	61	140	321
885 33 330 61 140	Sapling & seedling	283	:	:	:	;	:	:		-	1	:	283	1	-	1
	All stands	882	1	;	:	:	;	9	:	33	:	;	330	19	140	321

(Table 47 continued)

Forest type and	All						Basal	area clas	area class (square	a feet per	acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50		61-70	71-80	81-90	1	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	27	1	!	27		1	;	;	;	1	8	;	;	1	;
Poletimber	527	;		1	17	I.C	;		1	310	186	1	1	1	1
Sanling & seedling	102	~	7	:	1	57		43					;	1	1
D	222	,	-	7.0	17	63		42		210	105				
ALL SCANDS	000	2	1	/7	1	70		2		313	100	1 8	!	2 0	?
Oak-hickory				1	1		į		1		1		1		1
Sawtimber	10,428	!	1	-17	31	580	478	457	952	1,192	756	2,836	2,581	367	215
Poletimber	13,113	1	!	;	107	27	1,285	380	1,919	1,930	1,465	1,901	3,054	941	104
Sapling & seedling	1,896	-143	139	325	106	325	464	480	140	41	19	1	;	!	;
All stands	25,437	-143	139	308	244	932	2,227	1,317	3,011	3,163	2,240	4,737	5,635	1,308	319
Flm-ach-coft manle															
Sawtimber	2,519		7	14	1	90	6	70	138	400	308	300	845	337	į
Poletimber	2 973	1	173	25	155	י מ מ מ מ	514	234	312	463	72	500	100	427	27
Sanling & seedling	1.628	=	73	2 2	180	275	611	242	196	7 1	J 1	22	001	/7+	1 1
All stands	7,120	=	243	57	335	312	1 122	555	646	872	380	851	OAK	764	7.0
M-1-1-1-1							-			3		4			1
Maple-birch	030 2			330		010	2 1 7	107	0.8.0		4 1 4	010	1 000	101	0
Sawtimber	000,7	1	8 8	007	1 ;	797	31/	107	344	1,42/	414	1,250	1,589	18/	213
Poletimoer	9,3/4	1 -	# POS	139	1/1	721	077	431	039	213	482	1,082	1,324	6/7	777
Saping & Seeding	3,435	7	284	/67	162	311	010	191	396	449	593	/4/	32	1	
All stands	15,859	17	584	672	422	715	1,147	729	1,379	2,089	1,159	2,406	3,045	1,060	435
Aspen			ļ												
Sawtimber	2,538	*	19	1 :	-13	-24	20	22	268	282	319	922	238	487	1 0
Poletimber	12,130	8 0	18	30	65	394	777	813	1,049	1,627	789	3,728	1,865	816	159
Sapinng & seedinng	4,425	109	520	280	561	1,460	169	///	6/	249	1	39	-	:	***
All stands	19,093	109	257	310	613	1,830	1,446	1,612	1,396	2,158	1,108	4,689	2,103	1,303	159
Paper birch															
Sawtimber	636	;	;	:	1	:	;	213	223	124	1	;	9/	1	1
Poletimber	1,927	1	1	7	1	105	105	26	386	121	171	99	784	164	!
Sapling & seedling_	1,553	20	185	242	113	258	511	1	1	185	1	39		1	;
All stands	4,116	20	185	242	113	363	616	239	609	430	171	104	860	164	:
Exotic															
Sawtimber	1	;	*	1	6	9	8 8	1	1	1	1	!	1	•	1
Poletimber	:	1	;	1	1	9	1 1	;	1	1 1	;	ŧ	!	1	1 1
Sapling & seedling	38	1	*	-	1	1	8	1	38	1	:	1	*	:	-
All stands	38	1	1	8 0	;	1	*	;	38	:	•	1	1	;	1
Nonstocked	101	17	49	2 4	-38	:	;	:	1		26	8 6	47	:	:
All types															
Sawtimber	29,314	1	26	280	47	946	1,021	925	2,375	4,330	2,542	6,914	7,025	2,422	428
Poletimber	54,203	8 7	191	214	643	720	3,555	2,514	5,279	6,701	4,144	10,584	9,702	4,705	5,251
Sapiing & Seediing Nonstocked	10,558	10/	1,239	1,28/	1,248	2,926	3,005	2,223	7/9.7	1,006	282	929	32	: :	; ;
All stands	100,176	124	1.538	1.781	1.900	4.592	7.581	5.662	10.231	12.037	6, 494	18,124	16.806	7,127	6 679
													2000		2 2 2 2

Table 48.--Net annual growth of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Central Unit, Wisconsin, 1982

(In thousand board feet) $\frac{1}{2}$

Second Series	Forest type and	LLA						Basal	area class	1	(square feet per	acre)				
Feedling 1,886 127 1,016 435 425 623 541 1,44 1,22	stand-size class	classes	0-10	11-20	21-30	31-40	41-50		61-70		81-90		101-120	121-150	151-180	181+
## Seedling 1,488 127 127 1,416 435 425 623 1,134 1,42 ## seedling 1,488 69 127 535 3,132 1,302 1,638 4,265 1,1695 2,66 ## seedling 1,125 21 69 127 535 3,132 1,302 1,638 4,265 1,695 2,66 ## seedling 1,125 21 69 127 535 3,132 1,302 1,638 4,265 1,695 2,66 ## seedling 1,125 21 85 600 1,052 2,194 5,938 2,55 ## seedling 1,125 123 135 130	Jack pine															
a seedling 9,856	Sawtimber	5,357	!	!	!	127	1	1,016	435	425	623	541	1,428	762	1	1
# seedling 1,488 69 127 367 371 302 1.695 2.655 1.695 1.	Poletimber	9,856	!	1	!	;	156	1,749	496	911	3,642	1,154	1,224	222	1	302
A seedling	Sapling & seedling	1,488	:	69		1	379	367	371	302	:	-	•	9	•	•
# seedling 13,891 600 600 600 600 600 600 600	All stands	16,701	;	69	1	127	535	3,132	1,302	1,638	4,265	1,695	2,652	984	-	302
Recalling 12,411	Red pine															
er diling 12,411 21 25	Sawtimber	13,891	;	1	;	1	;	;	;	299	2,036	5,938	1,791	2,148	1,311	;
8 seedling 1,125 21	Poletimber	12,411	:	;	;	;	;	;	009	1	;	!	290		251	6,229
Freeding 15,655 240 105	Sapling & seedling	1,125	21	1	!	82	!	1	1	385	158	1	476		1	1
Feedling 15,626 240 196 1,007 2,295 1,012 4,70 ands 15,626 240 196 1,007 2,425 1,012 4,31 ands 1,075 240 197 2	All stands	27,427	21	;	:	85	;	;	009	1,052	2,194	5,938	2,557	7,189	1,562	6,229
From 14,663 240 196 1,007 2,295 1,012 4,70 and seedling 1,030 240 10 1 133 157 110	White pine															
A seedling 1,030	Sawtimber	14,663	!	240	;	1	;	196	;	1,007	2,295	1,012	4,709	4,469	735	;
A seedling	Poletimber	1,030	!	1	1	!	;	133	!	:	127	!	103	;	199	;
ands 15,626 240 262 1,007 2,422 1,012 4,81 From the contract of the contract o	Sapling & seedling	-67	;	!	!	!	;	-67	!	;	1	1	1	1	;	1
# Seedling	All stands	15,626	:	240	:	1	:	262	1	1,007	2,422	1.012	4.812	4,469	1.402	:
A seedling 243 143 143 143 143	Balsam fir															
seedling 932	Sawtimber	143	!	;	;	;	143	:	;	;	:	;	1	;	1	;
seedling 932 23 660 28 221 seedling 23 803 28 221 seedling seedling ds seedling ds ds 1,083	Poletimber	•	;	!	;	!	1	;	ł	;	;	;	;	;	;	;
seedling	Sapling & seedling	932	1	;	23	:	099	;	28	221	:	;	;	;	•	;
seedling	All stands	1,075	1	;	23	:	803	:	28	221		;	1	1	:	:
seedling	White spruce															
seedling	Sawtimber	;	;	;	1	!	;	;	!	1	1	1	;	;	;	;
seedling	Poletimber	1	;	1	1	ł	;	1	;	;	;	1	;	;	1	;
seedling	Sapling & seedling		-	-	;	1	:	:	-	-	-	;	1	;	!	,
seedling	All stands	-	:	:	1	•	1	1	1	1	;	1	5	-	-	;
243 243	Black spruce															
243 243 1,083 243 8	Sawtimber	;	!	1	1	1	;	!	!	1	!	;	;	;	1	;
243 243 8840 243 8841 243 8840 243 8840 243 8840 -	Poletimber	1	1	1	1	1	;	;	;	;	!	;	1	;	1	;
243 243 840 243 8 1,083 243 8	Sapling & seedling	-	-	•	:	;	;	;	1	1	1	;	1	;	ŧ	:
243 243 8 840 8 1,083 243 8	All stands	:	ŧ	1	:	1	;	;	;	;	:	:	1	1	1	;
Seedling 243 243 8 seedling 243 8 ands 1,083 243 8	Northern white-cedar															
seedling 8 seedling 8 seedling 243 8	Sawtimber	243	!	1	ļ	1	;	;	;	243	1	1	!	1 2	1	;
1,083 243 8	Poletimber	840	!	1	1	;	;	1	1	1	!	1	81	44	173	542
1,083 243 8	Sapling & seedling	:	1	!	1	1	;	1	1	:	1	-	1	-	1	-
	All stands	1,083	1	1	1	;	;	1	1	243	1	1	81	44	173	542
	1/												(T	able 48 co	(Table 48 continued on next page)	next page)

1/International 44-inch rule.

(Table 48 continued)

Forest type and	Δ											-			
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack	130			130		1		1	1		1		;	;	1
Sawtilliber Dolatilliber	465	! !	1	2 1	1	; ;	;	1	:	135	330	:	8 9	1	
Sapling & seedling	240	11	1	1	1	229	1	1	:	;	:	;	;	1	
All stands	835	11	1	130	-	229	1	1	1	135	330	*	:	•	:
Oak-hickory												,			
Sawtimber	54,773	ŀ	-	-74	786	2,258	2,337	3,239	5,828	5,519	4,286	16,676	11,843	1,501	574
Poletimber	26,295	1 5	1 0	1 51	261	35	3,334	981	3,078	3,652	2,496	4,239	7,042	1,099	/8
Saping & seeding	0000	-24	447	11061	1,/00	101	70067	/30	14/	010	- 1	1 000	10000	000	1 0
All stands	89,754	-94	244	1,537	2,747	2,724	8,553	4,970	9,64/	9,486	6,888	20,915	18,885	2,600	759
Elm-ash-soft maple	12 624		14	25	1	805	69	402	1 133	1 629	1 136	1.621	3, 911	1,951	;
Dolotimber	3 802		10	35	132	387	384	248	276	1.470	65	1,049	161	153	219
Sapling & seedling	3,395	9	1,115	33	198	16	186	163	742	1	3 1	936	1	3 1	1
All stands	19,821	9	1,064	90	330	434	632	813	2,151	3,099	1,201	3,606	4,072	2,104	219
Maple-birch							,	,							
Sawtimber	33,243	1	!	478	1 0	938	823	286	2,328	6,405	2,511	6,292	8,979	2,900	1,303
Poletimber Sanling & seedling	11,962	64	. 568	303	517	90	299 200 200 200 200 200 200 200 200 200	/40 85	1,880	1,551	353 169	1,508	3,034	n :	500
All of and	50 270	100	000	1 251	070	1 000	- 1	1 167	A FOR	2 E07	3 233	2 541	12 774	2 050	1 802
Ail stands	20,3/0	04	200	107,1	0/0	1,902	1,900	1,10/	4,303	0,307	3,233	0,041	16,1/4	00667	1,092
Aspen Sawtimber	13,152	;	79	;	563	278	308	370	1,104	1.850	1,223	4.215	1.563	1,599	1
Poletimber	18,069	:	2	56	744	373	823	1.124	1,153	4,350	739	5,427	2,451	628	228
Sapling & seedling	5,252	153	1,154	215	703	1,222	438	978	1	369	1	20	1		
All stands	36,473	153	1,233	244	2,010	1,873	1,569	2,472	2,257	6,569	1,962	9,662	4,014	2,227	228
Paper birch									,				4		
Sawtimber	1,918	i	:	1	1	1 1	1 5	863	120	244	1 0	1 0	1691		:
Poletimber	5,150	121	1 0	1 2	36	2 1	105	10=	48/	1,554	87	813	1,813	326	1
Saping & Seeding	939	121	242	1/	67	1	467		:	000	:				
All stands	8,007	131	-43	77	25	186	399	805	617	2,148	87	813	2,504	326	:
EXOTIC															
Sawtimber	1	*	1	:	;	;	*	!	ł	!	1	:	•	;	1
Poletimber	1	i	:	1	:	1	1	g q	:	!	!	!	!	:	1
Saping & Seedling	•	:	•	•	;				1	;	;	:	1	•	:
All stands	:	:	1	;	1 5	:	:	:		1	-	1	:	1	-
Nonstocked	13	100	52	!	-130	1	1	:	1	1	6-	1	1	1	;
All types Sawtimber	150,137	;	268	559	1,476	4,422	4,742	5,595	12,855	20,601	16,647	36,732	34,366	766,6	1,877
Poletimber	89,880	100	2 107	364	1,490	342	7,123	4,184	7,795	16,481	5,365	14,794	20,408	3,347	8,187
Nonstocked	13	100	5,107	63463	3,220	7,006	4,000	6/643	00/67	1,742	6-	61162	101	! !	! !
A11 040 110	101	000		0 0	4000					1 1 1 1					

Table 49.--Timber removals from growing stock on commercial forest land by species group and county, Central Unit, Wisconsin, 1982 (In thousand cubic feet)

	110							County						
Species group	counties	Adams	Сніррема	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Softwoods														
Jack pine	4.740	1,147	86	196	565	792	851	34	98	432	258	1	127	166
Red nine	5,405	1,543	420	146	323	321	448	249	186	154	345	418	749	103
White pine	2,454	156	115	250	232	244	170	135	22	193	253	323	132	229
White spruce		;	;	9	;	;	;	;	;	;	;	;	;	;
Black spruce	37	;	;	2	;	1	;	31	;	;	;	1	;	4
Balsam fir	41	8	;	1	;	1	1	36	;	;	2	3		1
Hemlock	189	1	7	;	;	;	;	122	;	;	15	45	;	!
Tamarack	96	1	39	ł	;	;	į	2	2	;	52		;	;
Northern white-cedar	29	1	1	;	;	;	;	9	;	;	-	22	!	;
Other softwoods	;	;	1	;	;	1	;	:	:	;	1	;	1	1
Total	12,991	2,846	299	594	1,120	1,357	1,469	615	296	779	926	812	1,008	505
Hardwoods														
White oak	3,387	174	491	391	319	299	357	105	110	364	161	343	136	137
Select red oak	7,635	81	1,573	1,031	464	712	479	006	71	869	191	713	89	483
Other red oak	4,381	457	311	127	750	419	705	34	234	436	220	205	329	154
Hickory	111	;	2	-	1	6	e	17	;	27	7	51	;	1
Basswood	1,061	5	161	290	19	80	56	247	2	24	70	130	က	9/
Beech	17	1	1	1	;	;	*	;	;	;	;	17	:	;
Yellow birch	307	;	82	53	!	;	;	128	;	:	7	21	:	13
Hard maple	2,371	;	310	497	46	i	78	772	;	106	51	395	1	116
Soft maple	1,845	38	242	219	82	69	95	379	23	59	173	361	31	74
Elm	2,257	29	362	510	54	27	79	653	12	102	34	271	14	110
Ash	1,312	∞	327	119	47	15	36	453	7	41	29	158	21	51
Cottonwood	m		1	;	:	;	2	1	ţ	;	;	;	;	1
Balsam poplar	;	1	;	*	;	;	1	;	;	;	1	;	;	;
Bigtooth aspen	2,638	11	739	423	28	166	127	477	;	9	107	177	17	271
Quaking aspen	6,750	30	1,092	1,487	323	171	279	1,515	41	39	920	171	4	1,028
Paper birch	937	11	249	187	61	36	52	152	14	36	27	65	က	44
Black walnut 1,	1	i	;	;	;	1	;	- }	i	!	!	;	;	1
Other hardwoods 1	152	56	45	6	9	56	į	14	1	1	2	17	က	က
Total	35,164	871	5,989	5,344	2,229	1,957	2,318	5,846	514	2,169	1,643	3,095	629	2,560
All species	48,155	3,717	959,9	5,938	3,349	3,314	3,787	6,461	810	2,948	2,569	3,907	1,637	3,062

 $\frac{1}{2}$ Includes black cherry and butternut.

Table 50.--Timber removals from sawtimber on commercial forest land by species group and county, Central Unit, Wisconsin, 1982

(In thousand board feet) $\frac{1}{2}$

	A11							County						
Species group	counties	Adams	Сһіррема	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Softwoods														
Jack nine	6.070	1,333	105	240	691	1.031	1,169	114	107	582	321	;	156	221
Red pine	8,634	1,192	804	402	:	724	897	556	;	473	792	830	1.577	387
White pine	11,064	524	635	1,368	1,220	1,256	573	627	86	1,011	985	1,533	398	851
White spruce	1	;	1	1	;	1	;	*	9	•	;	1	1	1
Black spruce	1	1	1	;	1	1	1	1	1	1		1	;	1
Balsam fir	99	1	1	;		1	;	63	;	;	1	2	8	3 8
Hemlock	850	ì	1	1	;	1	;	535	8	;	99	249	;	;
Tamarack	06	1	1	1	1	1	1	4	က	1	81	2		*
Northern white-cedar	123	1	!	1	;	;	1	27	;	1	4	92	1	1
Other softwoods	;	1	1	1	;	1	;		;	1	1	1	•	1
Total	26,899	3,049	1,544	2,010	1,911	3,011	2,639	1,926	196	2,066	2,246	2,711	2,131	1,459
Hardwoods														
White oak	13,363	505	2,118	1,476	1,289	1,142	1,282	348	380	1,681	482	1,609	999	485
Select red oak	33,359	374	6,872	4,312	2,362	3,065	1,961	3,435	217	4,378	754	3,510	195	1,924
Other red oak	15,930	1,304	1,447	307	2,582	1,419	2,670	196	872	1,630	956	641	1,385	551
Hickory	420	1	13	00	1	43	21	51	ř	127	7	150	1	;
Basswood	4,366	22	688	891	95	1	122	1,191	10	117	326	621	21	262
Beech	80	1	1	1 1	:	1	î î	1	;	1	;	80	1	1 1
Yellow birch	664	1 2	131	1	1	!	1	424	1	;	1	19	;	42
Hard maple	9,249	:	932	1,845	186	1	286	3,155	;	482	167	1,780	1	416
Soft maple	6,153	82	778	867	299	154	319	1,325	99	184	208	1,457	151	263
Elm	6,275	99	964	735	193	20	271	2,155	32	373	79	1,032	63	262
Ash	3,879	29	538	441	5 1	44	121	1,550	30	141	82	612	102	186
Cottonwood	18	5	!	1	!	1	13	-	1	†	1 1	;	1	1
Balsam poplar	1	1	1	;	1	ŀ	1	1	1	1	1	;	1	;
Bigtooth aspen	096*6	28	3,369	1,122	253	672	353	1,543	1	291	547	966	98	700
Quaking aspen	16,082	11	2,062	4,113	824	347	970	3,761	103	38	993	51	∞	2,735
Paper birch	1,314	;	371	108	74	99	74	238	1	69	37	197	19	7.1
Black walnut 2/	1	}	1	;	;	;	1	;	:	1	1	ţ	1	1
Other hardwoods=/	375	59	71	31	24	22	-	55	-	3	10	72	12	16
Total	121,487	2,551	20,354	16,256	8,181	7,014	8,463	19,427	1,710	9,514	4,621	12,875	2,608	7,913
All species	148,386	5,600	21,898	18,266	10,092	10,025	11,102	21,353	1,906	11,580	6,867	15,586	4,739	9,372

 $\frac{1}{2}/\ln t$ ernational 1/4-inch rule. $\frac{2}{2}/\ln t$ Includes black cherry and butternut.

Table 51.--Growing-stock average annual removals on commercial forest land by species group and county, Central Unit, Wisconsin, 1967-1983 (In thousand cubic feet per year)

				Name and Address of the Owner, where the Owner, which is the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner	Management of College Spirits and College Spir			Managed or Street and other Street	The state of the s					-
Species group	counties	Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Softwoods														
Jack pine	3,049	976	l l	229	301	269	450	29	1	329	1	;	;	જ
Red pine	1,086	81	89	1	:	ţ		437	292	-	175	1	;	8
White pine	1,514	;	1	;	;	1	*	175	460	2	411	265	106	97
White spruce	ł	1	1	;	:	1	;	1	;	;	;	;	;	i
Black spruce	1	*	•		*	:	1	;	i	}	;	1	;	i
Balsam fir	63	1	;	;	;	1	;	63	ì	;	;	;	;	i
Hemlock	185	1	1	ļ	1	;	;	185	ł	ţ	ļ	;	;	i
Tamarack	43	9	43	!	;	;	1	1	;	;	;	;	;	i
Factorn rodcodar		1		1	1	,	;		;	1	1	1	1	
Nonthon Shitto Color											}	}	;	1
Other softwoods	1 1	; ;	; ;	: :	: :	; ;	; ;	; ;	; ;	: :	! ;	: :	; ;	
Total	5,940	1,057	111	229	301	269	450	889	752	329	586	265	106	168
Hardwoods														
White oak	949	122	1	417	116	;	;	;	ţ	59	54	134	1 1	7
Select red oak	2,108	1	361	375	361	94	1	113	1	383	1	294	1	12
Other red oak	1,270	537	;	1	91	42	354	;	1	1	81	1	64	101
Select hickory	;	ļ	;	;	1	t y	1	;	;	!	;	1	1	1
Other hickory	44	1	ě	9 2	;	;	1	44	;	;	;	;	;	'
Basswood	1,164	1	449	148	1	1	1	290	;	;	;	;	;	277
Beech	1	;	;	;	1	;	;	;	;	;	;	;	1	i
Yellow birch	998	1	36	!	;	;	!	879	;	;	1	51	;	10]
Hard maple	1,382	1	95	197	;	;	;	889	!	;	ţ	284	;	118
Soft maple	1,240	1	142	55	1	29	1	260	;	31	249	341	;	13
Elm	4,274	1	159	832	;	1	;	2,365	1	3	24	909	;	388
Black ash	524	;	372	42	1	;	1	1	33	1	1	*	;	7
White & green ash	9/9	;	52	1	;	;	î	391	;	1	29	;	;	104
Cottonwood		;	;	1	1	1	i i	1	;	;	}	1	;	i
Willow	1	1	1	;	1	;	1	1	;	;	1	;	1	i
Hackberry	!	;	ì	;	;	;	1	;	;	9	1	1	1	1
Balsam poplar	!	1	;	1	;		;	1	;	;	1	1	1,	i
Bigtooth aspen	1,047	53	150	9	81	09	83	136	1	129	1	73	1	217
Quaking aspen	6,799	136	1,808	1,398	229	32	53	1,815	8 8	;	316	;	1	1.012
Paper birch	696	1	1	137	1	;	;	661	;	;	;	;	;	171
River birch	30	1	1	†	;	30	į	;	1	;	1	;	1 1	1
Black cherry	1	î	1	1	1	ŧ	1	;	;	;	1	;	ì	i
Black walnut	1	1	!	!	;	;	;	ŧ	!	1	1	}	;	i
Butternut	1	1	1	1 1	;	:	1	;	!	;	;	;	;	i
Other hardwoods		1		1	1	1	1	1	Ť	;	1	;	8 8	i
Total	23,242	848	3,624	3,666	878	287	490	7,441	33	572	753	1.683	64	2,903
										1		00061		1

Table 52.--Sawtimber average annual removals on commercial forest land by species group and county, Central Unit, Wisconsin, 1967-1983

(In thousand board feet per year) $^{1/}$

1, 2, 2, 984 1, 217 578 607 1, 235 1, 567 1, 567 1, 965 1, 462 511 1, 472 1, 575 1, 575 1, 472 1, 4		All							County						
6,392 2,984 2,984 389 1,217 578 607 1,235 3-5 1,566 1,462 511 eecedar		counties	Adams	Сһіррема	Clark	Eau Claire		Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Mood
Free Barbornes 1,535 1,217 578 607 1,235 1,567 1,462 511 Free Free Barbornes 1,535 1,217 578 607 1,235 1,644 2 511 Free Carbornes 1,535 1,243 1,217 578 607 1,235 1,644 2,566 1,567 2,317 1,462 511 Free Carbornes 1,5436 1,056 1,057 2,317 1,462 511 Free Carbornes 1,5436 1,056 1,057 2,317 1,462 511 Free Carbornes 1,5436 1,058 1,	Softwoods														
Frice 1,535	Jack pine	8,392	2.984	;	1.217	578	209	1.235	;	;	1.567	;	;	;	204
Trace 7/335	Red pine	1,243	-	389	;	•	;	:	315	:	:	352	;	,	187
Friceded Fig. 1978	White pine	7,535	;	1	1	;	;	:	471	2.566	;	1.965	1.462	511	260
Frededar 18 18 18 18 18 18 18 18 18 18 18 18 18	White spruce	1	;	;	1	1	;	1	;		*	1	1	; ;	;
Friededar Britan Brita	Black spruce	1	;	;	;	1	:	;	;	;	;	;	;	:	8
redecadar land 2,984 389 1,217 578 607 1,235 1,664 2,566 1,567 2,317 1,462 511	Balsam fir	8	;	;	;	;	;	;	;	;	;	;	1	;	
redecadar redecada redec	Homlock	878			1				979						
redcedar	Togget	5		}	}	!	}		0/0	1	;	•	;		8
Trefocedar	I amar ack	9 8		;	3 8	7	;	!	1	1	;	;	;	1	1
The following states and states are states as a state and states are states are states as a state and states are states are states as a state and states are states are states are states are states as a state and states are states a	Eastern redcedar	;	1	;	-	•	1	1	;	:	1	*	;	;	;
Pftwoods 18,048 2,984 389 1,217 578 607 1,235 1,664 2,566 1,567 2,317 1,462 511	Northern white-cedar	:	1	;	1	:	;	!	*	;	;	;	;	;	1
18,048 2,984 389 1,217 578 607 1,235 1,664 2,566 1,567 2,317 1,462 511 red oak 8,171 1,431 1,522 357 1,938 1,445	Other softwoods	:	1	1	1		:	1	;	1	1	;	;	1	:
red oak 8,171	Total	18,048	2,984	389	1,217	578	209	1,235	1,664	2,566	1,567	2,317	1,462	511	951
doak 8,171 379 2,112 6 657 1,555 1,938 1,945 1,946 1,9	Hardwoods														
d oak	White oak	3,972	379	;	2,112	1	1	:	:	;	155	299	657	1 2	370
ckory	Select red oak	8,171	;	1,431	1,522	357	460	1	555	1	1,938	1	1,445	2	463
kory 259 2,195 1,427 1,427 1,427 1,428 1,427 1,427 1,428 1,438 1,4	Other red oak	4,386	1,085	1	1	449	175	1,651	;	1		409	;	150	467
roch 4,686 2,195 1,427 1,427 1,427 1,427 1,427 1,427 1,427 1,427 1,427 1,4285 1,4456 305 1,702 1,4285 1,4456 2,445 1,4456 2,445 1,4456 305 1,702 1,2485 1,4456 2,445 1,4456 2,445 1,4456 2,445 1,4456 2,445 1,4456 2,445 1,4456 2,445 2,4419 4,419 4,419 4,419 4,419 4,419 2,44	Select hickory	:	1	;	9 9	;	!	:	1	1	;	1	1	1 1	9
rch 4,686 2,195 1,427 2,650 2,442 2,138	Other hickory	259	1	;	!	;	;	1	259	;	!	1	;	;	!
reh 4,501	Basswood	4,686	;	2,195	;	;	;	1	1,427	1	1	1	;	;	1,064
rch 3,398 2,650 1,485 1,485 300 2,442 1,485 1,485 1,485 2,138	Beech	;	1	1	1	1	:	;		;	1	1	1	;	i
e 4,501 2,442 1,485 1,485 1,442 1,485 1,485 1,485 1,485	Yellow birch	3,398	1	;	1	1	1	1	2,650	1	;	;	248	;	200
Freen ash 2,754 744 2,138 2,13	Hard maple	4,501	1	;	300	;	:	1	2,442	H W	;	1	1,485	1	274
Treen ash 2,759 2,138	Soft maple	3,974	1	744	1	;	1	1	945	!	168	443	1,242	;	432
reen ash 2,759 236 2,030 164 164 174 1759 164 1759 -	Elm	14,456	1	305	1,702	!	!	1	9,285	1	1	!	2,138	ŀ	1,026
reen ash 2,759 2,030 164	Black ash	450	1	;	236	;	1	1	1	!	1	*	1	9	214
plar 3,807 251 704 315 374 4,699 639 680 -	White & green ash	2,759	1	;	}	;	!	1	2,030	1	;	164	1	1	565
pplar 3,807 251 704 315 374 639 639 680	Cottonwood	;	;	1	}	1	1	1	1	;	1	;	;	1	;
pplar aspen 3,807 251 704 315 374 639 639 691 331 680	Willow	:	•	;	1	;	;	1	;	1	;	1	;	;	1
aspen 3,807 251 704 315 374 639 591 331 889 880 800 800 800 800 800 800 800 800	Hackberry	;	1	;	1	1	1	1	;	:	1	1	;	1	;
aspen 3,807 251 704 315 374 639 639 591 331 ch 748 667 677 688 404 64,699 680 680 ch 748 67 67 680	Balsam poplar	;	1	;	!	Î	!	1	1	!	1	1	;	1	;
Spen 14,349 495 4,453 2,698 404 4,699 680 680 60	Bigtooth aspen	3,807	251	704	315	374	1	1	639	;	591	*	331	;	602
ch 748 467	Quaking aspen	14,349	495	4,453	2,698	404	1	l l	4,699	1	1	089	1	;	920
Try nut woods 69,916 2,210 9,832 9,352 1,584 635 1,651 24,931 2,852 1,995 7,546 150 87,964 5,194 10,221 10,569 2,162 1,242 2,886 26,595 2,566 4,419 4,312 9,008 661	Paper birch	748	;	;	467	1	1	1	1	ì	1	!	;	!	281
Mwoods 69,916 2,210 9,832 9,352 1,584 635 1,651 24,931 2,855 1,995 7,546 150 87,964 5,194 10,221 10,569 2,162 1,242 2,886 26,595 2,566 4,419 4,312 9,008 661	River birch	i	3	;	;	1	1	1	1	i i	;	1	1	;	;
dwoods	Black cherry	;	;	1	1	•	1	1 9	1	1	1	1 1	1	1	;
dwoods	Black walnut	:	!	1	1	;	1	1	1	1 1	;	1	1	3 9	;
dwoods 1,546 150 1,651 24,931 2,852 1,995 7,546 150 87,964 5,194 10,221 10,569 2,162 1,242 2,886 26,595 2,566 4,419 4,312 9,008 661	Butternut	;	1 2	!	1	;	1	1	1	1	1	1	1	;	;
69,916 2,210 9,832 9,352 1,584 635 1,651 24,931 2,852 1,995 7,546 150 87,964 5,194 10,221 10,569 2,162 1,242 2,886 26,595 2,566 4,419 4,312 9,008 661	Other hardwoods	1	1	;	;	;	1	1	;	1	1	1	1	!	1
87,964 5,194 10,221 10,569 2,162 1,242 2,886 26,595 2,566 4,419 4,312 9,008 661	Total	916,69	2,210	9,832	9,352	1,584	635	1,651	24,931	1	2,852	1,995	7,546	150	7,178
	All species	87,964	5,194	10,221	10,569	2,162	1.242	2.886	26,595	2,566	4.419	4.312	9.008	661	8.129

 $\frac{1}{2}$ International $\frac{1}{4}$ -inch rule.

Table 53.--Timber removals from growing stock and sawtimber on commercial forest land by species group, Central Unit, Wisconsin, 1967 and 1982

	Growin	g stock	Sawt	imber
Species group	1967	1982	1967	1982
	Thousand	cubic feet	Thousand b	pard feet 1/
Softwoods	mousuna	CUDIO ICCO	THOUSANG D	Jara rece
Jack pine	5,021	4,740	10,507	6,070
Red pine	448	5,405	1,294	8,634
White pine	925	2,454	4,564	11,064
White spruce	8		54	
Black spruce	23	37	51	
Balsam fir	52	41	137	68
Hemlock	232	189	1,108	850
Tamarack	64	96	108	90
Northern white-cedar	106	29	158	123
Other softwoods	1		1	
Total	6,880	12,991	17,982	26,899
Hardwoods				
White oak	2,426	3,387	6,870	13,363
Select red oak	8,950	7,635	32,179	33,359
Other red oak	3,310	4,381	9,188	15,930
Hickory	288	111	645	420
Basswood	1,304	1,061	5,048	4,366
Beech	15	17	60	80
Yellow birch	371	307	1,178	664
Hard maple	2,510	2,371	9,234	9,249
Soft maple	2,793	1,845	7,251	6,153
Elm	2,772	2,257	9,726	6,275
Ash	1,221	1,312	3,110	3,879
Cottonwood	43	3	243	18
Balsam poplar	3		21	
Bigtooth aspen	1,851	2,638	5,698	9,960
Quaking aspen	5,849	6,750	10,527	16,082
Paper birch	1,125	937	1,522	1,314
Black walnut	9		56	·
Other hardwoods ² /	225	152	1,176	375
Total	35,065	35,164	103,732	121,487
All species	41,945	48,155	121,714	148,386

 $[\]frac{1}{2}/\mathrm{International}$ ¼-inch rule. $\frac{2}{2}/\mathrm{Includes}$ black cherry and butternut.

Table 54.--Timber removals from growing stock and sawtimber on commercial forest land by item and species category, Central Unit, Wisconsin, 1982

			GLOWIL	Growing Stock					MPC	Sawtimber		
Item	All	Pine	Other softwoods	Aspen	Oak	Other	All	Pine	Other	Aspen	0ak	Other hardwoods
	1	1 1	- Thousand cubic feet-	bic feet-			1		Thousand board feet	ard feet 1/	1	
Roundwood products												
Pul pwood2/	20,333	9,605	180	5,689	2,653	2,206	37,654	14,264	291	13,266	6,218	3,615
Saw logs	16,095	1,983	160	1,874	8,064	4,014	83,980	10,208	779	9,462	42,969	20,562
Fuelwood	6,180	98	11	615	3,219	2,249	18,004	259	34	1,873	9,600	6,238
Posts	455	374	1	3	52	56	527	352	;	7	114	54
Veneer logs	188	1 1	1 1	co	77	108	1,195	8	8	20	499	9/9
Poles	m	-		-	2	!	16	-	co	1	13	1
Other Other	81	6 2	1 1	61	5	115	431	1	1	318	39	74
Total	43,335	12,048	352	8,245	14,072	8,618	141,807	25,083	1,107	24,946	59,452	31,219
Logging residue	2,692	311	10	482	1,255	634	5,768	533	24	437	3,200	1,574
Other removals	2,128	240	30	199	76	1,121	811	152	1	659	3	1
All removals	48,155	12,599	392	9,388	15,403	10,373	148,386	25,768	1,131	26,042	62,652	32,793

 $\frac{1}{2}/\mathrm{International}$ $\frac{1}{4}-\mathrm{inch}$ rule. $\frac{2}{2}/\mathrm{Includes}$ particleboard and waferboard bolts.

Table 55.——Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, Central Unit, Wisconsin, 1967 and 1982

(In thousand cubic feet)

Species	$1967\frac{1}{2}$	1982
Softwoods	1,500	2,868
Hardwoods	13,700	21,298
Total	15,200	24,166

 $\frac{1}{2}$ Figures have been adjusted from those published after the 1968 survey to conform to 1982 volumes because of changes in survey procedures.

Table 56.--Annual mortality of growing stock on commercial forest land by species group and cause,

Central Unit, Wisconsin, 1982

(In thousand cubic feet)

					Cau	se		
Species group	All causes	Insects	Disease	Fire	Animals	Weather	Suppression	Unknown and other
Softwoods								
Jack pine	1,590	4	86	228	1	153	31	1,087
Red pine	10			10		155		1,007
White pine	310	12	47					251
White spruce	1							1
Black spruce	265	13				20		211
Balsam fir			2		1	38		211
Hemlock .	204		5		7	41		151
Tamarack	427		34			132	••	261
Eastern redcedar								
Northern white-cedar	52							52
Other softwoods	9			••	1			8
Total	2,868	29	174	238	10	364	31	2,022
Hardwoods								
White oak	515		10		4	17	2	482
Select red oak	1,411		122			107	15	1,167
Other red oak	1,466	1	197		1	132	ì	1,134
Select hickory	1		1					
Other hickory	28					15		13
Basswood	374		1			18		355
Beech	13		7					6
Yellow birch	259		3					256
	330		11				16	292
Hard maple			90	45	3	8		880
Soft maple	1,047	1		45	4	20	7	
Elm	4,193	200	1,061		6			2,926
Black ash	219					27		192
White & green ash	95		1			21	'	73
Cottonwood	7				3		••	4
Willow	82					33		49
Hackberry								
Balsam poplar	15							15
Bigtooth aspen	2,105	7	258	27		37		1,776
Quaking aspen	7,945		1,412	59	14	560	52	5,848
Paper birch	817		190	11		12		604
River birch	139		41			-		98
Black cherry	155		91			13		51
Black walnut								
Butternut	59							59
Other hardwoods	23		2				**	21
Total	21,298	209	3,498	142	35	1,020	93	16,301
All species	24,166	238	3,672	380	45	1,384	124	18,323

Table 57.--Annual mortality of sawtimber on commercial forest land by species group and cause, Central Unit, Wisconsin, 1982

(In thousand board feet) $\frac{1}{}$

		Affindantial community design			Cau	ise		
	A11							Unknown
Species group	causes	Insects	Disease	Fire	Animals	Weather	Suppression	and other
Softwoods								
Jack pine	3,292	5	162	254		560	6	2,305
Red pine		mp 00						
White pine	1,316	11	278			40 10	2	1,025
White spruce					40.40	mp etc		
Black spruce					900 etc		mm ent	
Balsam fir	189		3			an 400	40.00	186
Hemlock	665	00.00	10		24	150		481
Tamarack	416	40 00				238		178
Eastern redcedar								
Northern white-cedar	36	5			5	5		21
Other softwoods	4							4
Total	5,918	21	453	254	29	953	8	4,200
	3,910	- 21	433	234		955	0	4,200
Hardwoods White oak	992	en en	23		13	23		933
			463			491		
Select red oak	3,855							2,901
Other red oak	3,094		286	400 000		515		2,293
Select hickory	9		4					5
Other hickory	4							4
Basswood	888					86		802
Beech	31					+10 800		31
Yellow birch	439		9					430
Hard maple	971		32		4	9	76	850
Soft maple	1,445		140		10	11		1,284
Elm	13,587	510	11,618		28		no em	1,431
Black ash	175							175
White & green ash	163		6	40.00		66		91
Cottonwood	35			an 10	15			20
Willow	326	an 444				135		191
Hackberry								
Balsam poplar								
Bigtooth aspen	2,808	30	278			159		2,341
Quaking aspen	4,480		1,202			250		3,028
Paper birch	234		2			250		232
River birch	259							259
Black cherry	79							18
Black walnut					-0 -0	61		
	245						40 40	245
Butternut Other bandwoods	245							245
Other hardwoods	14		44.000		==	4 000	==	14
Total	34,133	540	14,063		70	1,806	76	17,578
All species	40,051	561	14,516	254	99	2,759	84	21,778

 $[\]frac{1}{I}$ International ¼4-inch rule.

Table 58.--Annual mortality of growing stock and sawtimber on commercial forest land by county and softwoods and hardwoods, Central Unit, Wisconsin, 1982

		Growing stoo	k		Sawtimber	
	A11			A11		
County	species	Softwoods	Hardwoods	 species	Softwoods	Hardwoods
	<u>T</u>	housand cubic	feet	The	ousand board	feet <u>¹/</u>
Adams	1,089	350	739	1,966	916	1,050
Chippewa	2,028	117	1,911	3,543	253	3,290
Clark	3,238	66	3,172	4,104	341	3,763
Eau Claire	1,273	87	1,186	1,593	96	1,497
Jackson	2,501	372	2,129	3,520	641	2,879
Juneau	1,991	440	1,551	3,667	901	2,766
Marathon	4,049	315	3,734	7,515	544	6,971
Marquette	316	77	239	768	26	742
Monroe	1,409	248	1,161	3,214	680	2,534
Portage	1,468	156	1,312	2,144	242	1,902
Waupaca	2,163	299	1,864	5,022	601	4,421
Waushara	725	212	513	938	395	543
Wood	1,916	129	1,787	 2,057	282	1,775
All counties	24,166	2,868	21,298	40,051	5,918	34,133

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

Table 59,--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Central Unit, Wisconsin, 1982

		Growing stoc	k		Sawtimber	
Ownership class	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
	<u>T</u> I	nousand cubic	feet	The	ousand board f	eet 1/
National Forest		en 10	**			
Miscellaneous federal	644	168	476	928	473	455
State	576	153	423	701	446	255
County and municipal	3,784	299	3,485	2,492	362	2,130
Indian	27		27		**	
Forest industry	1,303	125	1,178	1,874	251	1,623
Farmer	8,399	1,010	7,389	17,752	1,697	16,055
Misc. private-corp.	1,020	90	930	1,378	83	1,295
Misc. private-indiv.	8,413	1,023	7,390	14,926	2,606	12,320
All owners	.24,166	2,868	21,298	40,051	5,918	34,133

 $[\]frac{1}{1}$ International $\frac{1}{4}$ -inch rule.

Table 60.--Output of timber products by product, softwoods and hardwoods, and source of material, Central Unit, Wisconsin, 1981

	Standard				Roundwood products	products			
Product	units	T	Total	Growing	ng stock	Non-grow	Non-growing stock	Plant	Plant byproducts
		No. of	Thousand	No. of	Thousand	No. of	Thousand	No. of	Thousand
Pulpuscal/		units	cubic feet	units	cubic feet	units	cubic feet	units	cubic feet
Softwoods	Standard ² / cords	159,290	12,559 16,531	124,110	9,785 10,548	29,097	2,294	6,083	480
Total		368,652	29,090	257,720	20,333	57,154	4,509	53,778	4,248
Saw logs Softwoods Hardwoods	Thousand 3/	13,224	2,253	12,578	2,143	646	110	: :	1 1
Total		98,738	17,202	92,389	16,095	6,349	1,107	8 8	2 1
Veneer logs Softwoods	Thousand 3/	1 278	-100	- C	1 00	10	1 =		*
Total		1.278	202	1,189	188	68	14	:	1
Fuelwood Softwoods Hardwoods	Standard ² / cords	15,532 521,803	1,081	1,398	97	8,314	577	5,820	407
Total		537,335	37,587	88,350	6,180	404,923	28,323	44,062	3,084
Posts Softwoods	Thousand	412	424	363	374	49	99	;	1
Hardwoods	pieces	132	131	82	81	20	50		**
Total		544	555	445	455	66	100		1
Poles Softwoods Hardwoods	Pieces	100	~~ C	100	r→ C	1 1	: :	1	1
Total		450	3 60	450	1 m	1	5	8	
Other-/									
Softwoods	Thousand cubic feet	1,896	409 1,896	150	1 50	1 1	1 1	1.815	409 1 815
Total		2,305	2,305	81	81	8 6	9	2,224	2,224
All products Softwoods	Thousand	;	16,727	1	12,400	8	3,031	0 0	1,296
Hardwoods	cubic feet		70,217		30,935	8 1	31,022	•	8,260
Total			86.944		43,335	9 2	34 053	1	0 546

 $\frac{1}{2}$ /Includes roundwood and plant byproducts used for particleboard and waferboard. $\frac{2}{2}$ /128 cubic feet; includes wood, bark, and air space.

 $\frac{3}{4}$ International $\frac{1}{4}$ -inch rule. $\frac{4}{4}$ Other (industrial production) includes cabin logs, charcoal wood, shingle bolts, pilings, etc.

Table 61.--Output of roundwood products by product, softwoods and hardwoods, and source of material, Central Unit, Wisconsin, 1981

(In thousand cubic feet)

Species group Industrial products Saw logs Softwoods Hardwoods Subtotal Veneer logs and bolts Softwoods Hardwoods Hardwoods Hardwoods Subtotal Cooperage Softwoods Hardwoods Antwoods Hardwoods Softwoods Hardwoods				כונים	DIA GENOV	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	מבועו
oduci	Sources	Total	Sawtimber	Poletimber	rotten trees	dead trees	sonuces
total total 10gs and 10gs and 10gs and 11/ 11/ 12/ 12/ 12/ 12/ 12/ 12/ 12/ 12/							
total logs and logs and logs and logs lods total total bods cotal cotal cotal	2,253	2,143	2,033	110	220	31 550	79
logs and cods cods cods cods cods cods cods cod	17,202	16,095	14,732	1,363	220	581	306
Aurdwoods Subtotal Softwoods Aurdwoods Subtotal Cooperage Softwoods Hardwoods Aurdwoods Hardwoods Aurdwoods Softwoods Hardwoods Softwoods Hardwoods Aurdwoods Aurdwoods Aurdwoods Aurdwoods Hardwoods Aurdwoods Aurdwoods Aurdwoods Aurdwoods Aurdwoods Aurdwoods Aurdwoods					1		
Subtotal Pulpwood1/ Softwoods Hardwoods Subtotal Cooperage Softwoods Hardwoods Hardwoods Astotal Piling Softwoods Hardwoods Softwoods Hardwoods Softwoods Hardwoods Hardwoods Softwoods Hardwoods Hardwoods Androwoods Androwoods Hardwoods	202	188	188	! !	14	: ;	; ;
Pulpwood <u>1</u> / Softwoods Hardwoods Subtotal Cooperage Softwoods Hardwoods Piling Softwoods Hardwoods Softwoods Poles Subtotal Poles Subtotal Poles Andwoods Hardwoods Hardwoods Andwoods Andwoods Andwoods Andwoods	202	188	188	1	14	:	1
Softwoods Hardwoods Subtotal Cooperage Softwoods Hardwoods Piling Softwoods Hardwoods Abototal Poles Subtotal Poles Hardwoods Hardwoods Abototal Poles Hardwoods Abototal							
Subtotal Cooperage Softwoods Hardwoods Subtotal Piling Softwoods Hardwoods Softwoods Ardwoods Ardwoods Hardwoods Ardwoods	12,079	9,785	4,229 6,084	5,556 4,464	247	860 424	1,187
Cooperage Softwoods Hardwoods Subtotal Piling Softwoods Hardwoods Subtotal Poles Softwoods Hardwoods Hardwoods	24,842	20,333	10,313	10,020	1,310	1,284	1,915
Authwoods Bubtotal Subtotal Softwoods Hardwoods Softwoods Softwoods Hardwoods Authwoods Hardwoods							
Subtotal Subtotal Softwoods Hardwoods Subtotal Poles Softwoods Hardwoods	i rc	LC	i ro	; ;	; ;	: :	; ;
Piling Softwoods Hardwoods Subtotal Poles Softwoods Hardwoods	ıc	5	ıc			:	;
Softwoods Hardwoods Subtotal Poles Softwoods Hardwoods							
Hardwoods Subtotal Poles Softwoods Hardwoods	:	;	:	;	:	:	1
Subtotal Poles Softwoods Hardwoods	-		1	-	•	;	1
Poles Softwoods Hardwoods	:	:	;	:	:	:	-
Hardwoods	-	-	-	;	;	ì	;
	2	5	2	;	;	:	;
	က	e	3	;	;	1	1
Posts (Round and split)		97.6	001	910	u		9 9
Hardwoods	131	3/4 81	34	4/7	25	1 1	25
Subtotal	555	455	134	321	31		69
Other							
Hardwoods	9/	92	1 50	1 2		1 1	: ;
Subtotal	9/	9/	35.5	21		;	1
All industrial products							
Softwoods	14,757	12,303	6,363	5,940	253	891	1,310
Hardwoods	20,120	769,47	19,00/	5,785	1,322	9/4	980
Total	42,885	37,155	25,430	11,725	1,575	1,865	2,290
Fuelwood	7.23	0.7	91	7	53	220	000
Hardwoods	33,829	6,083	3,717	2,366	1,201	18,517	8,028
Total	34,503	6,180	3,773	2,407	1,222	18,845	8,256
All products							
Sortwoods Hardwoods	15,431	12,400 30,935	6,419	5,981 8,151	2,523	1,219 19,491	1,538 9,008
Total	77,388	43,335	29,203	14,132	2,797	20,710	10,546

Table 62.--Timber products from roundwood by species group and product, Central Unit, Wisconsin, 1981

Species group	All products	Pulc	wood <u>1</u> /	Saw 1	ogs	Veneer	logs
	Thousand	Standard	Thousand	Thousand	Thousand	Thousand	Thousand
	cubic feet	cords 2/	cubic feet	board feet 3/	cubic feet	board feet3/	cubic feet
Softwoods							
Jack pine	6,046	71,121	5,606	167	34		
Red pine	6,309	69,635	5,501	1,974	330		
White pine	2,621	9,487	749	10,053	1,706		
White spruce							
Black spruce	52	479	34	87	18		
Balsam fir	83	524	40	16	3		
Hemlock	213	1,043	79	790	134	w-w	
Tamarack	70	918	70				
Northern white-cedar	37			137	28		***
Other softwoods							
Total	15,431	153,207	12,079	13,224	2,253		100 100
Hardwoods							
White oak	6,785	11,725	926	9,815	1,719	8	1
Select red oak	14,976	19,972	1,578	24,455	4,285	328	53
Other red oak	8,591	11,460	905	14,032	2,458	188	30
Hickory	214	53	3	367	63		
Basswood	1,023	682	52	5,174	921	99	17
Beech	36	3	4/	203	36		
Yellow birch	816	2,745	215	497	86	147	21
Hard maple	3,670	7,837	619	7,277	1,214	142	24
Soft maple	3,191	7,150	566	4,941	881	122	20
Elm	6,931	7,847	619	4,481	797	178	27
Ash	2,372	3,441	273	2,547	454	12	1
Cottonwood	3			24	3		
Balsam poplar	2		~~	11	2		
Bigtooth aspen	3,025	22,362	1,766	3,056	532	6	1
Quaking aspen	7,742	57,220	4,518	7,820	1,363	15	2
Paper birch	2,113	8,985	709	570	96	33	5
Black walnut 5/	2			24	2		
Other hardwoods 5/	465	185	14	220	37		
Total	61,957	161,667	12,763	85,514	14,949	1,278	202
All species	77,388	314,874	24,842	98,738	17,202	1,278	202

(Table 62 continued on next page)

 $[\]frac{1}{2}/{\rm Includes}$ particleboard and waferboard bolts. $\frac{2}{128}$ cubic feet; includes wood, bark, and air space.

 $[\]frac{3}{4}$ /International 1/4-inch rule. -/Less than 500 cubic feet.

 $[\]frac{5}{I}$ ncludes butternut and black cherry.

Species group	Fue	lwood	Pos	sts	Po	les	Other products
	Standard	Thousand	Thousand	Thousand	Pieces	Thousand	Thousand
	cords 2/	cubic feet	pieces	cubic feet		cubic feet	cubic feet
Softwoods							
Jack pine	5,852	406				.=-	
Red pine	787	54	412	424			
White pine	2,380	166					
White spruce							
Black spruce			an 490				
Balsam fir	582	40					
Hemlock							
Tamarack							
Northern white-cedar	111	8			100	1	
Other softwoods							
Total	9,712	674	412	424	100	1	
Hardwoods							
White oak	57,983	4,058	77	75	150	1	5
Select red oak	129,366	9,053	5	6	127	1	
Other red oak	74,231	5,195	3	3	73	4/	
Hickóry	2,137	148				4/	
Basswood	475	33					
Beech							
Yellow birch	7,085	494					
Hard maple	25,960	1,813					
Soft maple	24,523	1,716					8
Elm .	78,460	5,488					
Ash	23,485	1,644					
Cottonwood							
Balsam poplar							
Bigtooth aspen	10,122	708	1	1			17
Quaking aspen	25,901	1,811	4	4			44
Paper birch	18,553	1,300					3
Black walnut							
Other hardwoods 5/	5,280	368	42	42			4
Total	483,561	33,829	132	131	350	2	81
All species	493,273	34,503	544	555	450	3	81

 $[\]frac{2}{128}$ cubic feet; includes wood, bark, and air space.

Table 63.--Volume of primary plant residue by use and type of residue, Central Unit, Wisconsin, 1981

(In thousand cubic feet)

			Wood re	sidue				
	To	tal	Coa	rse1/	Fi	ne ² /	Ba	rk <u>3</u> /
Use	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods
Fiber products $\frac{4}{}$	312.3	2,755.4	277.0	2,408.0	35.3	347.4		
Charcoal	0.9	20.7			0.9	20.7		
Industrial fuel	99.7	999.9	70.4	317.4	29.3	682.5	114.1	1,482.3
Domestic fuel	307.7	1,677.0	306.4	1,589.0	1.3	88.0	144.2	646.5
Miscellaneous <u>5</u> /	408.2	1,794.1	72.7	255.4	335.5	1,538.7	175.7	789.8
Not used $\frac{6}{}$	31.8	241.6	6.7	92.2	25.1	149.4	32.4	164.5
otal	1,160.6	7,488.7	733.2	4,662.0	427.4	2,826.7	466.4	3,083.1

 $[\]frac{1}{2}$ Suitable for chipping such as slabs, edgings, veneer cores, etc.

 $[\]frac{4}{\text{Less}}$ than 500 cubic feet.

 $[\]frac{5}{I}$ Includes butternut and black cherry.

 $[\]frac{2}{N}$ Not suitable for chipping such as sawdust, veneer clippings, etc.

 $[\]frac{3}{2}$ Does not include bark disposal at pulpmills.

 $[\]frac{4}{7}$ For manufacture of pulp, hardboard, or roofing felt.

 $[\]frac{5}{L}$ Livestock bedding, mulch, small dimension, and specialty items.

 $[\]frac{6}{I}$ Includes residue burned as waste.

Table 64.--All live tree biomass on commercial forest land by species group and forest type, Central Unit, Wisconsin, 1983

tons)	
green	
ur)	

(Table 64 continued)

Species group		ادن	1 1			Dogod		
Cofficion	Tamarack	nak- hickorv	Elm-ash- soft maple	Maple- birch	Aspen	Paper birch	Exotics	Nonstocked
/								
Jack nine	1	2,615,569	51.498	308,259	910.627	87.542	;	10.946
Red nine		260 184	14 647	137,650	109 877	82 468	15 937	
White pipe	30, 777	1.270.574	440.334	1,429,243	322, 733	178,406	100	11.141
White Spruce			6.387	13,921			3,638	1
Black spruce	10.036	;	11,689	11,623	64.238	;		;
Balsam fir	:	83.802	185,644	338,974	909, 606	48,519	;	;
Hemlock	1	6,968	177,410	1,267,803	18,970	10,577	;	;
Tamarack	954,376	1,496	203,529	5,238	28,158	70,713		17,091
Eastern redcedar	;	25,949	:	:	1,977	;	;	:
Northern white-cedar	7,307	6,488	240,299	138,748	1	49,746	;	1
Other softwoods	!	30,407	;	1	;	;	72,077	;
Total	1,002,496	4,301,437	1,331,437	3,651,459	1,524,186	527,971	91,652	39,178
Hardwoods								
White oak	;	10,659,300	539,853	1,309,472	861,695	395,859	1	179,217
Select red oak	1	16,771,361	601,584	3,363,449	1,798,938	386,869	1	8,552
Other red oak	1	25,397,222	405,312	961,253	2,116,174	110,483	;	416,807
Select hickory	;	398,440	15,231	10,262	5,543	88,546	;	8,445
Other hickory	:	339,377	:	526,275	47,035	1	!	;
Basswood	1	401,512	571,518	2,631,765	195,965	32,596	;	106,764
Beech	1	:	1	64,971	1	;	;	:
Yellow birch	4,938	67,981	417,873	1,699,152	29,054	28,881	1	;
Hard maple	1	806,112	63,469	7,125,946	194,502	135,730	1	;
Soft maple	55,228	3,753,143	5,806,100	6,641,548	3,965,620	426,908	;	25,572
Elm	29,949	353,352	901,551	1,593,619	265,970	128,207	;	79,583
Black ash	17,885	179,562	2,584,485	499,360	326,801	120,979	!	31,880
White & green ash	;	338,122	578,837	1,249,076	116,039	53,280	;	;
Cottonwood	:	89,859	18,931	12,200	11,108	11,130	!	;
Willow	:	1	90,164	21,159	61,005	9,941	;	;
Hackberry	:	1	:	539	:	1	;	1
Balsam poplar	1	:	;	:	;	*	;	;
Bigtooth aspen	22,575	2,446,946	7,575	863,844	3,641,272	195,315	:	;
Quaking aspen	34,596	1,801,631	827,123	1,887,323	12,428,725	664,837	;	95,042
Paper birch	23,873	1,664,340	583,163	1,253,082	2,315,386	2,623,293	;	18,424
River birch	•	40,082	194,178	;	;	;	!	;
Black cherry	1	971,285	274,574	490,079	370,356	52,740	1	4,427
Black walnut	1	23,681	;	10,885	;	;	;	
Butternut	:	163,112	i	159,996	14,007	15,536	ŀ	11,493
Other hardwoods	:	72,985	307,680	40,175	20,026	:	;	1
Noncommercial species	1	324,517	117,172	755,560	275,198	41,386	1	:
Total	189,044	67,063,922	14,906,373	33,170,990	29,060,419	5,522,516	-	986,206
All species	1,191,540	71,365,359	16,237,810	36,822,449	30,584,605	6,050,487	91,652	1,025,384

Table 65.--All live tree biomass by species group and tree biomass component, Central Unit, Wisconsin, 1983

(In green tons)

		Biomass component					
		All live	Growing stock		Cul1		
	A11	1- to 5-inch		Tops and		Tops and	
Species group	components	trees	Boles	limbs	Boles	limbs	
Softwoods							
Jack pine	11,587,009	1,982,679	6,081,618	2,590,866	672,134	259,712	
Red pine	10,432,071	1,273,115	6,304,958	2,711,601	104,116	38,281	
White pine	7,361,201	737,781	4,184,850	1,796,349	450,001	192,220	
White spruce	196,230	167,568	20,310	8,352	400,001	272,220	
Black spruce	329,812	212,764	82,811	34,237			
Balsam fir	1,215,088	489,853	472,136	193,610	41,814	17,67	
	1,543,854				147,061		
Hemlock		50,486	904,213	379,748		62,346	
Tamarack	1,419,348	323,892	738,559	310,526	32,613	13,758	
Eastern redcedar	33,574	13,702	7,660	3,152	6,409	2,65	
Northern white-cedar	1,546,090	586,164	591,444	240,062	93,895	34,52	
Other softwoods	239,930	81,521	74,595	30,919	41,404	11,49	
Total	35,904,207	5,919,525	19,463,154	8,299,422	1,589,447	632,659	
Hardwoods							
White oak	14,327,755	997,625	6,610,259	2,742,134	2,872,288	1,105,449	
Select red oak	23,248,146	412,988	13,333,723	5,666,592	2,695,845	1,138,998	
Other red oak	31,819,564	1,627,874	13,106,278	5,490,472	8,234,946	3,359,99	
Select hickory	545,926	72,849	215,953	91,659	121,884	43,58	
Other hickory	912,687	148,283	482,205	204,629	54,454	23,11	
Basswood	3,978,186	307,728	2,206,065	937,968	375,397	151,02	
Beech	84,687	307,720	36,015	15,288	23,401	9,98	
Yellow birch	2,337,073	235,283	936,054	390,388	550,591	224,75	
	8,456,590	679,544	4,170,069	1,773,228	1,304,202	529,54	
Hard maple							
Soft maple	21,110,648	3,880,047	9,504,424	4,046,447	2,682,790	996,940	
Elm	3,389,723	566,977	1,561,423	644,361	457,122	159,84	
Black ash	3,956,089	584,061	2,085,964	872,854	317,076	96,13	
White & green ash	2,375,461	226,736	1,228,914	523,093	278,135	118,58	
Cottonwood	159,120		80,745	34,271	30,979	13,12	
Willow	182,269	8,428	105,454	44,537	16,708	7,14	
Hackberry	539	539					
Balsam poplar							
Bigtooth aspen	7,340,377	643,172	4,356,953	1,890,685	314,545	135,02	
Quaking aspen	18,761,152	2,731,446	9,925,964	4,263,834	1,358,506	481,40	
Paper birch	8,924,944	1,997,665	3,995,727	1,699,051	908,863	323,638	
River birch	234,260	28,450	84,966	36,193	59,423	25,228	
Black cherry	2,269,467	549,401	573,084	243,994	714,376	188,612	
Black walnut	34,566		7,642	3,243	16,580	7,101	
Butternut	364,144	1,215	168,244	71,889	86,121	36,675	
Other hardwoods	455,199	85,870	127,447	53,257	139,082	49,543	
Noncommercial species	1,539,196		11/377/	30,237	1,422,406	116,790	
Total	156,807,768	15,786,181	74,903,572	31,740,067	25,035,720	9,342,228	
					26,625,167	 	
All species	192,711,975	21,705,706	94,366,726	40.039.489	20,025,16/	9,974,887	

Table 66.--Sampling errors $\frac{1}{}$ for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land, Central Unit, Wisconsin, 1983

Sampling	Commercial	Growing stock			Sawtimber		
error	forest land	Inventory	Growth	Removals	Inventory	Growth	Removals
	Thousand						2/
Percent	acres	Tho	usand cubic	feet	Tho	usand board	
1	359.6	20,324,205	1,383,661	21,410,144	92,215,433	6,530,537	72,628,928
2	89.9	5,081,051	345,915	5,352,536	23,053,858	1,632,634	18,157,232
3	40.0	2,258,245	153,740	2,378,905	10,246,159	725,615	8,069,881
4	22.5	1,270,263	86,479	1,338,134	5,763,465	408,159	4,539,308
5	14.4	812,968	55,346	856,406	3,688,617	261,221	2,905,157
10	3.6	203,242	13,837	214,101	922,154	65,305	726,289
15	1.6	90,330	6,150	95,156	409,846	29,025	322,795
20	0.9	50,811	3,459	53,525	230,539	16,326	181,572
25	0.6	32,519	2,214	34,256	147,545	10,449	116,206
50	0.1	8,130	553	8,564	36,886	2,612	29,052
100	0.0	2,032	138	2,141	9,222	653	7,263

 $[\]frac{1}{4}$ At the 68-percent probability level.

Table 67.--Sampling errors for county totals of growing-stock volume, net growth, removals, and area of commercial forest land, Central Unit, Wisconsin, 1983

(Percent of estimate)

County	Commercial	Growing stock			
	forest land	Inventory	Growth	Removals	
Adams	1.24	11.30	13.79	103.62	
Chippewa	1.26	9.80	14.15	75.33	
Clark	1.07	8.09	11.09	71.66	
Eau Claire	1.53	11.19	15.22	133.33	
Jackson	0.98	7.86	10.50	142.12	
Juneau	1.19	9.77	13.02	140.46	
Marathon	1.00	7.29	10.33	49.92	
Marquette	1.95	17.93	23.53	165.14	
Monroe	1.21	10.39	15.42	151.34	
Portage	1.44	11.12	14.77	123.44	
Waupaca	1.44	9.17	14.15	101.28	
Waushara	1.57	11.66	15.39	348.21	
Wood	1.32	10.69	14.00	82.05	
All counties	0.35	2.72	3.73	26.52	

 $[\]frac{2}{I}$ International $\frac{1}{4}$ -inch rule.













Hahn, Jerold T.

Timber resource of Wisconsin's Central Survey Unit, 1983. Resour. Bull. NC-84. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1985. 88 p.

The timber resource of the Central Wisconsin Survey Unit increased 4.2 percent in commercial forest area and increased 75 percent in growing-stock volume between 1968 and 1983. Highlights and statistics from the fourth inventory of this unit are presented for area, volume, growth, mortality, removals, utilization, and biomass.

KEY WORDS: Statistics, area, volume, growth, mortality, removals.

